

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 8. Januar 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	10	6	7K	N	CD	-3	-150	0		6	9	2	3P	W	KB	=	-140	20		11	6	6	5SA	W	P3	=	-460	40	
1	7	13	6K	N	T8	-1	-50	25		6	2	1	2P	W	KB	=	-110	30		11	13	7	3SA	W	P2	+2	-460	40	
1	11	8	4P	N	CD	-1	-50	25		6	1	12	2C	S	TA	-1	-50	50		11	5	4	5P	O	T1C	=	-450	65	
1	12	10	6K	N	C7	-1	-50	25		6	3	3	2C	N	T5	-1	-50	50		11	9	12	4C	W	TD	+1	-450	65	
1	13	12	2P	S	C8	-1	-50	25		6	8	13	2C	N	T5	-1	-50	50		11	1	9	3SA	W	P2	=	-400	85	
1	8	2	2K	S	TK	+3	150	55		6	11	6	2P	W	KB	-1	100	70		11	11	3	3SA	W	P5	=	-400	85	
1	9	4	4K	S	C9	+1	150	55		6	6	9	2C	S	T2	=	110	90		11	12	5	6SA	O	C2	-1	50	100	
1	1	1	5K	S	TK	=	400	85		6	7	11	2C	N	T5	=	110	90		12	3	13	4C	S	PA	-5	-500	0	
1	4	7	3SA	N	CD	=	400	85		6	12	8	2C	S	K1C	=	110	90		12	4	2	3SA	O	C7	+1	-430	15	
1	5	9	3SA	N	CD	=	400	85		7	3	2	4C	O	K5	+1	-650	15		12	5	4	3SA	O	C6	+1	-430	15	
1	6	11	5K	N	CD	=	400	85		7	8	12	4C	O	T9	+1	-650	15		12	9	12	4P	W	T7	=	-420	30	
2	1	1	5P	W	KA	=	-450	20		7	11	5	4C	O	T9	+1	-650	15		12	1	9	1SA	O	C7	+3	-180	45	
2	4	7	4P	W	KA	+1	-450	20		7	13	9	4C	W	PA	+1	-650	15		12	2	11	2SA	O	K9	+2	-180	45	
2	5	9	4P	W	TA	+1	-450	20		7	1	11	4C	O	T9	=	-620	55		12	10	1	3P	W	C8	+1	-170	60	
2	8	2	5P	W	KA	=	-450	20		7	2	13	4C	O	K1C	=	-620	55		12	6	6	2P	W	C2	+1	-140	80	
2	11	8	5P	W	KA	=	-450	20		7	4	4	4C	O	T9	=	-620	55		12	12	5	2P	W	KK	+1	-140	80	
2	9	4	4P	W	KA	=	-420	50		7	7	10	4C	W	PA	=	-620	55		12	13	7	3P	W	T2	=	-140	80	
2	12	10	3P	O	KA	+2	-200	65		7	10	3	2SA	O	K1C	+3	-210	80		12	11	3	2SA	W	K7	=	-120	100	
2	13	12	5K	S	T2	-2	-200	65		7	9	1	6Cx	O	K2	-1	200	95		13	2	10	6SA	N	P7	-3	-300	0	
2	6	11	6P	W	TA	-2	100	85		7	12	7	6C	O	P6	-2	200	95		13	13	6	3T	S	PB	+2	150	10	
2	7	13	4Px	W	KA	-1	100	85		8	3	2	3C	W	T8	+2	-200	0		13	4	1	5T	S	P4	=	600	30	
2	10	6	4K	S	PA	=	130	100		8	1	11	3C	W	PK	=	-140	20		13	5	3	3SA	N	P2	=	600	30	
3	9	3	5K	N	P3	-2	-100	0		8	4	4	2C	W	PK	+1	-140	20		13	6	5	3SA	N	P7	=	600	30	
3	7	12	3SA	S	TA	-1	-50	15		8	11	5	3C	W	TA	=	-140	20		13	11	2	4C	S	T9	=	620	55	
3	11	7	5K	S	TA	-1	-50	15		8	9	1	2P	N	T3	-1	-50	40		13	12	4	4C	N	P3	=	620	55	
3	8	1	3K	N	PB	=	110	30		8	2	13	3C	W	PK	-1	50	70		13	7	7	5C	S	K6	=	650	70	
3	10	5	2SA	S	C4	=	120	45		8	7	10	4C	W	KA	-1	50	70		13	1	8	4C	N	PK	+2	680	85	
3	13	11	2SA	S	C1C	=	120	45		8	8	12	4C	W	PK	-1	50	70		13	3	12	4C	N	T8	+2	680	85	
3	1	13	2K	N	PB	+2	130	70		8	12	7	4C	W	PK	-1	50	70		13	10	13	6C	N	PK	=	1430	100	
3	5	8	3K	N	P2	+1	130	70		8	13	9	4C	W	PK	-1	50	70		14	13	6	2P	N	C2	-3	-150	0	
3	12	9	3K	N	PB	+1	130	70		8	10	3	5C	W	PK	-2	100	100		14	10	13	5Kx	S	TA	-1	-100	10	
3	2	2	3SA	N	CK	=	400	95		9	1	10	2K	O	PD	=	-90	5		14	7	7	5K	S	TA	-1	-50	20	
3	6	10	5K	N	CB	=	400	95		9	9	13	1K	O	C7	+1	-90	5		14	1	8	4C	O	P1C	-2	100	40	
4	9	3	3SA	N	T2	-2	-200	0		9	2	12	2SA	S	T2	-1	-50	25		14	4	1	4C	W	PA	-2	100	40	
4	2	2	4P	S	T7	-1	-100	25		9	10	2	2SA	S	K9	-1	-50	25		14	11	2	5Cx	O	P1C	-1	100	40	
4	6	10	3SA	N	T2	-1	-100	25		9	8	11	1P	O	TB	-1	100	45		14	2	10	2K	S	CB	+1	110	75	
4	8	1	4P	S	T3	-1	-100	25		9	11	4	1SA	W	P5	-1	100	45		14	5	3	3K	S	T6	=	110	75	
4	13	11	3SA	N	T5	-1	-100	25		9	5	5	1SA	S	K2	+1	120	60		14	6	5	3K	S	P7	=	110	75	
4	12	9	2SA	S	P2	+1	150	50		9	4	3	1K	O	T4	-2	200	80		14	12	4	3K	S	TA	=	110	75	
4	7	12	3SA	N	T5	=	600	65		9	12	6	1SA	W	TA	-2	200	80		14	3	12	4Cx	O	P1C	-4	800	100	
4	11	7	3SA	N	T2	=	600	65		9	13	8	2SA	W	TA	-2	200	80		15	2	9	2SA	S	P1C	-2	-200	5	
4	1	13	3SA	S	C5	+1	630	90		9	3	1	3K	O	T6	-4	400	100		15	5	2	1SA	S	P1C	-2	-200	5	
4	5	8	3SA	N	T2	+1	630	90		10	2	12	1SA	N	T3	-1	-100	5		15	6	4	2C	N	TA	-1	-100	25	
4	10	5	3SA	N	T2	+1	630	90		10	10	2	3P	N	CA	-1	-100	5		15	8	8	2P	N	C7	-1	-100	25	
5	12	8	4P	O	CA	-4	200	0		10	9	13	2T	W	CD	=	-90	20		15	3	11	1C	N	TA	=	80	45	
5	13	10	2C	S	PA	+4	230	10		10	11	4	1SA	N	T5	=	90	40		15	12	3	1C	N	TA	=	80	45	
5	1	12	4C	S	PA	+2	680	55		10	12	6	1SA	N	CA	=	90	40		15	11	1	2P	N	C7	=	110	65	
5	2	1	5C	S	PA	+1	680	55		10	13	8	1SA	N	T1C	=	90	40		15	13	5	2P	N	C7	=	110	65	
5	3	3	4C	S	K6	+2	680	55		10	1	10	2T	W	CD	-1	100	70		15	4	13	1SA	S	K9	+1	120	80	
5	6	9	4C	S	PA	+2	680	55		10	4	3	2T	W	CD	-1	100	70		15	1	7	2P	N	K7	+1	140	90	
5	7	11	4C	S	PA	+2	680	55		10	5	5	3T	W	CD	-1	100	70		15	7	6	2SA	S	K9	+1	150	100	
5	8	13	4C	S	PA	+2	680	55		10	8	11	2C	O	P9	-2	200	90		16	4	13	2C	N	T2	-4	-200	0	
5	10	4	4C	S	K6	+2	680	55		10	3	1	1SA	W	CD	-3	300	100		16	2	9	4P	N	T2	-1	-50	35	
5	11	6	4C	S	PA	+2	680	55		11	4	2	6T	O	K4	=	-920	0		16	5	2	4P	S	K9	-1	-50	35	
5	9	2	4C	S	K6	+3	710	100		11	2	11	5SA	O	P4	+2	-520	10		16	7	6	4P	N	T2	-1	-50	35	
6	10	4	3T	N	K3	-4	-200	0		11	10	1	3SA	O	PD	+3	-490	20		16	11	1	4P	N	T2	-1	-50	35	
6	13	10	3C	N	T5	-3	-150	10		11	3	13	3SA	W	P2	+2	-460	40		16	12	3	4P	N	T2	-1	-50	35	

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 8. Januar 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
16	13	5	4P	S	K9	-1	-50	35		21	10	9	3SA	O	T2	=	-400	55		26	10	7	4Px	O	TA	-3	800	95	
16	3	11	2P	N	T2	+1	140	75		21	11	11	3SA	O	T2	=	-400	55											
16	6	4	2P	S	K9	+1	140	75		21	7	3	4C	O	T8	-3	150	100											
16	8	8	4P	S	K9	=	420	90		22	1	4	4P	W	TA	+2	-680	45											
16	1	7	4P	N	KK	+1	450	100		22	2	6	4P	W	TA	+2	-680	45											
17	2	8	5C	O	PA	=	-450	5		22	3	8	4P	W	TA	+2	-680	45											
17	8	7	5C	O	PA	=	-450	5		22	5	12	4P	W	TA	+2	-680	45											
17	12	2	4C	O	PA	=	-420	20		22	6	1	5P	W	TA	+1	-680	45											
17	4	12	4Px	N	C2	-2	-300	35		22	7	3	4P	W	TA	+2	-680	45											
17	5	1	4Px	N	K4	-2	-300	35		22	8	5	4P	W	TA	+2	-680	45											
17	13	4	4P	N	T2	-2	-100	50		22	9	7	4P	W	TA	+2	-680	45											
17	3	10	3P	N	K6	-1	-50	70		22	10	9	4P	W	TA	+2	-680	45											
17	7	5	3P	N	K4	-1	-50	70		22	11	11	4P	O	TA	+2	-680	45											
17	9	9	4P	N	T3	-1	-50	70		22	4	10	4P	W	TA	+1	-650	100											
17	1	6	3P	N	K7	=	140	95		23	4	9	5Kx	S	C3	-2	-500	0											
17	6	3	3P	N	K4	=	140	95		23	3	7	3K	S	P8	-1	-100	20											
18	12	2	1SA	W	K4	+2	-150	0		23	5	11	4K	S	P8	-1	-100	20											
18	1	6	1SA	W	P1C	+1	-120	30		23	7	2	3K	S	C3	-1	-100	20											
18	2	8	1SA	W	P1C	+1	-120	30		23	11	10	3K	S	T2	=	110	40											
18	3	10	1SA	W	P7	+1	-120	30		23	9	6	4K	S	CB	=	130	55											
18	4	12	1SA	W	P1C	+1	-120	30		23	10	8	3K	S	P8	+1	130	55											
18	9	9	1SA	W	K4	+1	-120	30		23	2	5	3C	W	K8	-2	200	75											
18	8	7	2T	O	K8	+1	-110	60		23	8	4	3C	W	K8	-2	200	75											
18	13	4	1P	S	TA	-1	-100	70		23	12	12	4C	O	TA	-3	300	90											
18	5	1	3SA	W	K1C	-1	50	85		23	6	13	4C	W	K8	-4	400	100											
18	7	5	2C	W	P1C	-1	50	85		24	4	9	2P	N	KB	-2	-100	10											
18	6	3	2K	W	P1C	-2	100	100		24	6	13	2P	N	C2	-2	-100	10											
19	9	8	3K	N	PK	-4	-200	0		24	9	6	3SA	N	CA	-2	-100	10											
19	5	13	3SA	S	T7	-3	-150	20		24	5	11	2P	N	CA	-1	-50	35											
19	6	2	3SA	N	P6	-3	-150	20		24	10	8	2P	N	KB	-1	-50	35											
19	7	4	3SA	S	T9	-3	-150	20		24	12	12	1SA	N	K2	=	90	50											
19	1	5	3SA	S	T4	-2	-100	45		24	7	2	2P	N	CA	=	110	65											
19	3	9	3SA	S	T5	-2	-100	45		24	8	4	2P	N	CA	=	110	65											
19	4	11	2C	S	P8	-1	-50	65		24	11	10	2SA	N	T9	=	120	80											
19	10	10	3SA	N	P1C	-1	-50	65		24	2	5	2P	N	CA	+1	140	90											
19	2	7	1SA	O	P4	-1	100	80		24	3	7	2Px	N	CA	=	470	100											
19	8	6	3SA	S	T7	=	400	95		25	3	6	4C	O	P6	=	-620	0											
19	13	3	3SA	N	CA	=	400	95		25	11	9	4Px	S	K9	-2	-300	10											
20	13	3	3C	S	K6	+1	170	0		25	5	10	2SA	O	P5	-1	100	45											
20	5	13	2C	S	K3	+4	230	20		25	7	1	3SA	O	P4	-1	100	45											
20	7	4	3C	S	K6	+3	230	20		25	9	5	3SA	O	P4	-1	100	45											
20	9	8	2C	S	K3	+4	230	20		25	10	7	3SA	O	P2	-1	100	45											
20	4	11	4C	S	P8	=	620	40		25	12	11	3SA	O	P4	-1	100	45											
20	6	2	4C	S	K8	+1	650	50		25	13	13	3SA	O	P4	-1	100	45											
20	1	5	4C	S	K6	+2	680	80		25	4	8	3SA	O	P4	-2	200	85											
20	2	7	4C	S	P5	+2	680	80		25	8	3	3SA	O	P4	-2	200	85											
20	3	9	4C	S	P1C	+2	680	80		25	6	12	3SA	O	P4	-3	300	100											
20	8	6	4C	S	P5	+2	680	80		26	6	12	3C	N	PA	-3	-300	0											
20	10	10	4C	S	K3	+2	680	80		26	4	8	2P	O	CD	=	-110	15											
21	5	12	3SA	O	P2	+2	-460	0		26	9	5	2P	O	TA	=	-110	15											
21	1	4	3SA	O	TB	+1	-430	10		26	5	10	4K	S	P2	-1	-100	30											
21	2	6	3SA	O	T2	=	-400	55		26	7	1	3P	O	TA	-1	100	40											
21	3	8	3SA	O	T1C	=	-400	55		26	3	6	4K	S	P5	=	130	55											
21	4	10	3SA	O	TB	=	-400	55		26	12	11	4K	S	P6	=	130	55											
21	6	1	3SA	O	T2	=	-400	55		26	13	13	4P	O	TA	-2	200	70											
21	8	5	3SA	O	TB	=	-400	55		26	11	9	4P	O	TA	-3	300	80											
21	9	7	3SA	O	T2	=	-400	55		26	8	3	4Cx	O	TA	-3	800	95											