

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Donnerstag, 17. Januar 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	9	6	4P	S	K7	-1	-50	0		7	2	1	2C	N	KA	-1	-100	44		13	2	10	2P	N	C5	=	110	75	
1	5	9	5K	O	PK	-2	100	13		7	7	11	3T	S	P2	-1	-100	44		13	11	6	2SA	S	CD	=	120	88	
1	11	10	2P	S	CB	=	110	25		7	6	9	2SA	O	TA	-1	100	63		13	1	8	2SA	S	CD	+1	150	100	
1	1	1	2P	S	CB	+1	140	50		7	9	4	3T	S	P6	=	110	81		14	1	8	2SA	W	P2	+1	-150	13	
1	6	11	3P	S	K6	=	140	50		7	10	6	3T	S	C2	=	110	81		14	5	5	2SA	W	C2	+1	-150	13	
1	8	4	3P	S	K3	=	140	50		7	3	3	2SA	S	P3	=	120	100		14	9	2	2SA	W	TA	+1	-150	13	
1	4	7	3P	S	K4	+1	170	75		8	2	1	1C	W	P7	+2	-140	6.3		14	2	10	4C	N	KA	-1	-50	38	
1	7	2	5Kx	O	CK	-2	300	88		8	6	9	1C	W	K1C	+2	-140	6.3		14	3	1	3SA	W	C2	-1	50	50	
1	10	8	4P	S	K3	=	420	100		8	11	8	1C	W	P7	+1	-110	25		14	4	3	2P	N	CB	=	110	75	
2	7	2	3SA	S	CA	-3	-300	0		8	7	11	2T	S	KA	-2	-100	38		14	8	11	2P	N	KA	=	110	75	
2	8	4	3SA	S	CA	-1	-100	13		8	8	2	1C	W	K1C	=	-80	50		14	10	4	2P	N	KA	=	110	75	
2	10	8	2C	W	K9	-1	50	25		8	9	4	2T	S	KA	=	90	63		14	11	6	3SA	W	PA	-3	150	100	
2	5	9	3C	W	K9	-2	100	44		8	1	10	2K	O	P2	-2	100	81		15	3	1	1SA	N	KB	-2	-200	6.3	
2	9	6	3C	W	K9	-2	100	44		8	10	6	3C	W	K1C	-2	100	81		15	11	6	1SA	N	P6	-2	-200	6.3	
2	1	1	4K	S	C5	=	130	69		8	3	3	1SA	S	C4	+2	150	100		15	2	10	1SA	N	P6	-1	-100	31	
2	11	10	4K	S	CA	=	130	69		9	8	2	3P	W	KK	=	-140	0		15	5	5	1SA	S	T4	-1	-100	31	
2	4	7	3P	S	CA	=	140	88		9	7	11	3P	W	KK	-1	100	13		15	4	3	1SA	N	P6	=	90	56	
2	6	11	4K	S	CA	+1	150	100		9	1	10	3C	S	P6	+1	170	31		15	9	2	1SA	N	P6	=	90	56	
3	5	9	2SA	N	CK	-4	-200	0		9	9	4	3C	S	PA	+1	170	31		15	1	8	1SA	N	P6	+1	120	81	
3	9	6	3SA	N	CK	-3	-150	13		9	2	1	4C	S	T5	=	420	75		15	10	4	1SA	N	P6	+1	120	81	
3	11	10	2SA	N	CK	-2	-100	25		9	3	3	4C	N	PK	=	420	75		15	8	11	2C	W	P4	-3	150	100	
3	1	1	1SA	N	CK	-1	-50	44		9	6	9	4C	S	T5	=	420	75		16	6	6	3K	W	PK	=	-110	0	
3	7	2	1SA	N	CK	-1	-50	44		9	10	6	4C	S	PA	=	420	75		16	4	2	4C	N	K6	-2	-100	19	
3	8	4	1SA	N	CK	=	90	63		9	11	8	4C	S	PA	=	420	75		16	11	5	3P	S	KA	-2	-100	19	
3	4	7	1P	S	C8	+1	110	81		10	3	2	6P	S	CA	-1	-100	19		16	2	9	3P	S	CA	-1	-50	56	
3	6	11	2K	N	CK	+1	110	81		10	4	4	6P	S	T1C	-1	-100	19		16	3	11	4C	N	K6	-1	-50	56	
3	10	8	3C	O	PA	-2	200	100		10	7	10	6P	S	CA	-1	-100	19		16	5	4	2P	S	CA	-1	-50	56	
4	1	11	3SA	W	T8	+2	-660	13		10	10	5	6P	S	CA	-1	-100	19		16	10	3	4P	S	KA	-1	-50	56	
4	2	2	3SA	W	P4	+2	-660	13		10	2	11	4P	N	CB	+1	650	63		16	1	7	3P	S	CA	=	140	88	
4	8	3	3SA	O	T2	+2	-660	13		10	8	1	4P	S	CA	+1	650	63		16	9	1	2P	S	KA	+2	170	100	
4	5	8	3SA	W	P4	+1	-630	44		10	11	7	4P	S	CA	+1	650	63		17	2	9	4SA	S	TA	-2	-100	13	
4	6	10	3SA	W	P4	+1	-630	44		10	1	9	6P	S	CA	=	1430	94		17	3	11	5K	N	CA	-2	-100	13	
4	9	5	4P	W	T8	=	-620	63		10	9	3	6P	S	CA	=	1430	94		17	6	6	5K	N	CA	-2	-100	13	
4	7	1	2SA	W	P4	+2	-180	75		11	11	7	3P	N	TA	-3	-150	0		17	1	7	5K	N	CA	-1	-50	50	
4	11	9	1SA	O	T2	+2	-150	88		11	9	3	1SA	S	C4	-1	-50	13		17	5	4	4K	N	CA	-1	-50	50	
4	10	7	2C	W	T8	+1	-140	100		11	8	1	3C	W	P4	-1	50	25		17	11	5	5K	N	CA	-1	-50	50	
5	5	8	2P	S	T9	=	110	25		11	10	5	2K	S	C6	=	90	38		17	9	1	3K	N	CA	=	110	75	
5	6	10	2P	S	T9	=	110	25		11	2	11	3C	W	K3	-2	100	63		17	10	3	3SA	S	T7	=	400	88	
5	7	1	2P	S	KA	=	110	25		11	3	2	2C	W	KB	-2	100	63		17	4	2	3SA	S	T9	+1	430	100	
5	8	3	2P	S	T9	=	110	25		11	4	4	3C	W	T8	-2	100	63		18	4	2	5SA	O	T1C	=	-460	0	
5	10	7	2P	S	KA	=	110	25		11	7	10	2P	N	TA	=	110	88		18	5	4	4C	W	K9	+1	-450	13	
5	1	11	3P	S	KA	=	140	75		11	1	9	1SA	S	C3	+1	120	100		18	1	7	3SA	O	T1C	+1	-430	31	
5	2	2	2P	S	T9	+1	140	75		12	1	9	2P	W	T7	+1	-140	50		18	2	9	3SA	O	PB	+1	-430	31	
5	9	5	2P	S	T9	+1	140	75		12	2	11	2P	W	K7	+1	-140	50		18	3	11	6SA	O	T1C	-1	50	69	
5	11	9	4C	O	TK	-4	200	100		12	3	2	2P	W	K3	+1	-140	50		18	6	6	6SA	O	T5	-1	50	69	
6	7	1	3K	O	TA	=	-110	0		12	4	4	2P	W	K5	+1	-140	50		18	9	1	6SA	O	T1C	-1	50	69	
6	1	11	4C	S	P3	-1	-50	44		12	7	10	3C	O	T1C	=	-140	50		18	10	3	6SA	O	T1C	-1	50	69	
6	2	2	3C	S	PA	-1	-50	44		12	8	1	2P	W	C3	+1	-140	50		18	11	5	6SA	O	PB	-2	100	100	
6	6	10	3C	S	PA	-1	-50	44		12	9	3	2P	W	C3	+1	-140	50		19	3	10	4P	W	TB	+2	-680	6.3	
6	9	5	3C	S	PA	-1	-50	44		12	10	5	2P	W	TB	+1	-140	50		19	4	1	4P	W	TB	+2	-680	6.3	
6	10	7	3C	S	PA	-1	-50	44		12	11	7	2P	W	K3	+1	-140	50		19	1	6	4P	W	TB	+1	-650	44	
6	11	9	3C	S	PA	-1	-50	44		13	4	3	3SA	S	CD	-2	-200	0		19	5	3	4P	W	TB	+1	-650	44	
6	5	8	2C	S	PA	=	110	94		13	3	1	3SA	S	CD	-1	-100	38		19	6	5	4P	W	TB	+1	-650	44	
6	8	3	2C	S	PA	=	110	94		13	5	5	3SA	S	C4	-1	-100	38		19	10	2	4P	W	TB	+1	-650	44	
7	1	10	4C	N	KA	-3	-300	6.3		13	8	11	2SA	N	CD	-1	-100	38		19	7	7	4P	W	TB	=	-620	75	
7	8	2	3K	S	P3	-3	-300	6.3		13	9	2	4P	N	P2	-1	-100	38		19	11	4	6P	W	CA	-1	100	88	
7	11	8	2C	N	T6	-2	-200	25		13	10	4	3SA	S	C4	-1	-100	38		19	2	8	6SA	O	TD	-4	400	100	

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Donnerstag, 17. Januar 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
20	3	10	3P	N	KB	-5	-500	0		26	6	3	5C	W	P6	+2	-710	44		32	3	6	2P	S	KA	+2	170	88	
20	4	1	2T	W	KK	=	-90	19		26	8	7	4C	W	T7	+3	-710	44		32	7	3	2P	S	TA	+2	170	88	
20	5	3	1SA	W	K3	=	-90	19		26	9	9	5C	W	P6	+2	-710	44		32	10	9	3P	S	KA	+1	170	88	
20	2	8	1SA	S	K2	=	90	38		26	1	4	3SA	O	KB	+3	-690	81		33	7	3	3SA	N	T3	-4	-200	0	
20	11	4	2K	W	CK	-1	100	50		26	3	8	3SA	W	K2	+3	-690	81		33	3	6	4P	N	K4	-2	-100	13	
20	6	5	2P	N	KB	=	110	63		26	7	5	5C	W	KA	+1	-680	100		33	8	5	3P	N	T6	-1	-50	31	
20	1	6	1SA	S	T7	+1	120	75		27	5	1	3Px	N	K1C	-5	-1100	0		33	9	7	3P	N	T2	-1	-50	31	
20	10	2	2C	S	PA	+1	140	88		27	8	7	4Kx	W	PA	=	-510	13		33	5	10	2P	N	T3	=	110	50	
20	7	7	2T	W	PD	-3	300	100		27	2	6	3SA	O	P8	+2	-460	31		33	6	1	3P	N	K6	=	140	75	
21	6	5	4T	W	KA	=	-130	0		27	4	10	3SA	O	P7	+2	-460	31		33	10	9	3P	N	K6	=	140	75	
21	7	7	4P	N	C4	-1	-100	19		27	3	8	3SA	O	P6	+1	-430	50		33	11	11	3P	N	C3	=	140	75	
21	11	4	2P	N	CD	-1	-100	19		27	6	3	2P	N	K1C	-3	-150	69		33	4	8	3Px	N	KD	=	530	100	
21	4	1	2P	N	P2	=	110	38		27	7	5	3P	N	K1C	-3	-150	69											
21	1	6	3P	N	K3	+1	170	56		27	1	4	3SA	O	P5	-1	50	94											
21	5	3	2P	N	K5	+2	170	56		27	9	9	3SA	O	P6	-1	50	94											
21	3	10	2P	N	C5	+3	200	81		28	7	4	3P	S	T6	-3	-300	0											
21	10	2	2P	N	K4	+3	200	81		28	8	6	3P	S	T6	-2	-200	13											
21	2	8	4P	N	K9	+1	650	100		28	6	2	2K	W	PA	+2	-130	31											
22	7	6	3C	W	K1C	=	-140	0		28	10	10	2K	W	PA	+2	-130	31											
22	8	8	3K	S	TA	-1	-50	19		28	3	7	2K	W	PA	=	-90	50											
22	11	3	2K	S	TA	-1	-50	19		28	4	9	3K	W	CA	-1	50	63											
22	2	7	4T	W	K2	-1	100	63		28	2	5	2P	N	P4	=	110	81											
22	3	9	4T	W	K1C	-1	100	63		28	5	11	2P	S	T6	=	110	81											
22	4	11	4T	W	K1C	-1	100	63		28	9	8	2T	O	C1C	-3	150	100											
22	5	2	4T	W	K1C	-1	100	63		29	7	4	4P	N	K9	+1	650	6.3											
22	6	4	4T	W	T1C	-1	100	63		29	10	10	4P	N	K1C	+1	650	6.3											
22	1	5	3K	S	T5	=	110	100		29	2	5	5P	N	T7	+1	680	38											
23	3	9	4P	W	CA	=	-620	13		29	8	6	5P	S	CA	+1	680	38											
23	7	6	4P	W	CA	=	-620	13		29	9	8	4P	S	TB	+2	680	38											
23	11	3	4P	W	T2	=	-620	13		29	3	7	6P	N	K6	=	1430	81											
23	5	2	1P	W	T6	+3	-170	38		29	4	9	6P	N	T9	=	1430	81											
23	1	5	3P	W	T2	=	-140	63		29	5	11	6P	N	T7	=	1430	81											
23	2	7	3P	W	CA	=	-140	63		29	6	2	6P	N	T7	=	1430	81											
23	6	4	3P	W	T2	=	-140	63		30	5	11	4C	N	TD	-2	-100	6.3											
23	4	11	4P	W	CA	-1	100	94		30	6	2	3SA	S	P6	-2	-100	6.3											
23	8	8	4P	W	KA	-1	100	94		30	2	5	2SA	S	P6	-1	-50	44											
24	5	2	4Cx	S	P7	-3	-500	0		30	4	9	3C	S	T9	-1	-50	44											
24	6	4	3T	N	K9	-3	-150	19		30	7	4	3T	S	PB	-1	-50	44											
24	7	6	3T	N	CA	-3	-150	19		30	10	10	3C	N	C1C	-1	-50	44											
24	2	7	3SA	S	C5	-2	-100	50		30	3	7	1SA	S	P6	=	90	81											
24	3	9	3Tx	N	K9	-1	-100	50		30	8	6	1SA	S	P4	=	90	81											
24	8	8	3C	S	K3	-2	-100	50		30	9	8	2C	N	P3	+1	140	100											
24	1	5	3T	N	C2	-1	-50	75		31	3	6	4P	N	C1C	-2	-200	13											
24	11	3	1SA	W	T7	-1	50	88		31	4	8	4P	N	C1C	-2	-200	13											
24	4	11	3Cx	O	KA	-4	800	100		31	10	9	4P	N	T3	-2	-200	13											
25	4	10	3P	O	CB	+1	-170	6.3		31	5	10	4P	N	K4	-1	-100	50											
25	7	5	3C	O	PB	+1	-170	6.3		31	7	3	4P	N	C1C	-1	-100	50											
25	2	6	4Px	N	CB	-1	-100	25		31	8	5	4P	S	C1C	-1	-100	50											
25	3	8	4P	N	CB	-1	-50	38		31	9	7	2P	N	K4	+1	140	75											
25	5	1	4C	W	PK	-1	100	56		31	6	1	4P	N	P2	=	620	94											
25	9	9	4C	W	PK	-1	100	56		31	11	11	4P	N	C1C	=	620	94											
25	1	4	3P	N	CB	=	140	81		32	11	11	1SA	W	C6	=	-90	0											
25	6	3	3P	N	CB	=	140	81		32	4	8	3P	S	KA	-1	-50	19											
25	8	7	3Px	N	KA	=	530	100		32	9	7	2SA	N	T4	-1	-50	19											
26	5	1	6SA	O	P2	+1	-1470	0		32	5	10	1SA	W	C6	-1	100	44											
26	2	6	6C	W	P6	+1	-1460	13		32	8	5	3T	W	P3	-1	100	44											
26	4	10	4C	W	P6	+3	-710	44		32	6	1	2SA	N	K9	+1	150	63											