

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 26. Februar 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	1	1	4Px	N	KA	-1	-100	5		6	9	2	3K	N	CA	=	110	20		11	4	2	3SA	N	T4	-1	-50	45	
1	9	4	3C	N	TA	-2	-100	5		6	6	9	2SA	N	CA	=	120	35		11	9	12	4C	S	P6	-1	-50	45	
1	8	2	4K	WT	1C	-1	50	20		6	10	4	1SA	N	CA	+1	120	35		11	13	7	2C	S	T8	-1	-50	45	
1	4	7	4T	O	P6	-2	100	30		6	3	3	4K	N	CA	=	130	60		11	11	3	3C	S	P2	=	140	75	
1	6	11	3P	N	T1C	=	140	45		6	12	8	2K	N	CA	+2	130	60		11	12	5	3C	S	P9	=	140	75	
1	10	6	2P	N	TK	+1	140	45		6	13	10	3K	S	TK	+1	130	60		11	6	6	2SA	N	T4	+1	150	90	
1	5	9	2P	N	KA	+2	170	60		6	1	12	2K	S	TK	+3	150	80		11	3	13	4C	N	KA	=	420	100	
1	11	8	1Px	N	TA	+1	260	70		6	8	13	2SA	N	CA	+2	180	90		12	13	7	3T	S	P9	-1	-100	0	
1	7	13	4P	N	KA	=	420	80		6	11	6	2SA	O	CB	-2	200	100		12	2	11	1SA	S	C2	+1	120	15	
1	13	12	4Px	N	KA	=	590	90		7	4	4	4P	S	P2	-1	-100	15		12	3	13	1SA	S	C2	+1	120	15	
1	12	10	3Cx	W	K1C	-6	1400	100		7	8	12	4SA	S	CB	-1	-100	15		12	1	9	1SA	S	P9	+2	150	45	
2	6	11	3C	S	TA	-1	-100	0		7	11	5	4P	S	KA	-1	-100	15		12	5	4	1SA	S	P9	+2	150	45	
2	8	2	2T	W	PK	-1	50	10		7	13	9	4P	S	KA	-1	-100	15		12	9	12	2SA	S	P9	+1	150	45	
2	4	7	4T	W	PK	-2	100	30		7	7	10	2P	S	CB	+2	170	40		12	11	3	1SA	S	P9	+2	150	45	
2	11	8	2Tx	W	PK	-1	100	30		7	1	11	4P	S	C1C	=	620	60		12	4	2	1SA	S	P8	+3	180	80	
2	13	12	3T	W	PK	-2	100	30		7	3	2	4P	S	C5	=	620	60		12	6	6	1SA	S	C2	+3	180	80	
2	5	9	2P	S	TA	=	110	55		7	10	3	4P	S	CB	=	620	60		12	12	5	1SA	S	P9	+3	180	80	
2	7	13	2C	S	TA	=	110	55		7	2	13	4P	S	KA	+1	650	85		12	10	1	3SA	S	T5	=	600	100	
2	1	1	3C	N	T9	=	140	75		7	9	1	4P	S	CK	+1	650	85		13	3	12	4C	N	K2	-2	-200	0	
2	9	4	3C	S	TA	=	140	75		7	12	7	5Cx	W	P6	-3	800	100		13	1	8	4C	S	TA	-1	-100	25	
2	10	6	3C	S	TA	+1	170	95		8	9	1	4T	S	K9	-2	-100	0		13	4	1	4C	S	TA	-1	-100	25	
2	12	10	2C	S	TA	+2	170	95		8	4	4	4C	N	K8	-1	-50	20		13	7	7	2C	S	TA	-1	-100	25	
3	6	10	2SA	N	C1C	+1	150	5		8	7	10	4C	N	K3	-1	-50	20		13	13	6	2C	S	TA	-1	-100	25	
3	11	7	2SA	N	T2	+1	150	5		8	11	5	3T	S	CA	-1	-50	20		13	2	10	2C	S	K1C	=	110	50	
3	5	8	2SA	N	K2	+2	180	20		8	8	12	3K	W	T9	-1	50	40		13	5	3	2C	S	TA	+1	140	60	
3	8	1	3SA	S	C2	=	400	40		8	13	9	3T	S	K3	=	110	50		13	12	4	3C	S	TA	+1	170	70	
3	10	5	3SA	S	C2	=	400	40		8	3	2	3T	S	P7	+1	130	65		13	6	5	4C	S	TA	=	620	85	
3	13	11	3SA	N	K2	=	400	40		8	10	3	3T	S	P7	+1	130	65		13	10	13	4C	S	TA	=	620	85	
3	1	13	3SA	S	PA	+1	430	70		8	2	13	2C	N	K3	+1	140	85		13	11	2	4Cx	S	TA	=	790	100	
3	2	2	3SA	S	C7	+1	430	70		8	12	7	2C	N	T6	+1	140	85		14	7	7	4P	N	TA	-4	-200	0	
3	7	12	3SA	S	C7	+1	430	70		8	1	11	3SA	N	C9	+1	430	100		14	1	8	3T	O	KA	=	-110	15	
3	9	3	3SA	S	PA	+2	460	95		9	2	12	1SA	O	P1C	+2	-150	5		14	4	1	3T	O	PA	=	-110	15	
3	12	9	3SA	S	TB	+2	460	95		9	11	4	1SA	O	T4	+2	-150	5		14	2	10	4P	N	TA	-2	-100	30	
4	7	12	4P	O	K3	+1	-650	0		9	9	13	2T	O	T4	+2	-130	20		14	5	3	4P	N	TA	-1	-50	40	
4	5	8	4C	W	KA	=	-620	30		9	1	10	1SA	O	C3	+1	-120	45		14	3	12	4T	O	PA	-1	50	75	
4	6	10	4C	W	KA	=	-620	30		9	5	5	1SA	W	K6	+1	-120	45		14	6	5	4T	O	PA	-1	50	75	
4	10	5	4P	O	K1C	=	-620	30		9	10	2	1SA	O	T4	+1	-120	45		14	10	13	4T	O	PA	-1	50	75	
4	11	7	4P	W	KA	=	-620	30		9	13	8	1SA	O	C3	+1	-120	45		14	11	2	5T	O	KA	-1	50	75	
4	13	11	4P	W	C1C	=	-620	30		9	3	1	1SA	O	C8	=	-90	70		14	12	4	5T	O	KA	-1	50	75	
4	9	3	3P	O	C1C	+1	-170	60		9	4	3	1SA	O	K4	-1	100	85		14	13	6	4T	O	PA	-1	50	75	
4	2	2	4P	O	C1C	-1	100	75		9	8	11	3T	W	PB	-1	100	85		15	7	6	6SA	N	C7	-7	-700	0	
4	8	1	4P	W	T5	-1	100	75		9	12	6	2T	O	P5	-2	200	100		15	3	11	4C	S	P1C	-4	-400	10	
4	12	9	3SA	W	KA	-2	200	90		10	5	5	5K	O	PA	=	-600	0		15	6	4	5T	N	C7	-2	-200	20	
4	1	13	5SA	W	KA	-4	400	100		10	12	6	3P	S	PD	+3	230	10		15	5	2	2C	W	TA	=	-110	30	
5	6	9	4C	N	TK	-1	-100	10		10	4	3	5P	N	T5	=	650	20		15	4	13	3P	S	CA	-1	-100	40	
5	9	2	4C	N	KA	-1	-100	10		10	1	10	4P	N	K8	+2	680	65		15	8	8	3C	W	C4	-1	50	55	
5	11	6	4C	N	KA	-1	-100	10		10	2	12	5P	S	K2	+1	680	65		15	13	5	2C	W	TA	-1	50	55	
5	3	3	3C	N	P2	=	140	35		10	3	1	4P	S	KK	+2	680	65		15	11	1	4C	W	TA	-2	100	75	
5	8	13	3C	N	TK	=	140	35		10	8	11	5P	S	KK	+1	680	65		15	12	3	4C	W	TA	-2	100	75	
5	2	1	3C	N	KA	+1	170	60		10	9	13	5P	S	T5	+1	680	65		15	2	9	4T	N	C7	=	130	90	
5	7	11	2C	N	TK	+2	170	60		10	10	2	5P	S	KK	+1	680	65		15	1	7	4C	W	TA	-3	150	100	
5	10	4	3C	N	P2	+1	170	60		10	11	4	4P	S	K2	+2	680	65		16	1	7	1C	W	TA	+1	-110	0	
5	1	12	4C	N	KA	=	620	90		10	13	8	4P	S	KK	+2	680	65		16	5	2	1SA	N	C9	-2	-100	25	
5	12	8	4C	N	KA	=	620	90		11	2	11	4C	S	P2	-2	-100	10		16	6	4	1SA	N	P5	-2	-100	25	
5	13	10	4C	N	TK	=	620	90		11	5	4	3SA	N	T4	-2	-100	10		16	11	1	1SA	N	P2	-2	-100	25	
6	2	1	3T	O	KK	+1	-130	0		11	10	1	3C	S	T5	-2	-100	10		16	12	3	1SA	N	P5	-2	-100	25	
6	7	11	3SA	N	T3	-1	-50	10		11	1	9	4C	S	T8	-1	-50	45		16	2	9	3K	S	P2	-1	-50	60	

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 26. Februar 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
16	4	13	1SA	N	C6	-1	-50	60		21	2	6	4P	N	KB	=	620	85		26	11	9	3P	O	K2	-2	200	95	
16	8	8	1SA	N	P5	-1	-50	60		21	7	3	4P	S	K3	=	620	85											
16	3	11	2T	S	KK	=	90	85		21	10	9	4P	N	T3	=	620	85											
16	13	5	2K	S	TD	=	90	85		22	5	12	3SA	W	K3	+2	-660	0											
16	7	6	1C	W	TK	-1	100	100		22	6	1	3SA	W	C4	+1	-630	15											
17	12	2	4C	W	KK	+1	-450	0		22	9	7	3SA	W	C4	+1	-630	15											
17	4	12	4C	O	P5	=	-420	20		22	7	3	3SA	W	P2	=	-600	40											
17	5	1	4C	O	KK	=	-420	20		22	8	5	3SA	W	C4	=	-600	40											
17	8	7	4C	O	KK	=	-420	20		22	11	11	3SA	W	C4	=	-600	40											
17	13	4	2C	O	C9	+3	-200	40		22	10	9	2SA	W	C7	+2	-180	60											
17	7	5	3C	O	P5	+1	-170	50		22	3	8	2SA	W	C4	+1	-150	70											
17	2	8	2C	O	PK	+1	-140	65		22	1	4	4P	O	C8	-1	100	85											
17	3	10	2C	O	K8	+1	-140	65		22	2	6	3SA	W	P2	-1	100	85											
17	6	3	4C	O	K1C	-1	50	80		22	4	10	4P	O	TB	-3	300	100											
17	1	6	4C	O	KK	-2	100	90		23	7	2	3SA	O	C7	=	-600	0											
17	9	9	2P	S	CA	=	110	100		23	6	13	3P	S	CD	-2	-200	20											
18	4	12	4P	W	T4	+1	-450	10		23	10	8	4P	S	KA	-2	-200	20											
18	5	1	4P	W	T8	+1	-450	10		23	11	10	2C	N	P1C	-2	-200	20											
18	12	2	4P	W	K6	+1	-450	10		23	3	7	1SA	O	C7	+2	-150	40											
18	7	5	4P	W	T3	=	-420	30		23	4	9	2P	S	KA	-1	-100	60											
18	3	10	3P	W	T6	+2	-200	45		23	8	4	2P	S	T3	-1	-100	60											
18	9	9	2P	W	K6	+3	-200	45		23	9	6	3P	S	P3	-1	-100	60											
18	8	7	3K	O	CA	=	-110	60		23	5	11	2P	O	C3	-1	100	85											
18	6	3	4P	W	TK	-1	50	75		23	12	12	3SA	O	C7	-1	100	85											
18	13	4	4P	W	K6	-1	50	75		23	2	5	2P	S	KA	=	110	100											
18	2	8	4P	W	T8	-2	100	90		24	5	11	3SA	W	P6	+1	-430	0											
18	1	6	1SA	N	TA	+2	150	100		24	3	7	3SA	W	P2	=	-400	15											
19	4	11	4Cx	O	PA	+1	-990	0		24	7	2	3SA	W	P6	=	-400	15											
19	2	7	4C	O	PA	=	-620	20		24	8	4	2P	N	K2	-3	-150	30											
19	6	2	4C	O	TA	=	-620	20		24	4	9	2SA	W	P8	=	-120	40											
19	13	3	4C	O	P3	=	-620	20		24	2	5	3SA	W	P3	-1	50	60											
19	7	4	2C	O	TA	+1	-140	40		24	10	8	3SA	O	P6	-1	50	60											
19	1	5	4C	O	TA	-1	100	75		24	12	12	3SA	W	P6	-1	50	60											
19	3	9	4C	O	TA	-1	100	75		24	9	6	3T	W	P1C	-2	100	85											
19	5	13	4C	O	TA	-1	100	75		24	11	10	3SA	W	P6	-2	100	85											
19	8	6	4C	O	KK	-1	100	75		24	6	13	3SA	W	P6	-3	150	100											
19	9	8	4C	W	PA	-1	100	75		25	10	7	4P	W	TA	+2	-680	0											
19	10	10	4C	O	TA	-1	100	75		25	6	12	4P	W	K2	+1	-650	25											
20	4	11	5K	W	TA	=	-600	5		25	9	5	4P	W	K2	+1	-650	25											
20	7	4	5K	W	TA	=	-600	5		25	11	9	4P	O	KB	+1	-650	25											
20	2	7	4K	W	TA	+1	-150	20		25	12	11	4P	W	K2	+1	-650	25											
20	6	2	5K	O	P3	-2	200	40		25	5	10	4P	W	K2	=	-620	60											
20	8	6	5K	O	PK	-2	200	40		25	7	1	4P	W	K2	=	-620	60											
20	10	10	5K	W	TA	-2	200	40		25	8	3	4P	W	K2	=	-620	60											
20	3	9	4P	S	KK	=	620	65		25	13	13	1P	O	K2	+2	-140	80											
20	9	8	4P	S	KK	=	620	65		25	4	8	4P	W	K2	-1	100	90											
20	5	13	4P	S	KK	+1	650	80		25	3	6	4P	W	K5	-2	200	100											
20	13	3	3Px	S	KK	=	730	90		26	9	5	3Cx	S	P2	-2	-500	0											
20	1	5	4Px	S	KK	=	790	100		26	4	8	2P	O	T1C	=	-110	15											
21	6	1	3Kx	O	PA	=	-470	0		26	13	13	1P	O	C2	+1	-110	15											
21	4	10	5T	S	CK	-4	-400	10		26	5	10	3C	S	P2	-1	-100	30											
21	9	7	4P	S	K3	-1	-100	25		26	6	12	3P	O	T1C	-1	100	55											
21	11	11	5P	S	KD	-1	-100	25		26	7	1	3P	O	CK	-1	100	55											
21	5	12	4K	O	PA	-1	50	45		26	8	3	2P	O	T1C	-1	100	55											
21	8	5	3K	O	PA	-1	50	45		26	12	11	2P	O	T1C	-1	100	55											
21	3	8	4K	O	TA	-2	100	60		26	3	6	2C	S	P8	+2	170	80											
21	1	4	4P	N	CK	=	620	85		26	10	7	4P	O	CK	-2	200	95											