

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 5. November 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	10	4	3C	O	PA	-1		50	10	6	8	13	4C	O	KD	=	-620	35		11	5	4	2P	N	TK	-1	-50	35	
1	11	6	3C	O	PA	-1		50	10	6	9	15	4C	O	KA	=	-620	35		11	2	13	2SA	W	PA	-1	50	55	
1	13	10	3C	O	PA	-1		50	10	6	11	4	4C	O	KA	=	-620	35		11	12	3	2SA	W	P3	-1	50	55	
1	7	13	1SA	S	C2	+1	120	30		6	12	6	4C	O	T2	=	-620	35		11	11	1	3SA	W	PA	-2	100	70	
1	1	1	2P	N	TA	+2	170	60		6	13	8	4C	O	K9	=	-620	35		11	1	11	2P	N	C10	=	110	80	
1	6	11	2P	S	C9	+2	170	60		6	14	10	4C	O	KA	=	-620	35		11	3	15	2P	N	K4	+1	140	95	
1	8	15	3P	N	TA	+1	170	60		6	2	1	3C	O	T5	+1	-170	80		11	14	7	3P	N	TK	=	140	95	
1	9	2	3P	N	TA	+1	170	60		6	10	2	1SA	N	C8	+1	120	90		12	3	15	3SA	S	P3	-1	-100	10	
1	12	8	2P	N	TA	+2	170	60		6	15	12	1SA	N	PA	+2	150	100		12	14	7	2SA	S	P7	-1	-100	10	
1	14	12	4P	S	P5	=	420	90		7	9	14	3Cx	N	K4	-1	-200	0		12	15	9	1SA	S	P3	-1	-100	10	
1	15	14	3SA	S	C9	+1	430	100		7	13	7	3P	S	KK	-1	-100	10		12	5	4	1P	W	KA	-1	50	30	
2	1	1	6P	S	K4	-1	-100	15		7	10	1	2K	W	T10	-1	100	20		12	13	5	2SA	W	P7	-2	100	40	
2	7	13	6P	S	C5	-1	-100	15		7	1	13	2C	N	K4	=	110	60		12	12	3	3K	S	P3	=	110	50	
2	9	2	6P	S	C6	-1	-100	15		7	3	2	2C	N	K4	=	110	60		12	2	13	3K	S	P3	+1	130	70	
2	11	6	6P	S	T10	-1	-100	15		7	4	4	2C	N	K4	=	110	60		12	4	2	1K	S	C7	+3	130	70	
2	6	11	4P	S	K5	+1	650	65		7	11	3	2C	N	K4	=	110	60		12	11	1	1K	S	P3	+3	130	70	
2	8	15	4P	S	TB	+1	650	65		7	12	5	2C	N	K4	=	110	60		12	1	11	2SA	S	P3	+1	150	90	
2	12	8	4P	S	C5	+1	650	65		7	14	9	2C	N	K4	=	110	60		12	6	6	3SA	S	P7	+1	630	100	
2	13	10	4P	S	K3	+1	650	65		7	15	11	2C	N	K4	=	110	60		13	5	3	2P	O	TA	=	-110	5	
2	14	12	4P	S	T10	+1	650	65		7	2	15	2C	N	K4	+1	140	100		13	6	5	2P	W	TB	=	-110	5	
2	15	14	4P	S	T10	+1	650	65		8	9	14	3P	O	TK	=	-140	0		13	2	12	3T	S	C2	-1	-100	35	
2	10	4	3SA	S	C5	+2	660	100		8	14	9	5T	N	C6	-2	-100	15		13	4	1	3T	S	C2	-1	-100	35	
3	15	13	4T	O	PA	+1	-150	0		8	15	11	5T	N	C6	-2	-100	15		13	12	2	3T	S	CK	-1	-100	35	
3	2	2	3C	W	P2	-1	100	30		8	11	3	4T	N	K2	-1	-50	30		13	14	6	3T	S	CK	-1	-100	35	
3	8	14	4C	W	P2	-1	100	30		8	13	7	4T	N	C5	=	130	40		13	3	14	1SA	W	K2	=	-90	60	
3	11	5	3C	W	PD	-1	100	30		8	2	15	1SA	S	T10	+3	180	50		13	13	4	2T	S	CK	=	90	75	
3	12	7	4C	W	P2	-1	100	30		8	1	13	5T	N	C6	=	400	80		13	15	8	2T	S	CK	=	90	75	
3	13	9	4C	W	T5	-1	100	30		8	3	2	5T	N	C6	=	400	80		13	1	10	3SA	O	T3	-1	100	90	
3	1	15	3P	S	TA	=	140	60		8	4	4	3SA	S	C7	=	400	80		13	7	7	2T	S	KD	+1	110	100	
3	9	1	4C	W	P2	-2	200	75		8	10	1	3SA	S	K3	=	400	80		14	1	10	4P	W	T4	=	-420	35	
3	14	11	4C	W	T5	-2	200	75		8	12	5	3SA	S	K2	=	400	80		14	2	12	4P	W	K2	=	-420	35	
3	7	12	6C	W	PD	-3	300	95		9	15	10	4P	N	TA	-3	-150	0		14	3	14	4P	W	CA	=	-420	35	
3	10	3	6C	W	T5	-3	300	95		9	4	3	3SA	S	T10	-1	-50	20		14	5	3	4P	W	T4	=	-420	35	
4	9	1	3P	N	K9	-2	-200	0		9	10	15	2P	N	TA	-1	-50	20		14	7	7	4P	W	CA	=	-420	35	
4	2	2	2C	W	PD	=	-110	10		9	12	4	2T	S	P6	-1	-50	20		14	12	2	4P	W	T2	=	-420	35	
4	7	12	2P	N	C5	-1	-100	40		9	13	6	2P	N	KB	=	110	40		14	14	6	4P	O	CA	=	-420	35	
4	10	3	2P	N	TK	-1	-100	40		9	11	2	1SA	S	T9	+1	120	55		14	15	8	4P	W	K2	=	-420	35	
4	11	5	4T	S	CK	-1	-100	40		9	14	8	1SA	N	T10	+1	120	55		14	4	1	3P	O	T8	+2	-200	80	
4	13	9	3T	S	CK	-1	-100	40		9	1	12	1SA	S	K8	+2	150	75		14	6	5	3P	W	T8	+1	-170	95	
4	15	13	2P	N	K5	-1	-100	40		9	3	1	1SA	S	K8	+2	150	75		14	13	4	2P	W	KB	+2	-170	95	
4	8	14	3C	W	K3	-1	100	70		9	5	5	1SA	S	K8	+3	180	90		15	1	9	2P	W	T5	+1	-140	25	
4	1	15	2P	N	K5	=	110	80		9	2	14	3SA	S	CB	=	400	100		15	3	13	2P	W	TA	+1	-140	25	
4	14	11	2T	S	CK	+2	130	90		10	5	5	3K	O	P10	+1	-130	0		15	6	4	2P	W	CB	+1	-140	25	
4	12	7	3T	S	P10	+2	150	100		10	3	1	3K	O	T8	=	-110	25		15	7	6	2P	W	C7	+1	-140	25	
5	14	10	3SA	O	P7	+2	-460	0		10	13	6	3K	O	PK	=	-110	25		15	13	3	3P	W	TA	=	-140	25	
5	9	15	3SA	W	K5	=	-400	10		10	14	8	3K	O	PK	=	-110	25		15	14	5	2P	W	KK	+1	-140	25	
5	11	4	1SA	W	C2	+3	-180	30		10	15	10	3K	O	PK	=	-110	25		15	4	15	2P	W	CB	=	-110	65	
5	12	6	1SA	W	C2	+3	-180	30		10	4	3	3P	S	K3	-1	-100	50		15	8	8	2P	O	T2	=	-110	65	
5	15	12	1SA	W	P4	+3	-180	30		10	2	14	2T	W	P6	=	-90	60		15	15	7	ASS	N		0	80		
5	1	14	1SA	W	C2	+2	-150	60		10	12	4	4K	O	PK	-1	100	70		15	2	11	3P	W	CB	-1	50	90	
5	10	2	1SA	W	P4	+2	-150	60		10	1	12	3P	S	K3	=	140	90		15	5	2	4C	O	K5	-2	100	100	
5	13	8	1SA	O	C3	+2	-150	60		10	10	15	3P	S	K3	=	140	90		16	15	7	4K	W	C7	+1	-150	0	
5	8	13	1SA	W	P4	+1	-120	80		10	11	2	2P	S	TK	+1	140	90		16	2	11	3K	W	KB	+1	-130	10	
5	3	3	1SA	W	K5	=	-90	90		11	13	5	3SA	W	PA	=	-400	0		16	1	9	3K	W	TA	=	-110	35	
5	2	1	2SA	W	C2	-1	50	100		11	6	6	1SA	W	P5	=	-90	15		16	3	13	2K	W	TA	+1	-110	35	
6	1	14	4C	O	T7	=	-620	35		11	15	9	1SA	W	PA	=	-90	15		16	4	15	3K	W	CB	=	-110	35	
6	3	3	4C	O	T5	=	-620	35		11	4	2	2P	N	KD	-1	-50	35		16	7	6	3K	W	TA	=	-110	35	

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 5. November 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
16	8	8	4T	S	P2	-1	-50	60		21	4	12	3P	O	TA	-1	50	85		26	10	7	1SA	N	C9	+2	150	100	
16	6	4	3P	O	TK	-1	100	70		21	10	9	2P	O	TA	-1	50	85		27	10	6	3P	N	KA	+1	170	0	
16	13	3	3T	S	KA	=	110	80		21	2	8	2SA	N	C9	=	120	100		27	13	12	5Cx	O	P5	-2	300	10	
16	14	5	4T	S	KA	=	130	90		22	8	5	3SA	N	PA	-3	-150	0		27	5	11	4P	N	P2	=	420	20	
16	5	2	3SA	W	P6	-4	400	100		22	4	12	3SA	N	PA	-2	-100	10		27	8	2	4P	N	KA	+1	450	35	
17	3	12	3SA	O	TA	=	-400	5		22	9	7	1P	O	KA	=	-80	20		27	11	8	4P	N	KA	+1	450	35	
17	4	14	3SA	O	T9	=	-400	5		22	5	14	4K	N	T1C	-1	-50	30		27	4	9	4P	N	KA	+2	480	65	
17	15	6	2K	O	P4	+3	-150	20		22	3	10	3P	O	KA	-1	100	40		27	6	13	5P	N	KA	+1	480	65	
17	2	10	2K	O	C2	+2	-130	35		22	1	6	3K	N	T1C	=	110	50		27	9	4	5P	N	KA	+1	480	65	
17	9	9	2K	O	CD	+2	-130	35		22	2	8	3K	N	PA	+1	130	75		27	12	10	4P	N	KA	+2	480	65	
17	6	3	2K	O	T9	+1	-110	65		22	6	1	3K	N	PA	+1	130	75		27	14	14	5Kx	W	TA	-3	500	90	
17	7	5	3K	O	T9	=	-110	65		22	10	9	3K	N	P2	+1	130	75		27	7	15	4P	N	T4	+3	510	100	
17	8	7	3K	O	T9	=	-110	65		22	11	11	3K	N	T1C	+1	130	75		28	4	9	1Px	S	TK	-3	-800	0	
17	14	4	3K	O	T9	=	-110	65		22	7	3	3C	S	P4	=	140	100		28	8	2	3SA	O	C6	+2	-460	20	
17	1	8	2P	W	TA	-1	50	95		23	8	4	4C	S	PD	-3	-300	0		28	13	12	3SA	O	CA	+2	-460	20	
17	5	1	2P	W	TA	-1	50	95		23	6	15	4C	S	PD	-2	-200	20		28	14	14	3SA	O	CA	+2	-460	20	
18	9	9	3C	N	K1C	-2	-200	0		23	9	6	3SA	S	PD	-2	-200	20		28	5	11	3SA	W	KB	+1	-430	55	
18	14	4	3C	S	T6	-1	-100	10		23	10	8	3K	N	P3	-2	-200	20		28	6	13	3SA	W	C9	+1	-430	55	
18	6	3	1T	W	CB	-1	50	20		23	2	7	4C	S	TA	-1	-100	45		28	9	4	3SA	O	P2	+1	-430	55	
18	3	12	1T	W	KK	-2	100	50		23	4	11	4C	S	PD	-1	-100	45		28	11	8	3SA	O	P3	+1	-430	55	
18	5	1	3T	W	C2	-2	100	50		23	3	9	3K	S	PD	=	110	60		28	12	10	5T	O	CA	=	-400	80	
18	7	5	2SA	W	C2	-2	100	50		23	7	2	3SA	S	P1C	=	600	75		28	7	15	2P	W	C8	+1	-140	90	
18	8	7	3Tx	W	P3	-1	100	50		23	11	10	3SA	S	PD	=	600	75		28	10	6	3T	O	CA	+1	-130	100	
18	15	6	2SA	W	T5	-2	100	50		23	12	12	4C	S	PD	=	620	90		29	15	15	1P	N	CA	-2	-200	0	
18	1	8	3C	S	KA	=	140	85		23	5	13	3SA	S	PD	+1	630	100		29	10	5	2P	O	KD	+1	-140	10	
18	4	14	3C	N	K1C	=	140	85		24	6	15	3SA	S	T8	-3	-150	0		29	5	10	2C	W	KA	=	-110	30	
18	2	10	3T	W	C3	-3	150	100		24	9	6	3T	O	PK	+1	-130	10		29	7	14	2P	O	KD	=	-110	30	
19	2	9	4C	O	P5	=	-620	10		24	10	8	2K	S	CB	-2	-100	25		29	11	7	2C	W	KA	=	-110	30	
19	7	4	4C	O	C1C	=	-620	10		24	12	12	3C	N	TK	-2	-100	25		29	9	3	1SA	S	CB	-1	-100	50	
19	8	6	4C	O	P1C	=	-620	10		24	2	7	1SA	N	TK	-1	-50	55		29	13	11	1P	O	K6	=	-80	60	
19	6	2	2C	O	K7	+2	-170	30		24	7	2	1SA	N	P2	-1	-50	55		29	6	12	2C	W	T8	-1	100	75	
19	1	7	3C	O	K3	=	-140	50		24	8	4	2K	S	CB	-1	-50	55		29	14	13	2C	W	KA	-1	100	75	
19	4	13	3C	O	P5	=	-140	50		24	11	10	3K	N	TK	-1	-50	55		29	12	9	1SA	S	C6	+2	150	90	
19	5	15	3C	O	P5	=	-140	50		24	5	13	3P	O	KK	-1	50	80		29	8	1	3C	W	KA	-2	200	100	
19	15	5	3P	S	CA	-2	-100	70		24	4	11	1C	N	KB	=	80	90		30	7	14	4C	N	K7	-1	-50	0	
19	3	11	4C	O	K2	-1	100	90		24	3	9	2P	O	TA	-2	100	100		30	8	1	4K	S	PB	=	130	10	
19	9	8	4C	O	P1C	-1	100	90		25	4	10	1SA	N	T3	-3	-150	15		30	9	3	2K	S	PB	+3	150	35	
19	10	10	4C	O	P8	-1	100	90		25	5	12	3K	N	PD	-3	-150	15		30	10	5	4K	S	PB	+1	150	35	
20	7	4	3SA	S	TA	-2	-200	0		25	10	7	2SA	S	CA	-3	-150	15		30	13	11	3K	S	PB	+2	150	35	
20	8	6	3SA	S	TA	-1	-100	10		25	13	13	2SA	N	T3	-3	-150	15		30	14	13	3K	N	CB	+2	150	35	
20	15	5	1P	S	T7	=	80	20		25	7	1	2C	S	PA	-2	-100	50		30	5	10	3SA	S	PB	=	400	60	
20	10	10	2SA	S	TA	=	120	30		25	8	3	2K	N	C1C	-2	-100	50		30	6	12	4C	N	KB	=	420	80	
20	9	8	2P	W	CB	-2	200	40		25	12	11	2Kx	N	P8	-1	-100	50		30	12	9	4C	N	P2	=	420	80	
20	3	11	3SA	S	TA	=	600	55		25	3	8	1SA	N	T6	-1	-50	75		30	15	15	4C	N	PA	=	420	80	
20	5	15	3SA	S	TA	=	600	55		25	6	14	3T	N	P7	-1	-50	75		30	11	7	3SA	S	P9	+2	460	100	
20	1	7	3SA	S	TA	+1	630	85		25	9	5	2K	N	C1C	=	90	90											
20	2	9	3SA	S	TA	+1	630	85		25	11	9	2Kx	N	P8	=	180	100											
20	4	13	3SA	S	TA	+1	630	85		26	6	14	2C	W	KB	+1	-140	0											
20	6	2	3SA	S	TA	+1	630	85		26	12	11	2K	S	CK	-1	-100	10											
21	11	11	2SA	N	P8	-2	-200	0		26	3	8	1SA	N	P6	=	90	40											
21	5	14	3P	O	TA	=	-140	15		26	4	10	2K	S	CK	=	90	40											
21	7	3	3P	O	P6	=	-140	15		26	5	12	2K	S	CK	=	90	40											
21	1	6	2P	O	TA	=	-110	50		26	7	1	2K	S	CK	=	90	40											
21	3	10	2P	O	C4	=	-110	50		26	8	3	2K	S	CK	=	90	40											
21	6	1	2P	O	TA	=	-110	50		26	11	9	2C	W	KB	-1	100	70											
21	8	5	2P	O	T3	=	-110	50		26	9	5	1SA	N	PB	+1	120	85											
21	9	7	2P	O	KB	=	-110	50		26	13	13	2SA	N	C2	=	120	85											