

Paar-Resultate, Howell-Turnier vom Samstag, 28. Dezember 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	12	1	3Px	W	C1C	-2	-300	20		4	6	3	3P	O	CD	+1	170	50		7	11	5	3K	S	T3	=	-110	60	
2	12	1	4C	O	T4	+3	510	50		5	6	3	4Cx	S	PA	=	-790	10		8	11	5	1SA	N	P4	-1	50	80	
3	12	1	4P	S	KK	=	-420	40		6	6	3	3P	S	TD	+2	-200	10		9	11	5	4C	O	KD	-3	-300	0	
4	1	8	3P	W	C5	+1	-170	50		7	12	3	2C	W	T6	-4	-400	0		10	8	5	4Px	N	KB	-2	500	60	
5	1	8	4C	S	TD	-2	-200	10		8	12	3	1SA	N	P4	=	-90	20		11	8	5	4C	O	C6	=	420	100	
6	1	8	3P	S	KA	=	140	20		9	12	3	2P	S	KA	-1	50	40		12	8	5	3SA	N	C3	-1	100	70	
7	1	6	3K	S	T9	-3	-300	0		10	3	1	2K	O	PD	+3	-150	60		13	12	5	4Px	O	C4	-2	-500	20	
8	1	6	1SA	N	P5	=	90	80		11	3	1	5K	N	CA	-1	-50	20		14	12	5	3SA	O	P2	+2	460	90	
9	1	6	3C	O	KD	+1	-170	10		12	3	1	3SA	S	C6	-1	-100	30		15	12	5	3SA	N	C8	-1	100	100	
10	3	1	2K	O	PD	+3	150	40		13	3	8	3P	O	C4	=	-140	0		16	5	3	3SA	W	P2	=	-600	40	
11	3	1	5K	N	CA	-1	50	80		14	3	8	3SA	W	T2	+1	-430	60		17	5	3	2K	S	TK	+1	110	100	
12	3	1	3SA	S	C6	-1	100	70		15	3	8	3P	S	C3	=	140	50		18	5	3	4P	W	CA	+1	-450	70	
13	1	10	4P	O	C4	-1	100	50		16	5	3	3SA	W	P2	=	600	60		19	5	1	2P	S	TD	+1	140	60	
14	1	10	3SA	O	T2	+1	-430	60		17	5	3	2K	S	TK	+1	-110	0		20	5	1	3P	N	CA	-2	-200	50	
15	1	10	3SA	S	C4	+2	660	100		18	5	3	4P	W	CA	+1	450	30		21	5	1	3C	S	K6	-2	-200	20	
16	1	7	6C	W	C1C	-3	300	100		19	10	3	2C	N	K8	+3	-200	0		22	7	5	2C	N	TB	-1	50	70	
17	1	7	2C	W	K4	-1	50	40		20	10	3	2C	O	T3	+3	200	50		23	7	5	5C	N	K1C	-1	100	100	
18	1	7	4P	W	CA	+1	-450	70		21	10	3	2SA	S	KB	-1	100	50		24	7	5	4C	O	TK	-2	-100	0	
19	5	1	2P	S	TD	+1	-140	40		22	3	9	2C	N	TB	-1	-50	30		25	5	10	2SA	N	CK	-1	-50	20	
20	5	1	3P	N	CA	-2	200	50		23	3	9	4C	N	K1C	=	620	60		26	5	10	2SA	N	K4	+1	150	0	
21	5	1	3C	S	K6	-2	200	80		24	3	9	4P	S	TA	-2	-100	40		27	5	10	4C	S	P8	=	420	80	
22	11	1	2SA	W	C1C	-1	-100	30		25	7	3	3K	S	T5	+2	-150	40		1	6	10	4C	S	TD	-1	-50	20	
23	11	1	4C	N	K1C	=	-620	40		26	7	3	4P	N	TD	+1	-650	40		2	6	10	6C	O	K7	=	-980	20	
24	11	1	5K	N	CA	-3	150	100		27	7	3	4C	S	TA	=	-420	20		3	6	10	5Tx	O	PA	-3	800	100	
25	4	1	4K	N	CK	=	-130	60		1	8	4	3P	W	C1C	-2	-100	50		4	6	3	3P	O	CD	+1	-170	50	
26	4	1	4P	S	K7	+1	-650	40		2	8	4	4C	O	P1C	-2	-100	0		5	6	3	4Cx	S	PA	=	790	90	
27	4	1	4C	S	C7	=	-420	20		3	8	4	4Cx	N	KB	-2	300	100		6	6	3	3P	S	TD	+2	200	90	
1	5	2	4C	S	PA	=	-420	0		4	11	4	3P	O	T5	+1	170	50		7	1	6	3K	S	T9	-3	300	100	
2	5	2	4C	O	K7	+2	480	20		5	11	4	4Cx	S	PA	=	-790	10		8	1	6	1SA	N	P5	=	-90	20	
3	5	2	5Tx	O	C6	-2	-500	20		6	11	4	3P	S	KA	+2	-200	10		9	1	6	3C	O	KD	+1	170	90	
4	12	2	4P	O	T5	-1	-100	0		7	7	4	3K	S	CA	=	-110	60		10	11	6	3P	S	KA	-1	100	0	
5	12	2	3Tx	W	P8	-1	-100	40		8	7	4	ASS	N		0	60			11	11	6	4K	S	CA	=	-130	30	
6	12	2	3P	S	KA	=	-140	80		9	7	4	4C	O	KD	-2	-200	20		12	11	6	6K	N	CA	-1	100	70	
7	2	9	4T	O	C5	-2	200	80		10	12	4	4K	O	C1C	=	130	20		13	9	6	4C	N	PK	=	-620	0	
8	2	9	1SA	N	C9	=	90	80		11	12	4	3SA	N	P4	+1	-430	0		14	9	6	3SA	W	T2	+1	430	40	
9	2	9	3C	O	KD	=	-140	40		12	12	4	3SA	N	P5	+1	-630	20		15	9	6	2C	W	PD	-2	-100	80	
10	2	7	5Kx	O	C1C	=	-750	0		13	4	2	4P	O	CK	-1	100	50		16	12	6	3SA	W	TB	-1	-100	30	
11	2	7	3K	S	CA	+1	130	70		14	4	2	3SA	O	K3	=	-400	100		17	12	6	3C	O	T1C	-2	-100	20	
12	2	7	3SA	S	C5	-1	-100	30		15	4	2	3P	S	TA	=	140	50		18	12	6	4P	W	CA	+1	450	30	
13	4	2	4P	O	CK	-1	-100	50		16	4	9	3SA	W	T5	+2	-660	0		19	6	4	3SA	N	P5	-2	-100	0	
14	4	2	3SA	O	K3	=	400	0		17	4	9	1SA	O	K8	-1	50	40		20	6	4	4C	W	PK	=	-620	0	
15	4	2	3P	S	TA	=	-140	50		18	4	9	4P	W	T8	+1	-450	70		21	6	4	3K	O	PK	-1	50	80	
16	2	10	3SA	W	TB	+1	-630	20		19	6	4	3SA	N	P5	-2	100	100		22	6	2	3C	N	TB	-2	-100	0	
17	2	10	2K	S	P1C	-1	-50	0		20	6	4	4C	W	PK	=	620	100		23	6	2	4C	N	K1C	=	620	60	
18	2	10	4Px	W	CA	+1	-690	0		21	6	4	3K	O	PK	-1	-50	20		24	6	2	4K	N	CA	-1	-50	80	
19	2	8	2SA	S	K7	-1	-50	20		22	10	4	3SA	W	C1C	-1	-100	30		25	8	6	5T	S	C9	=	-400	20	
20	2	8	4P	N	CA	=	620	100		23	10	4	4C	N	K1C	=	-620	40		26	8	6	3SA	N	K4	+3	-690	0	
21	2	8	3C	N	K7	-3	-300	0		24	10	4	4P	N	K2	-2	100	60		27	8	6	4T	O	CB	=	130	60	
22	6	2	3C	N	TB	-2	100	100		25	4	1	4K	N	CK	=	130	40		1	9	7	2P	W	C4	=	110	100	
23	6	2	4C	N	K1C	=	-620	40		26	4	1	4P	S	K7	+1	650	60		2	9	7	4C	O	K3	+3	510	50	
24	6	2	4K	N	CA	-1	50	20		27	4	1	4C	S	C7	=	420	80		3	9	7	4P	S	T3	-1	50	70	
25	2	11	3SA	N	C8	+3	490	100		1	5	2	4C	S	PA	=	420	100		4	7	10	4P	O	CD	=	-620	0	
26	2	11	4P	S	K6	+1	650	60		2	5	2	4C	O	K7	+2	-480	80		5	7	10	3C	S	TD	-1	-100	40	
27	2	11	5C	S	TA	-5	-250	0		3	5	2	5Tx	O	C6	-2	500	80		6	7	10	3P	S	C3	+1	170	60	
1	3	11	3P	W	C4	-2	100	50		4	9	5	2P	O	T5	+2	170	50		7	7	4	3K	S	CA	=	110	40	
2	3	11	6C	O	P3	+1	-1010	0		5	9	5	2SA	S	KB	-2	200	90		8	7	4	ASS	N		0	40		
3	3	11	4P	S	T8	-1	-50	30		6	9	5	3P	S	KA	=	-140	80		9	7	4	4C	O	KD	-2	200	80	

Paar-Resultate, Howell-Turnier vom Samstag, 28. Dezember 2013

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
10	2	7	5Kx	O	31C	=	750	100		13	9	6	4C	N	PK	=	620	100		16	8	11	3SA	W	P2	-1	-100	30	
11	2	7	3K	S	CA	+1	-130	30		14	9	6	3SA	W	T2	+1	-430	60		17	8	11	1SA	O	K6	-1	-50	60	
12	2	7	3SA	S	C5	-1	100	70		15	9	6	2C	W	PD	-2	100	20		18	8	11	5Px	W	CA	=	650	80	
13	7	11	5C	N	P2	-1	-100	20		16	4	9	3SA	W	T5	+2	660	100		19	11	9	2P	S	K3	+1	140	60	
14	7	11	3SA	W	T2	+2	-460	10		17	4	9	1SA	O	K8	-1	-50	60		20	11	9	4P	N	CA	-3	-300	20	
15	7	11	3C	O	KD	-3	150	80		18	4	9	4P	W	T8	+1	450	30		21	11	9	2SA	S	KA	-1	-100	50	
16	1	7	6C	W	31C	-3	-300	0		19	11	9	2P	S	K3	+1	-140	40		22	11	1	2SA	W	31C	-1	100	70	
17	1	7	2C	W	K4	-1	-50	60		20	11	9	4P	N	CA	-3	300	80		23	11	1	4C	N	K1C	=	620	60	
18	1	7	4P	W	CA	+1	450	30		21	11	9	2SA	S	KA	-1	100	50		24	11	1	5K	N	CA	-3	-150	0	
19	12	7	2P	S	K2	+1	-140	40		22	3	9	2C	N	TB	-1	50	70		25	2	11	3SA	N	C8	+3	-490	0	
20	12	7	4P	N	CA	-1	100	20		23	3	9	4C	N	K1C	=	-620	40		26	2	11	4P	S	K6	+1	-650	40	
21	12	7	1SA	S	K8	+1	-120	0		24	3	9	4P	S	TA	-2	100	60		27	2	11	5C	S	TA	-5	250	100	
22	7	5	2C	N	TB	-1	-50	30		25	12	9	3SA	N	C3	-2	100	100		1	12	1	3Px	W	31C	-2	300	80	
23	7	5	5C	N	K1C	-1	-100	0		26	12	9	4P	S	C6	=	-620	80		2	12	1	4C	O	T4	+3	-510	50	
24	7	5	4C	O	TK	-2	100	100		27	12	9	4K	O	K7	+1	150	80		3	12	1	4P	S	KK	=	420	60	
25	7	3	3K	S	T5	+2	150	60		1	6	10	4C	S	TD	-1	50	80		4	12	2	4P	O	T5	-1	100	100	
26	7	3	4P	N	TD	+1	650	60		2	6	10	6C	O	K7	=	980	80		5	12	2	3Tx	W	P8	-1	100	60	
27	7	3	4C	S	TA	=	420	80		3	6	10	5Tx	O	PA	-3	-800	0		6	12	2	3P	S	KA	=	140	20	
1	8	4	3P	W	31C	-2	100	50		4	7	10	4P	O	CD	=	620	100		7	12	3	2C	W	T6	-4	400	100	
2	8	4	4C	O	P1C	-2	100	100		5	7	10	3C	S	TD	-1	100	60		8	12	3	1SA	N	P4	=	90	80	
3	8	4	4Cx	N	KB	-2	-300	0		6	7	10	3P	S	C3	+1	-170	40		9	12	3	2P	S	KA	-1	-50	60	
4	1	8	3P	W	C5	+1	170	50		7	10	8	3K	S	T9	=	110	40		10	12	4	4K	O	31C	=	-130	80	
5	1	8	4C	S	TD	-2	200	90		8	10	8	1SA	W	T3	=	-90	0		11	12	4	3SA	N	P4	+1	430	100	
6	1	8	3P	S	KA	=	-140	80		9	10	8	3C	O	KD	+1	-170	10		12	12	4	3SA	N	P5	+1	630	80	
7	10	8	3K	S	T9	=	-110	60		10	10	9	3SA	O	31C	=	-600	20		13	12	5	4Px	O	C4	-2	500	80	
8	10	8	1SA	W	T3	=	90	100		11	10	9	ASS	N		0	40			14	12	5	3SA	O	P2	+2	-460	10	
9	10	8	3C	O	KD	+1	170	90		12	10	9	6K	N	K4	+1	1390	100		15	12	5	3SA	N	C8	-1	-100	0	
10	8	5	4Px	N	KB	-2	-500	40		13	1	10	4P	O	C4	-1	-100	50		16	12	6	3SA	W	TB	-1	100	70	
11	8	5	4C	O	C6	=	-420	0		14	1	10	3SA	O	T2	+1	430	40		17	12	6	3C	O	T1C	-2	100	80	
12	8	5	3SA	N	C3	-1	-100	30		15	1	10	3SA	S	C4	+2	-660	0		18	12	6	4P	W	CA	+1	-450	70	
13	3	8	3P	O	C4	=	140	100		16	2	10	3SA	W	TB	+1	630	80		19	12	7	2P	S	K2	+1	140	60	
14	3	8	3SA	W	T2	+1	430	40		17	2	10	2K	S	P1C	-1	50	100		20	12	7	4P	N	CA	-1	-100	80	
15	3	8	3P	S	C3	=	-140	50		18	2	10	4Px	W	CA	+1	690	100		21	12	7	1SA	S	K8	+1	120	100	
16	8	11	3SA	W	P2	-1	100	70		19	10	3	2C	N	K8	+3	200	100		22	12	8	3P	W	K8	-2	200	100	
17	8	11	1SA	O	K6	-1	50	40		20	10	3	2C	O	T3	+3	-200	50		23	12	8	4C	N	K1C	=	620	60	
18	8	11	5Px	W	CA	=	-650	20		21	10	3	2SA	S	KB	-1	-100	50		24	12	8	4P	S	31C	-2	-100	40	
19	2	8	2SA	S	K7	-1	50	80		22	10	4	3SA	W	31C	-1	100	70		25	12	9	3SA	N	C3	-2	-100	0	
20	2	8	4P	N	CA	=	-620	0		23	10	4	4C	N	K1C	=	620	60		26	12	9	4P	S	C6	=	620	20	
21	2	8	3C	N	K7	-3	300	100		24	10	4	4P	N	K2	-2	-100	40		27	12	9	4K	O	K7	+1	-150	20	
22	12	8	3P	W	K8	-2	-200	0		25	5	10	2SA	N	CK	-1	50	80											
23	12	8	4C	N	K1C	=	-620	40		26	5	10	2SA	N	K4	+1	-150	100											
24	12	8	4P	S	31C	-2	100	60		27	5	10	4C	S	P8	=	-420	20											
25	8	6	5T	S	C9	=	400	80		1	3	11	3P	W	C4	-2	-100	50											
26	8	6	3SA	N	K4	+3	690	100		2	3	11	6C	O	P3	+1	1010	100											
27	8	6	4T	O	CB	=	-130	40		3	3	11	4P	S	T8	-1	50	70											
1	9	7	2P	W	C4	=	-110	0		4	11	4	3P	O	T5	+1	-170	50											
2	9	7	4C	O	K3	+3	-510	50		5	11	4	4Cx	S	PA	=	790	90											
3	9	7	4P	S	T3	-1	-50	30		6	11	4	3P	S	KA	+2	200	90											
4	9	5	2P	O	T5	+2	-170	50		7	11	5	3K	S	T3	=	110	40											
5	9	5	2SA	S	KB	-2	-200	10		8	11	5	1SA	N	P4	-1	-50	20											
6	9	5	3P	S	KA	=	140	20		9	11	5	4C	O	KD	-3	300	100											
7	2	9	4T	O	C5	-2	-200	20		10	11	6	3P	S	KA	-1	-100	100											
8	2	9	1SA	N	C9	=	-90	20		11	11	6	4K	S	CA	=	130	70											
9	2	9	3C	O	KD	=	140	60		12	11	6	6K	N	CA	-1	-100	30											
10	10	9	3SA	O	31C	=	600	80		13	7	11	5C	N	P2	-1	100	80											
11	10	9	ASS	N			0	60		14	7	11	3SA	W	T2	+2	460	90											
12	10	9	6K	N	K4	+1	-1390	0		15	7	11	3C	O	KD	-3	-150	20											