

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 14. Januar 2014

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	9	4	4Cx	N	TA	-2	-300	0		6	10	4	5T	N	C6	-1	-50	15		11	4	2	2P	O	TB	-1	50	55	
1	1	1	4C	N	P4	-1	-50	20		6	13	10	2P	N	T4	+1	140	30		11	6	6	2SA	O	C5	-1	50	55	
1	5	9	3C	N	PA	-1	-50	20		6	1	12	4T	S	P4	+1	150	50		11	11	3	2P	O	TB	-1	50	55	
1	6	11	4C	N	PA	-1	-50	20		6	8	13	2K	N	T2	+3	150	50		11	12	5	2P	O	CK	-1	50	55	
1	12	10	2K	N	P4	=	90	40		6	12	8	1K	N	C2	+4	150	50		11	9	12	2P	O	CK	-2	100	85	
1	10	6	4T	W	KA	-2	100	50		6	11	6	5K	N	C6	=	400	70		11	13	7	2P	O	K4	-2	100	85	
1	13	12	3C	N	KK	=	140	60		6	2	1	3SA	S	P5	+2	460	80		11	5	4	3P	W	KD	-3	150	100	
1	8	2	4T	W	P3	-3	150	75		6	7	11	4C	S	KB	+2	480	90		12	2	11	5Kx	W	PA	=	-550	0	
1	11	8	1SA	O	C1C	-3	150	75		6	9	2	3SA	S	P9	+3	490	100		12	3	13	5K	W	PA	+1	-420	15	
1	4	7	2C	N	P9	+2	170	95		7	7	10	6C	S	P6	-1	-100	0		12	6	6	5K	W	CB	+1	-420	15	
1	7	13	3C	N	KK	+1	170	95		7	3	2	3SA	S	P2	=	600	10		12	4	2	5K	W	PA	=	-400	40	
2	6	11	5K	N	T9	-3	-300	5		7	12	7	4C	S	K8	=	620	20		12	12	5	5K	W	PA	=	-400	40	
2	12	10	5K	N	T9	-3	-300	5		7	2	13	4C	S	P5	+1	650	50		12	13	7	5K	W	PA	=	-400	40	
2	1	1	3C	S	TK	-2	-200	25		7	4	4	4C	S	P2	+1	650	50		12	1	9	5P	N	K1C	-2	-200	65	
2	8	2	5K	N	T9	-2	-200	25		7	10	3	4C	S	K8	+1	650	50		12	5	4	5Px	N	CA	-1	-200	65	
2	7	13	4C	S	T7	-1	-100	45		7	11	5	4C	S	K8	+1	650	50		12	10	1	3K	W	PA	+2	-150	80	
2	11	8	3P	N	T9	-1	-100	45		7	13	9	4C	S	P6	+1	650	50		12	11	3	6K	W	PA	-1	50	90	
2	13	12	3K	N	T6	+1	130	60		7	1	11	3SA	S	P2	+2	660	80		12	9	12	4P	N	K1C	=	620	100	
2	5	9	3P	N	T9	=	140	70		7	8	12	4C	S	P6	+2	680	95		13	4	1	2P	O	TA	=	-110	15	
2	10	6	5T	W	KA	-3	150	80		7	9	1	4C	S	P2	+2	680	95		13	10	13	2P	O	TA	=	-110	15	
2	4	7	4Tx	W	PA	-3	500	90		8	9	1	3SA	N	P4	-4	-200	0		13	11	2	2P	O	TA	=	-110	15	
2	9	4	3SA	S	CD	+2	660	100		8	11	5	5Kx	S	PK	-1	-100	10		13	12	4	2P	O	TA	=	-110	15	
3	8	1	4P	W	KA	+1	-650	0		8	2	13	2C	N	P6	-1	-50	50		13	2	10	3P	O	KA	-1	100	55	
3	10	5	4P	W	KA	=	-620	10		8	3	2	2C	N	P4	-1	-50	50		13	3	12	3P	O	TA	-1	100	55	
3	13	11	2SA	W	T7	+2	-180	20		8	4	4	1SA	N	P4	-1	-50	50		13	5	3	3P	O	TA	-1	100	55	
3	11	7	2K	W	TK	+1	-110	30		8	8	12	5K	S	PK	-1	-50	50		13	13	6	4P	O	KA	-1	100	55	
3	2	2	4P	W	T5	-1	100	60		8	10	3	2SA	N	T2	-1	-50	50		13	6	5	4K	S	P8	=	130	80	
3	5	8	3SA	W	TK	-1	100	60		8	12	7	3SA	N	P4	-1	-50	50		13	1	8	4K	S	CA	+1	150	90	
3	7	12	3P	O	T1C	-1	100	60		8	13	9	2SA	N	P4	-1	-50	50		13	7	7	4P	O	TA	-3	300	100	
3	9	3	4P	O	KB	-1	100	60		8	7	10	1SA	N	P4	+2	150	90		14	6	5	3SA	W	K8	+2	-460	0	
3	12	9	4P	O	T3	-1	100	60		8	1	11	5K	S	PK	=	400	100		14	1	8	3SA	W	KA	+1	-430	25	
3	1	13	4P	O	T1C	-2	200	95		9	2	12	4P	W	TK	+1	-650	25		14	3	12	3SA	W	K6	+1	-430	25	
3	6	10	4P	O	T1C	-2	200	95		9	3	1	4P	W	TK	+1	-650	25		14	5	3	3SA	W	K6	+1	-430	25	
4	8	1	4P	S	P7	-1	-100	10		9	5	5	4P	W	TK	+1	-650	25		14	7	7	3SA	W	K5	+1	-430	25	
4	10	5	4P	S	C8	-1	-100	10		9	10	2	4P	W	TK	+1	-650	25		14	13	6	4K	N	TA	-3	-150	50	
4	11	7	4P	N	KA	-1	-100	10		9	11	4	4P	W	TK	+1	-650	25		14	2	10	3T	O	K2	+1	-130	60	
4	13	11	2P	S	TB	=	110	30		9	12	6	4P	W	TK	+1	-650	25		14	11	2	4P	W	KA	-1	50	75	
4	1	13	1P	S	CB	+2	140	40		9	4	3	4P	W	TK	=	-620	65		14	12	4	4P	W	KA	-1	50	75	
4	5	8	2Cx	W	T3	-2	500	50		9	8	11	4P	W	TK	=	-620	65		14	4	1	4P	W	KA	-2	100	95	
4	6	10	3SA	N	T5	=	600	65		9	1	10	3K	O	P1C	+2	-150	80		14	10	13	5T	O	CK	-2	100	95	
4	12	9	3SA	N	CB	=	600	65		9	9	13	5K	O	T4	-1	100	95		15	5	2	3C	S	PK	-2	-200	5	
4	2	2	4P	S	C1C	=	620	80		9	13	8	4P	W	C6	-1	100	95		15	13	5	3SA	S	K4	-2	-200	5	
4	7	12	3SA	N	CB	+1	630	90		10	4	3	6Cx	S	T1C	-1	-200	5		15	3	11	2K	W	CA	=	-90	30	
4	9	3	4P	S	TB	+1	650	100		10	12	6	4P	N	K8	-2	-200	5		15	4	13	2K	W	P6	=	-90	30	
5	10	4	4Px	N	CA	-3	-800	0		10	3	1	4C	S	P3	=	620	30		15	6	4	2K	W	P1C	=	-90	30	
5	9	2	3C	O	KA	=	-140	10		10	9	13	4C	S	P3	=	620	30		15	1	7	2P	O	C8	-1	50	60	
5	1	12	5T	S	C2	-1	-100	30		10	13	8	4C	S	P3	=	620	30		15	7	6	2K	W	T1C	-1	50	60	
5	2	1	4P	N	CA	-1	-100	30		10	1	10	4C	S	T6	+1	650	70		15	8	8	2K	W	C4	-1	50	60	
5	7	11	3P	N	CA	-1	-100	30		10	2	12	4C	S	T1C	+1	650	70		15	2	9	1SA	S	K7	=	90	90	
5	3	3	4C	O	KA	-1	50	60		10	5	5	5C	S	P8	=	650	70		15	11	1	1SA	S	K4	=	90	90	
5	6	9	4C	O	KA	-1	50	60		10	8	11	4C	S	P3	+1	650	70		15	12	3	1SA	S	K4	=	90	90	
5	8	13	4C	O	KA	-1	50	60		10	10	2	4C	S	T6	+1	650	70		16	6	4	4C	N	K8	-3	-150	0	
5	11	6	4P	O	KA	-2	100	85		10	11	4	5Kx	O	TA	-4	1100	100		16	3	11	3C	N	T9	-1	-50	30	
5	13	10	5C	O	KA	-2	100	85		11	1	9	1SA	O	P7	+1	-120	0		16	4	13	4C	N	T9	-1	-50	30	
5	12	8	4P	N	CA	+1	650	100		11	2	11	2P	O	TB	=	-110	20		16	8	8	4C	N	P4	-1	-50	30	
6	3	3	4C	S	P6	-2	-100	0		11	3	13	2P	O	T1C	=	-110	20		16	11	1	3C	N	K1C	-1	-50	30	
6	6	9	4SA	N	T4	-1	-50	15		11	10	1	2P	O	TB	=	-110	20		16	13	5	4C	N	K1C	-1	-50	30	

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 14. Januar 2014

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
16	2	9	2C	N	T9	=		110	60	21	1	4	4P	W	CA	-1		50	90	26	8	3	3P	O	KA	+3		-230	100
16	5	2	2C	N	K2	+1		140	80	21	2	6	4P	W	CA	-1		50	90										
16	7	6	3C	N	K1C	=		140	80	21	5	12	4P	W	CA	-1		50	90										
16	12	3	2C	N	T9	+1		140	80	22	1	4	2SA	W	K4	+1		-150	5										
16	1	7	4C	S	K1C	=		420	100	22	10	9	2SA	O	K8	+1		-150	5										
17	4	12	4P	O	K4	=		-420	0	22	2	6	2SA	W	K5	=		-120	30										
17	9	9	3C	O	K3	+1		-170	15	22	3	8	1SA	W	K4	+1		-120	30										
17	12	2	2P	O	CA	+2		-170	15	22	8	5	2SA	W	K1C	=		-120	30										
17	7	5	3C	O	K4	=		-140	30	22	4	10	3T	W	K2	=		-110	50										
17	13	4	2P	O	C6	=		-110	40	22	6	1	3C	N	KK	-2		-100	60										
17	1	6	4C	W	PA	-2		100	60	22	5	12	3SA	W	K4	-1		100	80										
17	5	1	3T	O	K4	-2		100	60	22	9	7	3SA	W	K9	-1		100	80										
17	8	7	3C	O	KB	-2		100	60	22	11	11	3SA	W	K1C	-1		100	80										
17	2	8	3K	N	TD	=		110	85	22	7	3	5Tx	W	C2	-2		500	100										
17	3	10	3K	N	TD	=		110	85	23	10	8	2K	S	TA	-2		-200	0										
17	6	3	4C	O	K9	-3		150	100	23	12	12	1SA	W	T4	+2		-150	10										
18	3	10	2K	S	K1C	-3		-300	5	23	5	11	3C	O	PD	=		-140	25										
18	12	2	2P	N	K4	-3		-300	5	23	11	10	3C	O	PD	=		-140	25										
18	1	6	2K	S	P5	-2		-200	35	23	3	7	1SA	W	C4	+1		-120	40										
18	2	8	2SA	S	K2	-2		-200	35	23	2	5	2P	S	TA	-1		-100	55										
18	4	12	4C	N	PA	-2		-200	35	23	7	2	1SA	S	TA	-1		-100	55										
18	7	5	2SA	S	K2	-2		-200	35	23	6	13	1P	S	TA	+1		110	80										
18	8	7	3K	O	TA	=		-110	60	23	8	4	2P	S	TA	=		110	80										
18	5	1	2K	N	T7	-1		-100	70	23	9	6	2P	S	TA	=		110	80										
18	6	3	2K	O	CA	=		-90	80	23	4	9	2P	S	TA	+1		140	100										
18	13	4	2SA	S	K2	=		120	90	24	9	6	4Tx	W	CB	=		-510	0										
18	9	9	2SA	O	K8	-3		150	100	24	11	10	3T	W	KK	+1		-130	15										
19	3	9	3SA	W	C6	+3		-690	5	24	12	12	2T	W	K8	+2		-130	15										
19	13	3	3SA	W	CB	+3		-690	5	24	3	7	3T	W	P1C	=		-110	30										
19	1	5	3SA	W	C6	+2		-660	40	24	7	2	2T	W	K2	=		-90	40										
19	6	2	3SA	W	C7	+2		-660	40	24	2	5	3P	W	K6	-2		100	70										
19	7	4	3SA	W	K9	+2		-660	40	24	4	9	4T	W	CD	-2		100	70										
19	8	6	3SA	W	C6	+2		-660	40	24	6	13	3C	O	KA	-2		100	70										
19	9	8	3SA	W	C8	+2		-660	40	24	8	4	4C	O	KA	-2		100	70										
19	2	7	3SA	W	CD	+1		-630	75	24	10	8	3C	O	T7	-2		100	70										
19	10	10	3SA	W	CD	+1		-630	75	24	5	11	3C	O	KA	-3		150	100										
19	5	13	5K	O	T7	=		-600	90	25	11	9	3SA	S	PA	-3		-150	0										
19	4	11	4K	W	PB	=		-130	100	25	7	1	3SA	S	PA	-2		-100	10										
20	10	10	2Px	N	C2	-3		-800	0	25	8	3	3SA	S	C2	-1		-50	25										
20	3	9	3SA	W	P7	=		-600	15	25	12	11	3C	S	PA	-1		-50	25										
20	6	2	3SA	W	P6	=		-600	15	25	9	5	4T	N	CA	+1		150	45										
20	5	13	3P	N	C2	-4		-400	30	25	13	13	4K	N	CA	+1		150	45										
20	13	3	2SA	O	P1C	=		-120	40	25	10	7	4P	O	TA	-2		200	60										
20	2	7	2P	N	KA	-1		-100	50	25	4	8	5T	N	CA	=		400	75										
20	1	5	1SA	W	PK	-1		100	75	25	5	10	5T	N	CA	=		400	75										
20	4	11	3SA	W	P7	-1		100	75	25	6	12	5T	N	CA	+1		420	90										
20	8	6	3SA	W	P7	-1		100	75	25	3	6	3SA	O	T2	-5		500	100										
20	9	8	1SA	W	PK	-1		100	75	26	5	10	4P	O	KA	+2		-680	15										
20	7	4	3SA	W	PK	-2		200	100	26	6	12	4P	O	KA	+2		-680	15										
21	6	1	4P	W	TB	=		-420	5	26	11	9	4P	O	KA	+2		-680	15										
21	7	3	4P	W	TB	=		-420	5	26	12	11	4P	O	KA	+2		-680	15										
21	3	8	3C	N	PK	-1		-100	45	26	3	6	4P	O	KA	+1		-650	45										
21	4	10	3C	N	KA	-1		-100	45	26	13	13	4P	O	KA	+1		-650	45										
21	8	5	3C	N	P5	-1		-100	45	26	4	8	4P	O	K2	=		-620	70										
21	9	7	3C	N	KA	-1		-100	45	26	7	1	4P	O	KA	=		-620	70										
21	10	9	3C	N	PK	-1		-100	45	26	9	5	4P	O	KA	=		-620	70										
21	11	11	3C	N	KA	-1		-100	45	26	10	7	5K	N	P3	-3		-300	90										