

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Pfäffikon, Mensa - 12.08.2014

Bd	NS	OW	ASpKonErg	Aus	Sco	Prz	Bd	NS	OW	ASpKonErg	Aus	Sco	Prz	Bd	NS	OW	ASpKonErg	Aus	Sco	Prz
1	8	115	N 3P -3	PB	-150	0	6	9	115	O 3P =	C6	-140	0	11	5	104	W 2SA =	P4	-120	10
1	1	101	O 3K =	P5	-110	10	6	2	101	O 4P -1	CA	100	15	11	2	113	W 2SA =	P4	-120	10
1	15	114	N 3P -2	KA	-100	40	6	11	104	O 3P -1	T6	100	15	11	15	109	O 1SA +1	P9	-120	10
1	11	106	N 3P -2	CK	-100	40	6	3	103	O 4P -2	T3	200	55	11	3	115	S 2P -2	TD	-100	30
1	10	104	N 2P -2	CK	-100	40	6	1	114	O 4P X -1	CA	200	55	11	11	101	W 1SA =	P4	-90	40
1	9	102	N 3P -2	CK	-100	40	6	13	108	O 5P -2	CA	200	55	11	14	107	S 1P -1	C7	-50	50
1	7	113	N 3P -2	KA	-100	40	6	12	106	O 4P -2	T6	200	55	11	4	102	W 2SA -1	P9	50	65
1	14	112	N 2P -1	CK	-50	80	6	10	102	O 4P -2	T6	200	55	11	13	105	W 1SA -1	P9	50	65
1	12	108	N 2P -1	CK	-50	80	6	8	113	O 4P -2	T6	200	55	11	6	106	S 1P =	K2	80	85
1	6	111	N 2P -1	CD	-50	80	6	15	112	S 5C =	P5	450	95	11	12	103	S 1P =	TA	80	85
1	13	110	N 1P X =	K7	160	100	6	14	110	S 4C +1	PK	450	95	11	1	111	O 2K -2	PA	100	100
2	7	113	S 2C -1	K3	-100	5	7	9	114	O 3SA =	PA	-600	0	12	15	109	S 3SA -3	K8	-300	0
2	6	111	N 2SA -1	K2	-100	5	7	14	109	N 3P X -2	CK	-500	10	12	3	115	N 3SA -2	C2	-200	10
2	13	110	W 1SA =	T4	-90	25	7	4	104	N 4P -2	KA	-200	20	12	5	104	S 3SA -1	K7	-100	25
2	11	106	W 1SA =	T4	-90	25	7	2	115	N 2P -1	KA	-100	35	12	2	113	S 3SA -1	T5	-100	25
2	8	115	O 2SA -1	PA	50	40	7	10	101	N 3P -1	KA	-100	35	12	12	103	S 2SA =	K9	120	45
2	10	104	S 1SA +1	C2	120	50	7	3	102	O 2C -1	PA	100	50	12	11	101	N 2SA =	C2	120	45
2	15	114	N 2SA +1	CA	150	70	7	1	113	N 2P +1	KA	140	75	12	4	102	N 1P +3	TB	170	60
2	12	108	S 2SA +1	C2	150	70	7	15	111	N 3P =	KA	140	75	12	6	106	S 3SA =	K7	600	75
2	9	102	N 2SA +1	K6	150	70	7	13	107	N 2P +1	KA	140	75	12	14	107	S 3SA =	T9	600	75
2	1	101	S 1SA +3	K3	180	95	7	11	103	N 3P =	KA	140	75	12	1	111	S 3SA +1	K7	630	95
2	14	112	S 2SA +2	C2	180	95	7	12	105	O 2SA -2	P10	200	100	12	13	105	S 3SA +1	T5	630	95
3	13	109	N 4P -1	CD	-50	5	8	3	102	S 2C -1	CA	-50	0	13	5	103	N 2SA -2	C6	-200	0
3	7	112	N 3P -1	CD	-50	5	8	14	109	O 3K -1	TK	50	10	13	7	107	O 2P =	TK	-110	20
3	2	102	N 2P +2	TB	170	30	8	10	101	O 4K -2	TA	100	20	13	14	106	W 2C =	P9	-110	20
3	11	105	N 2P +2	C5	170	30	8	15	111	S 2C =	K2	110	30	13	13	104	W 2C =	P2	-110	20
3	10	103	N 3P +1	CD	170	30	8	2	115	N 4T =	KA	130	45	13	15	108	N 3T -1	C5	-100	45
3	9	101	O 3C -2	PA	200	50	8	11	103	N 3T +1	KA	130	45	13	12	102	S 3T -1	PD	-100	45
3	15	113	N 4P =	KA	420	75	8	4	104	S 3C =	K4	140	65	13	3	114	O 1P =	T10	-80	60
3	14	111	N 4P =	KA	420	75	8	13	107	S 2C +1	K4	140	65	13	2	112	W 3C -1	P2	100	75
3	12	107	N 4P =	KA	420	75	8	12	105	N 3T +2	K7	150	80	13	1	110	W 2C -1	T7	100	75
3	8	114	N 4P =	KA	420	75	8	1	113	S 2C +2	K2	170	90	13	6	105	N 2T +1	P8	110	90
3	1	115	N 4P +1	PB	450	100	8	9	114	N 5T =	KA	400	100	13	4	101	O 3P -2	TK	200	100
4	1	115	N 2P -2	TB	-200	5	9	14	108	W 2P =	C6	-110	0	14	3	114	N 4C -2	P3	-100	0
4	8	114	N 2P -2	TB	-200	5	9	12	104	N 3K -1	CA	-50	10	14	6	105	S 3C -1	P5	-50	10
4	14	111	W 3C =	PK	-140	25	9	4	103	N 2K =	PB	90	25	14	2	112	N 3C =	TD	140	20
4	7	112	O 2C +1	P4	-140	25	9	13	106	N 2K =	PB	90	25	14	15	108	N 3C +1	P6	170	40
4	12	107	W 2T +1	PK	-110	40	9	3	101	W 2P -1	KK	100	45	14	13	104	N 3C +1	P5	170	40
4	10	103	W 2T =	PK	-90	50	9	1	112	W 2P -1	C6	100	45	14	12	102	N 2C +2	P6	170	40
4	15	113	Pass		0	60	9	11	102	N 3K =	PB	110	60	14	7	107	N 4C =	P6	420	80
4	13	109	W 3T -1	C6	100	75	9	10	115	S 1SA +1	C8	120	70	14	5	103	N 4C =	TD	420	80
4	9	101	W 2SA -1	PA	100	75	9	2	114	S 1SA +2	PA	150	85	14	4	101	N 4C =	C5	420	80
4	2	102	W 3SA -3	P6	300	90	9	15	110	S 1SA +2	P2	150	85	14	1	110	N 4C =	P5	420	80
4	11	105	O 4C -4	P7	400	100	9	5	105	N 2SA +2	PB	180	100	14	14	106	N 4C =	P6	420	80
5	9	115	O 3SA +2	K8	-460	0	10	11	102	S 3K -2	PK	-200	0	15	7	106	N 4P X -2	TA	-500	0
5	2	101	O 4C +1	P7	-450	25	10	4	103	W 2T +1	CA	-110	15	15	3	113	W 3SA +1	P7	-430	10
5	12	106	O 4C +1	T4	-450	25	10	10	115	O 2P =	KK	-110	15	15	6	104	O 5T +1	KA	-420	30
5	11	104	O 4C +1	K8	-450	25	10	1	112	N 2C -1	TA	-100	40	15	4	115	O 5T +1	KA	-420	30
5	8	113	O 4C +1	CB	-450	25	10	14	108	N 2C -1	TA	-100	40	15	2	111	W 5T +1	PD	-420	30
5	10	102	O 3SA +1	K5	-430	50	10	12	104	N 2C -1	TA	-100	40	15	8	108	W 5T =	P5	-400	55
5	3	103	O 4C =	K5	-420	75	10	5	105	Pass		0	65	15	13	103	W 5T =	C7	-400	55
5	15	112	O 4C =	P9	-420	75	10	2	114	Pass		0	65	15	5	102	W 4T +2	K5	-170	70
5	14	110	O 4C =	K5	-420	75	10	15	110	S 1C =	T2	80	80	15	15	107	O 3T +2	P9	-150	80
5	13	108	O 4C =	K2	-420	75	10	3	101	W 2K -1	CA	100	95	15	1	109	O 4C -1	PK	50	95
5	1	114	O 2SA +3	CB	-210	100	10	13	106	O 2P -1	KK	100	95	15	14	105	O 2C -1	PK	50	95

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel errechnet.

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Pfäffikon, Mensa - 12.08.2014

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
16	6	104	O 3C =	K7	-140	0	21	10	109 N 3P -1	T9	-100	0	25	7	101 W 4C -1	T5	100	90
16	1	109	S 4P -1	CA	-50	10	21	6	101 N 2P =	T9	110	10	26	5	112 W 3T +2	K9	-150	0
16	13	103	S 2P =	TD	110	20	21	4	112 S 2C +1	TA	140	20						
16	8	108	S 2P +1	TD	140	50	21	9	107 N 3P +1	K9	170	45						
16	7	106	S 2P +1	TD	140	50	21	7	103 N 3C +1	TA	170	45						
16	5	102	S 2P +1	TD	140	50	21	2	108 N 2P +2	KA	170	45						
16	4	115	S 2P +1	TD	140	50	21	1	106 N 2P +2	KA	170	45						
16	2	111	S 2P +1	TD	140	50	21	5	114 N 3P +2	KA	200	75						
16	3	113	S 3P +1	C9	170	85	21	3	110 W 4T -4	PA	200	75						
16	14	105	S 2P +2	C4	170	85	21	11	111 N 4P =	KA	620	95						
16	15	107	S 4P =	K6	420	100	21	8	105 S 4C =	TA	620	95						
17	1	108	S 4C -4	P4	-200	0	22	3	110 O 4P +1	T5	-650	5						
17	15	106	S 4C -3	K4	-150	10	22	2	108 O 4P +1	T5	-650	5						
17	5	101	S 3C -1	TK	-50	30	22	7	103 O 4P =	K6	-620	35						
17	4	114	S 4C -1	PA	-50	30	22	6	101 O 4P =	T5	-620	35						
17	3	112	S 3C -1	TK	-50	30	22	5	114 O 4P =	T5	-620	35						
17	9	109	W 2P -1	C3	50	50	22	1	106 O 4P =	T5	-620	35						
17	7	105	S 2C =	K5	110	60	22	10	109 W 5T =	KK	-600	60						
17	8	107	S 2C +1	TK	140	85	22	8	105 O 3P +1	T5	-170	75						
17	6	103	S 3C =	KB	140	85	22	4	112 O 2P +2	T5	-170	75						
17	2	110	S 3C =	TK	140	85	22	9	107 O 2P =	T5	-110	90						
17	14	104	S 2C +1	TK	140	85	22	11	111 S 4K -1	P3	-50	100						
18	2	110	S 4P -2	CA	-200	0	23	12	112 W 2C +1	T7	-140	0						
18	6	103	W 3T =	PB	-110	15	23	11	110 N 2P -1	T10	-100	20						
18	15	106	O 3T =	PB	-110	15	23	9	106 N 3SA -1	C2	-100	20						
18	9	109	W 4T -1	PB	50	35	23	4	111 N 2P -1	C4	-100	20						
18	3	112	W 4T -1	C5	50	35	23	7	102 W 1SA -1	T7	100	40						
18	7	105	W 3T -2	PB	100	65	23	5	113 N 2P =	T10	110	60						
18	5	101	W 3T -2	PB	100	65	23	3	109 S 3K =	CA	110	60						
18	4	114	W 3T -2	PB	100	65	23	2	107 N 2P =	C8	110	60						
18	1	108	W 3T -2	PB	100	65	23	10	108 N 2P +1	K3	140	85						
18	8	107	S 2P +1	T9	140	95	23	8	104 N 2P +1	T10	140	85						
18	14	104	S 3P =	CK	140	95	23	6	115 O 4C X -3	KA	800	100						
19	7	104	W 4P +3	CA	-710	0	24	11	110 N 4C -1	K4	-50	0						
19	6	102	W 4P +2	CA	-680	15	24	12	112 N 4C =	KD	420	45						
19	4	113	W 4P +2	KA	-680	15	24	10	108 N 4C =	KD	420	45						
19	10	110	W 4P +1	KA	-650	60	24	9	106 N 4C =	KD	420	45						
19	8	106	W 4P +1	T3	-650	60	24	8	104 N 4C =	T5	420	45						
19	5	115	W 4P +1	CA	-650	60	24	6	115 N 4C =	C6	420	45						
19	3	111	W 4P +1	KA	-650	60	24	5	113 N 4C =	T5	420	45						
19	2	109	W 4P +1	KA	-650	60	24	4	111 N 4C =	KD	420	45						
19	1	107	W 4P +1	KA	-650	60	24	3	109 N 4C =	C6	420	45						
19	15	105	O 4P +1	K5	-650	60	24	2	107 N 4C +1	PA	450	90						
19	9	108	O 4P =	KA	-620	100	24	7	102 N 4C +2	PA	480	100						
20	9	108	W 4P =	CA	-620	5	25	4	110 W 4C =	PA	-620	0						
20	4	113	W 4P =	CA	-620	5	25	12	111 W 2C +2	C8	-170	30						
20	15	105	O 3SA =	K5	-600	20	25	11	109 W 2C +2	PA	-170	30						
20	6	102	W 2SA +2	T8	-180	30	25	10	107 W 3P +1	PA	-170	30						
20	5	115	W 3P +1	T9	-170	40	25	8	103 W 3C +1	T3	-170	30						
20	8	106	O 3P =	T6	-140	65	25	5	112 W 3C +1	T5	-170	30						
20	7	104	W 2P +1	T6	-140	65	25	6	114 W 2C +1	PA	-140	60						
20	3	111	W 3P =	CA	-140	65	25	3	108 N 2P -1	CD	-50	70						
20	1	107	W 3P =	T2	-140	65	25	13	113 W 4C -1	PA	100	90						
20	2	109	W 4P -1	CA	100	90	25	9	105 W 4C -1	PA	100	90						
20	10	110	W 4P -2	K9	200	100	25	7	101 W 4C -1	T5	100	90						

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel errechnet.