

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 8. April 2014

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	5	9	2C	W	TA	=	-110	0		6	9	2	2P	O	K9	+2	-170	20		11	3	13	4P	S	TK	-1	-50	55	
1	6	11	4P	N	KB	-2	-100	10		6	12	8	2P	O	KB	+2	-170	20		11	5	4	4P	S	TK	-1	-50	55	
1	4	7	2P	N	C7	-1	-50	25		6	7	11	2P	W	KB	+1	-140	40		11	6	6	4P	S	TD	-1	-50	55	
1	12	10	2P	N	P9	-1	-50	25		6	6	9	2P	O	C7	=	-110	55		11	10	1	4P	S	KB	-1	-50	55	
1	1	1	3C	W	TA	-1	50	45		6	10	4	2P	O	C7	=	-110	55		11	2	11	3P	S	TK	=	140	80	
1	7	13	2C	W	TA	-1	50	45		6	1	12	3K	S	PA	-1	-50	80		11	11	3	5Cx	O	PA	-3	500	90	
1	8	2	1P	N	T3	=	80	65		6	2	1	3T	N	PK	-1	-50	80		11	9	12	5Tx	O	PA	-4	800	100	
1	10	6	1P	N	K1C	=	80	65		6	11	6	2K	S	PA	-1	-50	80		12	9	12	3SA	S	C9	-3	-300	0	
1	11	8	3C	W	TA	-2	100	80		6	8	13	4P	O	KB	-1	100	100		12	10	1	2SA	S	C5	-1	-100	10	
1	9	4	2P	N	CA	=	110	90		7	7	10	3SA	N	CD	-2	-200	0		12	4	2	1SA	W	KA	-1	50	20	
1	13	12	1P	N	K8	+2	140	100		7	1	11	4P	S	TA	-1	-100	45		12	1	9	1SA	S	C5	=	90	35	
2	6	11	3T	S	K2	-3	-300	5		7	2	13	4P	S	C6	-1	-100	45		12	3	13	1SA	S	P2	=	90	35	
2	13	12	3T	S	KK	-3	-300	5		7	3	2	2SA	N	CD	-1	-100	45		12	11	3	2P	N	T3	=	110	55	
2	1	1	3SA	S	T5	-2	-200	25		7	4	4	4P	N	KA	-1	-100	45		12	12	5	1P	N	T1C	+1	110	55	
2	4	7	2C	S	KK	-2	-200	25		7	9	1	4P	S	C3	-1	-100	45		12	2	11	2P	N	C8	+1	140	75	
2	8	2	1SA	S	K4	-1	-100	40		7	10	3	4P	N	KA	-1	-100	45		12	13	7	2P	N	T1C	+1	140	75	
2	7	13	1P	O	TB	=	-80	50		7	11	5	4P	S	C6	-1	-100	45		12	5	4	1SA	S	K8	+2	150	90	
2	12	10	1SA	S	K4	=	90	60		7	12	7	4P	S	C6	-1	-100	45		12	6	6	3SA	S	PA	=	600	100	
2	9	4	2P	O	T4	-2	100	75		7	8	12	3P	N	CD	=	140	95		13	7	7	3P	W	CA	=	-140	0	
2	11	8	2P	O	T2	-2	100	75		7	13	9	3P	S	C3	=	140	95		13	1	8	2P	W	CA	=	-110	20	
2	5	9	1SA	S	T1C	+1	120	90		8	7	10	5T	O	KA	=	-400	5		13	5	3	2P	W	T8	=	-110	20	
2	10	6	2C	W	TD	-3	150	100		8	13	9	5T	O	KA	=	-400	5		13	10	13	2P	W	CA	=	-110	20	
3	13	11	5T	S	KA	-1	-50	0		8	3	2	5Kx	S	T6	-1	-100	25		13	3	12	3P	W	CA	-1	100	50	
3	2	2	2SA	S	P7	=	120	10		8	11	5	5Kx	S	T6	-1	-100	25		13	11	2	3P	W	T9	-1	100	50	
3	6	10	3T	S	KA	+2	150	25		8	10	3	5K	S	PK	-1	-50	45		13	12	4	3P	W	T5	-1	100	50	
3	9	3	4T	S	KA	+1	150	25		8	12	7	5K	S	T6	-1	-50	45		13	2	10	3P	W	T5	-2	200	70	
3	7	12	2T	S	P2	+5	190	40		8	1	11	5T	O	KA	-1	50	70		13	4	1	4P	W	CA	-3	300	90	
3	1	13	5T	S	P7	=	400	55		8	4	4	4P	W	K4	-1	50	70		13	6	5	4P	W	CA	-3	300	90	
3	12	9	5T	S	T9	=	400	55		8	8	12	4P	W	T1C	-1	50	70		13	13	6	4P	W	T9	-3	300	90	
3	10	5	5T	S	KA	+1	420	70		8	9	1	4P	W	K7	-2	100	90		14	1	8	5Cx	S	KA	-2	-300	20	
3	5	8	3SA	S	C4	+1	430	90		8	2	13	3SA	S	KA	+1	650	100		14	2	10	5Cx	S	P2	-2	-300	20	
3	8	1	3SA	S	P1C	+1	430	90		9	10	2	3SA	O	K3	+4	-720	0		14	7	7	5Cx	S	KD	-2	-300	20	
3	11	7	3SA	S	C7	+1	430	90		9	1	10	3SA	O	C4	+3	-690	20		14	10	13	5Cx	S	KD	-2	-300	20	
4	6	10	6P	S	TA	-1	-100	0		9	2	12	3SA	O	K2	+3	-690	20		14	11	2	5Cx	S	K3	-2	-300	20	
4	10	5	2P	S	C3	+4	230	10		9	4	3	3SA	O	C4	+3	-690	20		14	3	12	5C	S	T6	-2	-100	55	
4	12	9	4P	S	KB	+1	650	20		9	3	1	3SA	O	C4	+2	-660	50		14	13	6	5K	S	K7	-2	-100	55	
4	1	13	4P	S	C3	+2	680	60		9	9	13	3SA	O	C4	+2	-660	50		14	6	5	5K	O	CA	-1	50	70	
4	5	8	4P	S	T7	+2	680	60		9	13	8	3SA	O	C6	+2	-660	50		14	4	1	4P	W	C3	-2	100	85	
4	7	12	4P	S	K4	+2	680	60		9	12	6	3SA	O	C4	+1	-630	70		14	12	4	5K	O	CA	-2	100	85	
4	8	1	5P	S	KB	+1	680	60		9	5	5	3SA	O	C4	=	-600	85		14	5	3	4P	W	T3	-3	150	100	
4	9	3	4P	S	C3	+2	680	60		9	11	4	5T	O	T1C	=	-600	85		15	13	5	6C	N	KA	-3	-300	0	
4	11	7	4P	S	KB	+2	680	60		9	8	11	1SA	O	C4	+3	-180	100		15	1	7	4C	N	P8	-1	-100	20	
4	13	11	4P	S	K6	+2	680	60		10	3	1	4P	O	TD	+1	-650	15		15	2	9	4C	N	KA	-1	-100	20	
4	2	2	4P	S	C3	+3	710	100		10	5	5	4P	O	CD	+1	-650	15		15	3	11	5C	N	KA	-1	-100	20	
5	8	13	4C	O	K8	+2	-480	5		10	9	13	4P	O	CD	+1	-650	15		15	6	4	3SA	S	T7	=	600	40	
5	13	10	4C	O	K8	+2	-480	5		10	11	4	4P	O	C2	+1	-650	15		15	5	2	4C	N	P6	=	620	65	
5	1	12	4C	O	P6	+1	-450	60		10	4	3	4P	O	K4	=	-620	40		15	8	8	4C	N	KA	=	620	65	
5	2	1	4C	O	T8	+1	-450	60		10	1	10	3P	O	P3	+2	-200	65		15	11	1	4C	N	P2	=	620	65	
5	3	3	4C	O	K8	+1	-450	60		10	2	12	2P	O	K4	+3	-200	65		15	12	3	4C	N	P2	=	620	65	
5	6	9	4C	O	T8	+1	-450	60		10	10	2	3P	O	C2	+2	-200	65		15	4	13	5C	N	K3	=	650	95	
5	7	11	4C	O	P1C	+1	-450	60		10	13	8	3P	O	C5	+2	-200	65		15	7	6	4C	N	K4	+1	650	95	
5	9	2	4C	O	P5	+1	-450	60		10	8	11	4P	O	TD	-1	100	90		16	7	6	1P	S	K1C	+3	170	0	
5	10	4	4C	O	P5	+1	-450	60		10	12	6	3C	N	TA	+1	170	100		16	1	7	4P	S	T8	=	420	45	
5	11	6	4C	O	T8	+1	-450	60		11	1	9	5P	S	TK	-2	-100	15		16	3	11	4P	S	KA	=	420	45	
5	12	8	4C	O	K8	+1	-450	60		11	4	2	5Px	S	KK	-1	-100	15		16	4	13	4P	S	C3	=	420	45	
6	13	10	3K	S	PA	-4	-200	0		11	12	5	4P	S	C4	-2	-100	15		16	6	4	4P	S	C3	=	420	45	
6	3	3	2P	O	C7	+2	-170	20		11	13	7	4P	S	TK	-2	-100	15		16	8	8	4P	S	KA	=	420	45	

Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 8. April 2014

Bd	NS	OW	Kon	AS	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Aus	Erg	Sco	Prz
16	11	1	4P	S	T2	=	420	45	21	6	1	6C	N	T1C	=	1430	85	26	13	13	4P	S	T2	+2	680	100
16	12	3	4P	S	C3	=	420	45	21	8	5	6C	N	T1C	=	1430	85									
16	13	5	4P	S	K8	=	420	45	21	9	7	6C	N	P8	=	1430	85									
16	2	9	4P	S	C3	+1	450	95	22	4	10	6K	N	T9	-1	-50	0									
16	5	2	4P	S	C3	+1	450	95	22	8	5	5T	N	CB	+2	440	10									
17	5	1	3SA	N	C2	-3	-150	5	22	3	8	3SA	S	C7	+3	490	20									
17	8	7	3P	N	C3	-3	-150	5	22	1	4	3SA	S	C4	+4	520	45									
17	6	3	3P	N	C3	-2	-100	20	22	5	12	3SA	S	C3	+4	520	45									
17	2	8	4K	S	CA	-1	-50	30	22	7	3	3SA	S	C6	+4	520	45									
17	3	10	4C	W	TA	-1	50	50	22	9	7	3SA	S	C6	+4	520	45									
17	4	12	4C	W	TA	-1	50	50	22	10	9	6T	N	T9	=	920	75									
17	7	5	4C	W	TA	-1	50	50	22	11	11	6T	N	CB	=	920	75									
17	9	9	4C	W	TA	-2	100	75	22	2	6	6SA	S	C6	+1	1020	95									
17	12	2	4C	W	TA	-2	100	75	22	6	1	6SA	S	P2	+1	1020	95									
17	1	6	3K	S	CA	+1	130	90	23	5	11	3C	S	TA	-2	-200	0									
17	13	4	4C	O	PA	-3	150	100	23	4	9	2SA	W	P6	=	-120	20									
18	4	12	3C	N	K7	-2	-200	0	23	10	8	2SA	W	P6	=	-120	20									
18	6	3	2P	O	CD	+2	-170	20	23	11	10	2SA	W	P6	=	-120	20									
18	8	7	2P	O	CD	+2	-170	20	23	2	5	2SA	W	T9	-1	100	60									
18	13	4	2P	O	CD	+2	-170	20	23	3	7	2SA	W	P6	-1	100	60									
18	1	6	2P	O	CD	+1	-140	55	23	6	13	2SA	W	P6	-1	100	60									
18	2	8	3C	O	CD	=	-140	55	23	7	2	2SA	W	C2	-1	100	60									
18	5	1	2P	O	CD	+1	-140	55	23	9	6	2SA	W	P6	-1	100	60									
18	12	2	3P	O	CD	=	-140	55	23	8	4	2SA	W	C2	-2	200	90									
18	9	9	3C	N	K7	-1	-100	80	23	12	12	2SA	W	P6	-3	300	100									
18	3	10	2K	W	CA	=	-90	90	24	5	11	4C	O	PB	+2	-480	10									
18	7	5	2K	W	CA	-2	100	100	24	6	13	4C	O	K1C	+2	-480	10									
19	6	2	5C	N	KA	-2	-100	0	24	7	2	4C	O	PB	+2	-480	10									
19	2	7	4C	S	K8	-1	-50	10	24	2	5	4C	O	PB	+1	-450	60									
19	1	5	2P	W	K3	-1	100	25	24	3	7	4C	O	PB	+1	-450	60									
19	7	4	2P	W	C2	-1	100	25	24	4	9	4C	O	PB	+1	-450	60									
19	13	3	3C	S	KA	=	140	40	24	8	4	4C	O	PB	+1	-450	60									
19	5	13	2C	S	P3	+3	200	50	24	9	6	4C	O	PB	+1	-450	60									
19	3	9	4C	S	K8	=	420	70	24	11	10	4C	O	PB	+1	-450	60									
19	4	11	4C	S	K8	=	420	70	24	12	12	4C	O	PB	+1	-450	60									
19	10	10	4C	S	P7	=	420	70	24	10	8	4C	O	PB	=	-420	100									
19	8	6	4C	S	P8	+1	450	90	25	11	9	1SA	O	K2	=	-90	0									
19	9	8	5Kx	O	CA	-2	500	100	25	13	13	4P	N	KA	-1	-50	10									
20	3	9	3SA	N	T4	-2	-200	0	25	4	8	3P	N	KA	=	140	25									
20	6	2	3P	S	K2	-1	-100	10	25	10	7	3P	N	KA	=	140	25									
20	1	5	2P	N	PD	=	110	25	25	8	3	2P	N	KA	+2	170	40									
20	7	4	2P	N	PD	=	110	25	25	5	10	4C	W	PB	-2	200	60									
20	2	7	2P	N	T7	+2	170	65	25	9	5	3SA	O	K3	-2	200	60									
20	4	11	2P	N	TB	+2	170	65	25	12	11	3C	W	T7	-2	200	60									
20	5	13	2P	N	T4	+2	170	65	25	7	1	2SA	O	KB	-3	300	80									
20	8	6	2P	N	T7	+2	170	65	25	3	6	4P	N	C7	=	420	95									
20	9	8	2P	N	T4	+2	170	65	25	6	12	4P	N	KA	=	420	95									
20	13	3	2P	N	CD	+2	170	65	26	10	7	4P	S	T2	-1	-100	0									
20	10	10	4P	N	T7	=	620	100	26	5	10	2P	S	T2	+1	140	15									
21	1	4	6C	N	T1C	-1	-100	5	26	9	5	3P	S	T2	=	140	15									
21	5	12	6C	N	P8	-1	-100	5	26	11	9	3P	S	T5	+1	170	30									
21	3	8	4C	S	TK	+1	650	30	26	12	11	3P	S	CA	+3	230	40									
21	4	10	4C	S	P6	+1	650	30	26	4	8	4P	S	CA	=	620	65									
21	7	3	4C	S	P2	+1	650	30	26	6	12	4P	S	CA	=	620	65									
21	11	11	3SA	S	K4	+2	660	50	26	7	1	4P	S	T2	=	620	65									
21	10	9	4C	N	T1C	+2	680	60	26	8	3	4P	S	T2	=	620	65									
21	2	6	6C	N	T1C	=	1430	85	26	3	6	5P	S	K6	=	650	90									