

# Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 22. April 2014

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
1	12	10	1SA	S	TA	-3	-150	0		6	6	9	2K	O	PA	=	-90	20		11	10	1	2C	W	KD	+1	-140	30	
1	11	8	2K	W	T5	+1	-110	10		6	2	1	2C	N	KA	-1	-50	45		11	13	7	2C	W	KD	+1	-140	30	
1	4	7	3P	N	K4	-2	-100	25		6	8	13	2C	N	KA	-1	-50	45		11	3	13	2C	W	K7	=	-110	70	
1	5	9	4P	N	TB	-2	-100	25		6	9	2	2P	N	CB	-1	-50	45		11	9	12	2P	O	K1C	=	-110	70	
1	6	11	1SA	S	TD	-1	-50	45		6	10	4	2C	N	KA	-1	-50	45		11	11	3	2C	W	PA	=	-110	70	
1	8	2	4P	N	TB	-1	-50	45		6	12	8	2C	N	KA	=	110	70		11	2	11	3K	N	CD	-2	-100	90	
1	7	13	4Tx	W	K1C	-1	100	60		6	1	12	2SA	O	P3	-2	200	85		11	1	9	3C	W	KD	-2	100	100	
1	9	4	2P	N	TB	=	110	70		6	3	3	2T	O	P7	-2	200	85		12	11	3	3Tx	N	C4	-3	-800	0	
1	10	6	2P	S	TA	+1	140	85		6	7	11	2SA	W	P3	-3	300	100		12	1	9	4C	O	T6	+1	-450	15	
1	13	12	2P	S	TA	+1	140	85		7	8	12	3K	W	T5	=	-110	0		12	3	13	4C	W	TA	+1	-450	15	
1	1	1	4Kx	O	PA	-2	300	100		7	13	9	2K	W	TB	=	-90	10		12	5	4	4C	O	KD	=	-420	45	
2	6	11	5T	N	KA	-1	-100	5		7	1	11	3K	W	P6	-1	100	25		12	10	1	4C	O	KD	=	-420	45	
2	13	12	4P	S	CK	-1	-100	5		7	12	7	3K	O	TK	-1	100	25		12	12	5	4C	O	KD	=	-420	45	
2	4	7	3C	O	PA	-1	50	25		7	3	2	3P	S	CA	=	140	55		12	13	7	4C	O	KD	=	-420	45	
2	7	13	3C	O	K6	-1	50	25		7	4	4	2P	S	CA	+1	140	55		12	4	2	3C	W	T3	+1	-170	75	
2	5	9	4C	O	T5	-3	150	45		7	7	10	3P	S	CA	=	140	55		12	6	6	3C	W	TA	+1	-170	75	
2	10	6	3C	O	TD	-3	150	45		7	10	3	3P	S	CA	=	140	55		12	2	11	4C	O	P3	-1	50	90	
2	1	1	2P	S	CK	+2	170	60		7	2	13	4K	O	TK	-2	200	85		12	9	12	1T	W	P3	-3	150	100	
2	8	2	3SA	S	CK	+1	630	80		7	11	5	4K	O	TK	-2	200	85		13	4	1	2C	W	T8	=	-110	0	
2	11	8	3SA	S	K2	+1	630	80		7	9	1	1SA	O	P4	-4	400	100		13	1	8	2SA	S	KA	-1	-100	15	
2	12	10	3SA	S	K9	+1	630	80		8	13	9	1C	W	K6	=	-80	0		13	7	7	3T	N	CA	-1	-100	15	
2	9	4	3SA	S	K9	+2	660	100		8	1	11	2SA	S	C6	-1	-50	15		13	2	10	ASS	N		0	55		
3	13	11	6SA	N	T5	-3	-150	0		8	7	10	3P	S	K5	-1	-50	15		13	5	3	ASS	N		0	55		
3	6	10	3SA	N	T5	-1	-50	10		8	3	2	1C	W	TK	-1	50	40		13	6	5	ASS	N		0	55		
3	11	7	2SA	S	C3	=	120	20		8	10	3	2C	W	PK	-1	50	40		13	10	13	ASS	N		0	55		
3	5	8	3SA	N	P9	=	400	40		8	11	5	1C	W	T7	-1	50	40		13	12	4	ASS	N		0	55		
3	7	12	3SA	N	P8	=	400	40		8	4	4	1P	S	C5	=	80	60		13	13	6	ASS	N		0	55		
3	9	3	3SA	N	P7	=	400	40		8	2	13	1P	S	C9	+1	110	75		13	3	12	3C	W	KK	-1	100	95	
3	1	13	3SA	S	C3	+1	430	80		8	12	7	2K	S	PD	+1	110	75		13	11	2	3C	W	T2	-1	100	95	
3	2	2	3SA	N	TB	+1	430	80		8	8	12	1P	S	C5	+2	140	95		14	3	12	6SA	W	P2	=	-990	0	
3	8	1	3SA	N	PD	+1	430	80		8	9	1	2P	S	C1C	+1	140	95		14	2	10	6C	W	PA	=	-980	30	
3	10	5	3SA	N	P9	+1	430	80		9	3	1	4C	O	K3	+2	-680	0		14	5	3	6C	W	PA	=	-980	30	
3	12	9	3SA	N	PD	+1	430	80		9	4	3	4C	W	P6	+1	-650	15		14	6	5	6C	W	PA	=	-980	30	
4	9	3	2Px	W	TD	=	-670	0		9	5	5	4C	W	P6	+1	-650	15		14	10	13	6C	W	PA	=	-980	30	
4	12	9	2P	S	KA	-3	-300	10		9	1	10	4C	W	K2	=	-620	35		14	13	6	6C	W	PA	=	-980	30	
4	5	8	2P	S	KA	-2	-200	20		9	11	4	4C	W	P9	=	-620	35		14	7	7	4C	W	P8	+2	-480	70	
4	6	10	1SA	W	T5	+1	-120	30		9	8	11	3C	W	P6	+2	-200	55		14	11	2	4C	W	PA	+2	-480	70	
4	7	12	1SA	W	TD	-1	100	45		9	10	2	3C	W	T3	+2	-200	55		14	12	4	5C	W	PA	+1	-480	70	
4	8	1	2P	W	TD	-1	100	45		9	9	13	3P	S	CA	-3	-150	75		14	1	8	4C	W	T1C	+1	-450	90	
4	2	2	3T	N	K5	=	110	60		9	12	6	3P	S	CA	-3	-150	75		14	4	1	6SA	O	K3	-1	50	100	
4	10	5	2P	W	TD	-2	200	80		9	13	8	2C	W	P6	+1	-140	90		15	3	11	3T	N	CK	-1	-100	5	
4	11	7	2P	O	TD	-2	200	80		9	2	12	2P	S	T5	-2	-100	100		15	13	5	3T	S	CK	-1	-100	5	
4	13	11	2P	W	TD	-2	200	80		10	3	1	3SA	N	P3	-3	-300	0		15	12	3	2C	W	TA	-1	50	20	
4	1	13	3SA	W	TD	-4	400	100		10	5	5	3SA	N	P3	-1	-100	15		15	6	4	2T	S	C1C	=	90	35	
5	6	9	3SA	N	C4	-3	-300	0		10	9	13	3SA	N	P3	-1	-100	15		15	11	1	2T	S	CK	=	90	35	
5	3	3	3SA	N	C4	-2	-200	10		10	12	6	2SA	N	P8	=	120	30		15	1	7	3P	O	T5	-2	100	50	
5	11	6	3SA	S	C6	-1	-100	20		10	2	12	3T	S	P6	+1	130	50		15	4	13	3T	S	C1C	=	110	70	
5	8	13	3T	N	K8	=	110	35		10	10	2	3T	S	P6	+1	130	50		15	5	2	3T	S	CK	=	110	70	
5	13	10	1P	N	K8	+1	110	35		10	11	4	3T	S	PK	+1	130	50		15	8	8	2T	S	CK	+1	110	70	
5	12	8	2T	N	C9	+2	130	50		10	4	3	2C	N	P2	+2	170	70		15	7	6	2SA	S	C1C	+1	150	90	
5	7	11	3T	N	C2	+2	150	65		10	1	10	3SA	S	K1C	=	600	80		15	2	9	4Px	O	TB	-2	300	100	
5	9	2	1SA	S	K5	+2	150	65		10	8	11	3SA	S	P6	+1	630	90		16	5	2	1SA	N	C1C	-1	-50	10	
5	2	1	3SA	N	C2	+1	630	80		10	13	8	3SA	N	KB	+2	660	100		16	7	6	3P	S	CK	-1	-50	10	
5	1	12	3SA	S	C6	+2	660	90		11	12	5	1SA	W	K7	+2	-150	0		16	11	1	4P	S	CK	-1	-50	10	
5	10	4	3SA	N	C4	+3	690	100		11	4	2	2C	W	P2	+1	-140	30		16	13	5	2T	N	C2	+1	110	30	
6	11	6	2Cx	N	KA	-2	-300	0		11	5	4	3C	W	PA	=	-140	30		16	3	11	2SA	N	C2	=	120	45	
6	13	10	3C	N	KA	-2	-100	10		11	6	6	2C	W	PA	+1	-140	30		16	6	4	2SA	N	T5	=	120	45	

# Board-Anschriften (Sicht NS), Mitchell-Turnier vom Dienstag, 22. April 2014

Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz	Bd	NS	OW	Kon	AS	Sp	Aus	Erg	Sco	Prz
16	4	13	2SA	N	K8	+1	150	60		21	5	12	4P	W	CA	-1	50	85		26	10	7	3SA	O	T3	-1	100	85	
16	2	9	2P	S	C6	+2	170	75		21	9	7	4P	W	T8	-1	50	85											
16	12	3	2P	S	CK	+2	170	75		21	1	4	4P	W	T8	-2	100	100											
16	8	8	4P	S	C7	=	420	90		22	10	9	4C	S	K1C	-3	-150	0											
16	1	7	4P	S	T6	+1	450	100		22	9	7	4C	S	PK	-2	-100	10											
17	9	9	3SA	N	K6	-2	-100	0		22	2	6	2K	N	PA	+1	110	25											
17	5	1	3SA	N	P3	-1	-50	25		22	6	1	2C	S	K8	=	110	25											
17	6	3	3SA	S	C9	-1	-50	25		22	4	10	2C	S	KK	+2	170	45											
17	12	2	3SA	S	T4	-1	-50	25		22	7	3	2C	S	K1C	+2	170	45											
17	13	4	3SA	S	T1C	-1	-50	25		22	11	11	3C	S	K1C	+2	200	60											
17	1	6	2K	S	T1C	+2	130	50		22	1	4	4C	S	K1C	=	420	80											
17	2	8	3SA	N	K1C	=	400	65		22	3	8	4C	S	P8	=	420	80											
17	4	12	3SA	S	K3	=	400	65		22	8	5	4C	S	PK	=	420	80											
17	3	10	3SA	N	K6	+1	430	85		22	5	12	4C	S	K1C	+1	450	100											
17	8	7	3SA	S	K4	+1	430	85		23	6	13	1P	S	C7	-2	-200	5											
17	7	5	3SA	S	T4	+2	460	100		23	9	6	1P	S	C7	-2	-200	5											
18	9	9	5Px	S	KD	-3	-800	0		23	3	7	1P	S	C7	-1	-100	20											
18	13	4	3SA	N	K3	-3	-300	10		23	5	11	1P	S	C7	=	80	35											
18	8	7	3K	O	C5	+1	-130	20		23	7	2	1P	S	C7	=	80	35											
18	7	5	4P	S	KD	-1	-100	30		23	2	5	2C	S	TK	+3	200	50											
18	2	8	3P	S	T6	=	140	45		23	10	8	2C	S	T7	+5	260	60											
18	5	1	3P	S	T7	=	140	45		23	4	9	4C	S	P2	+1	650	85											
18	1	6	3P	S	K7	+1	170	70		23	8	4	4C	N	K7	+1	650	85											
18	3	10	3P	S	CD	+1	170	70		23	11	10	4C	S	TK	+1	650	85											
18	12	2	3P	S	KD	+1	170	70		23	12	12	4C	S	P2	+1	650	85											
18	6	3	3P	S	T9	+2	200	90		24	8	4	3P	N	K9	-3	-150	0											
18	4	12	4P	S	KD	=	620	100		24	4	9	2C	W	T3	+1	-140	10											
19	13	3	4C	S	KB	-2	-100	0		24	7	2	2SA	W	T3	=	-120	20											
19	1	5	4C	S	P3	-1	-50	35		24	2	5	2P	W	CD	=	-110	35											
19	3	9	4C	S	T8	-1	-50	35		24	5	11	2C	O	PK	=	-110	35											
19	4	11	4C	S	P3	-1	-50	35		24	3	7	1SA	S	K2	-2	-100	50											
19	5	13	4C	S	T4	-1	-50	35		24	9	6	2SA	S	K2	-1	-50	65											
19	6	2	4C	S	T1C	-1	-50	35		24	10	8	2K	S	C5	-1	-50	65											
19	8	6	4C	S	KB	-1	-50	35		24	12	12	3C	O	T4	-1	50	80											
19	2	7	3C	S	TB	=	140	75		24	11	10	4C	O	TD	-2	100	90											
19	7	4	3C	S	P3	=	140	75		24	6	13	1SA	S	K6	+1	120	100											
19	9	8	3C	S	T8	+1	170	90		25	13	13	4SA	N	P2	-3	-150	0											
19	10	10	4C	S	T8	=	420	100		25	5	10	3P	W	KA	=	-140	10											
20	5	13	3SA	N	C4	-1	-100	0		25	3	6	3SA	S	P6	-1	-50	35											
20	4	11	1SA	N	C4	+2	150	10		25	6	12	3SA	S	P8	-1	-50	35											
20	3	9	3SA	N	KD	=	600	40		25	8	3	3SA	S	P1C	-1	-50	35											
20	6	2	3SA	N	P6	=	600	40		25	12	11	3SA	S	P1C	-1	-50	35											
20	7	4	3SA	N	T2	=	600	40		25	4	8	3T	S	CA	+1	130	65											
20	10	10	3SA	N	C4	=	600	40		25	11	9	3T	S	CA	+1	130	65											
20	13	3	3SA	N	C4	=	600	40		25	7	1	3SA	S	P1C	+2	460	90											
20	1	5	3SA	N	K5	+1	630	80		25	9	5	3SA	S	P1C	+2	460	90											
20	2	7	3SA	N	C6	+1	630	80		25	10	7	3SA	S	P1C	+2	460	90											
20	8	6	3SA	N	T2	+1	630	80		26	12	11	4C	O	TK	+1	-650	0											
20	9	8	3SA	N	C7	+2	660	100		26	8	3	3SA	W	C4	+1	-630	10											
21	10	9	3SA	W	K3	+3	-490	0		26	13	13	4P	W	TA	=	-620	20											
21	6	1	4P	W	T8	+1	-450	20		26	4	8	1K	N	PK	-3	-300	30											
21	8	5	4P	W	CA	+1	-450	20		26	3	6	3C	O	T4	=	-140	40											
21	11	11	4P	W	T8	+1	-450	20		26	11	9	2SA	W	T6	=	-120	50											
21	2	6	4P	W	T8	=	-420	50		26	6	12	3K	O	T6	=	-110	60											
21	4	10	5T	W	C7	+1	-420	50		26	5	10	3SA	O	T3	-1	100	85											
21	7	3	5T	O	PD	+1	-420	50		26	7	1	3SA	W	T3	-1	100	85											
21	3	8	2P	W	T8	+1	-140	70		26	9	5	3SA	O	T3	-1	100	85											