

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 10.11.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
1	10	104	W 4P +1	CA	-450	5	6	10	102 W 3T +2	C10	-150	0	11	4	102 S3PX-2	TA	-300	0
1	8	115	W 4P +1	CA	-450	5	6	9	115 O 3T =	P10	-110	10	11	2	113 S 2P -2	TA	-100	20
1	1	101	W 4P =	CA	-420	35	6	3	103 S 4P -1	PD	-50	35	11	1	111 S3PX-1	TA	-100	20
1	11	106	W 4P =	CA	-420	35	6	2	101 S 4P -1	K10	-50	35	11	12	103 S 3P -2	TA	-100	20
1	9	102	W 4P =	CA	-420	35	6	1	114 S 4P -1	TK	-50	35	11	6	106 S 2P -1	TA	-50	45
1	6	111	W 4P =	CK	-420	35	6	15	112 S 4P -1	TK	-50	35	11	5	104 N 3K -1	CA	-50	45
1	14	112	W 3P +1	CA	-170	70	6	8	113 W 4T -1	P10	100	60	11	14	107 N 2K =	CA	90	60
1	13	110	W 3P +1	C10	-170	70	6	14	110 S 3P +1	TK	170	70	11	13	105 O1SA-2	KD	100	70
1	7	113	O 3P +1	T5	-170	70	6	13	108 W 4T -2	P10	200	85	11	3	115 S 2P =	C8	110	85
1	12	108	S4CX-1	PA	-100	90	6	11	104 W 4T -2	P10	200	85	11	15	109 N 2P =	CA	110	85
1	15	114	N 4C -1	PA	-50	100	6	12	106 S 4P =	TK	420	100	11	11	101 O3SA-3	P4	150	100
2	12	108	O 2P +1	TB	-140	0	7	10	101 O 4P =	CK	-620	0	12	3	115 W 2C =	TK	-110	5
2	1	101	O 2P =	TB	-110	10	7	11	103 N 4C -1	T6	-100	10	12	15	109 W 2C =	K9	-110	5
2	7	113	N2SA-1	C6	-100	20	7	3	102 O 4P -1	T3	100	25	12	12	103 S1SA-1	C4	-100	20
2	8	115	N 1SA =	P5	90	30	7	13	107 O 3P -1	CK	100	25	12	4	102 O 1SA =	K3	-90	35
2	6	111	N 2C =	KA	110	40	7	2	115 N 3C =	K2	140	50	12	11	101 O 1SA =	PK	-90	35
2	14	112	N1SA+1	C6	120	50	7	1	113 N 3C =	KB	140	50	12	5	104 W 1C =	KK	-80	50
2	15	114	N1SA+2	T5	150	65	7	9	114 N 3C =	T6	140	50	12	14	107 W 1C -1	K9	50	60
2	9	102	N1SA+2	T6	150	65	7	4	104 S 2C +2	PD	170	70	12	2	113 W2CX-1	T2	100	70
2	11	106	N2SA+2	C6	180	85	7	15	111 N 3C +2	T6	200	85	12	6	106 S1SA+1	C9	120	90
2	10	104	N2SA+2	P5	180	85	7	14	109 O 4P -2	CK	200	85	12	1	111 S1SA+1	T9	120	90
2	13	110	N 3SA =	C6	600	100	7	12	105 N 4C +1	T6	650	100	12	13	105 N1SA+1	K8	120	90
3	10	103	N 3K +1	T3	130	5	8	10	101 W 2T +2	CA	-130	0	13	7	107 N2SA-2	T5	-200	15
3	7	112	N 2K +2	C2	130	5	8	9	114 W 3T =	K7	-110	10	13	5	103 N 3T -2	K7	-200	15
3	14	111	N3SA+1	T3	430	25	8	3	102 S 4K -2	P7	-100	20	13	4	101 N3TX-1	CA	-200	15
3	13	109	N3SA+1	T6	430	25	8	15	111 S 3K -1	P7	-50	35	13	2	112 N2SA-2	P4	-200	15
3	2	102	N3SA+2	T3	460	65	8	11	103 S 3K -1	P7	-50	35	13	3	114 N2SA-1	P4	-100	50
3	1	115	N3SA+2	T5	460	65	8	13	107 W 3T -1	K6	50	50	13	13	104 N 2T -1	K7	-100	50
3	15	113	N3SA+2	C2	460	65	8	2	115 W 4T -2	K7	100	70	13	12	102 S 3C -1	T10	-100	50
3	11	105	N3SA+2	T6	460	65	8	1	113 W 3T -2	K2	100	70	13	1	110 N 1SA =	T7	90	80
3	9	101	N3SA+2	T5	460	65	8	14	109 W 3C -2	K2	100	70	13	15	108 N 2T =	CA	90	80
3	8	114	N3SA+2	T5	460	65	8	4	104 S 3K =	P7	110	95	13	14	106 N 1SA =	T6	90	80
3	12	107	N3SA+3	T5	490	100	8	12	105 S 3K =	P7	110	95	13	6	105 O2SA-2	P2	200	100
4	8	114	N 4P -2	K2	-200	5	9	4	103 O2SA+1	P3	-150	5	14	13	104 O3SA+3	P5	-490	0
4	7	112	S1SA-2	C5	-200	5	9	2	114 N1SA-3	TB	-150	5	14	15	108 O3SA+2	PD	-460	10
4	13	109	N 4P -1	K5	-100	25	9	1	112 N1SA-2	T5	-100	30	14	5	103 O3SA+1	CB	-430	25
4	12	107	N 4P -1	TB	-100	25	9	13	106 N1SA-2	T5	-100	30	14	2	112 W3SA+1	P9	-430	25
4	9	101	N 2P =	TB	110	40	9	10	115 S 1P -2	TD	-100	30	14	12	102 O 4C =	TK	-420	40
4	2	102	N 3P +1	C4	170	55	9	15	110 O 2T =	P9	-90	50	14	14	106 W 3SA =	P9	-400	50
4	14	111	N 3P +1	K3	170	55	9	3	101 N1SA-1	TB	-50	70	14	7	107 W2SA+3	C3	-210	60
4	1	115	N 4P =	K5	620	85	9	12	104 N1SA-1	K10	-50	70	14	3	114 W 2SA =	P3	-120	70
4	15	113	N 4P =	K2	620	85	9	11	102 N1SA-1	T4	-50	70	14	4	101 O 3T =	CB	-110	80
4	11	105	N 4P =	K5	620	85	9	5	105 W 2C -1	KA	100	95	14	1	110 O 2K =	P5	-90	90
4	10	103	N 4P =	C4	620	85	9	14	108 W 1C -1	T9	100	95	14	6	105 S 2P -1	KA	-50	100
5	3	103	O3SA+1	T4	-430	0	10	3	101 W 3P =	CA	-140	10	15	7	106 N 2C -1	K6	-100	5
5	8	113	O 3SA =	C6	-400	10	10	13	106 W 3P =	KA	-140	10	15	14	105 N3SA-1	C4	-100	5
5	15	112	O1SA+4	C9	-210	25	10	10	115 W 2P +1	CA	-140	10	15	4	115 W1SA-2	KA	100	20
5	13	108	O2SA+3	PB	-210	25	10	5	105 W 3P -1	KA	100	50	15	15	107 N 2C =	T10	110	30
5	2	101	O2SA+1	T4	-150	55	10	4	103 W 3P -1	CA	100	50	15	8	108 S 2K +2	P9	130	40
5	14	110	O2SA+1	C3	-150	55	10	2	114 W 4P -1	KA	100	50	15	6	104 N2SA+1	P7	150	60
5	11	104	O1SA+2	C6	-150	55	10	15	110 W 3P -1	CA	100	50	15	5	102 O 2P -3	TB	150	60
5	10	102	O2SA+1	K8	-150	55	10	12	104 W 3P -1	CA	100	50	15	13	103 O 1P -3	TB	150	60
5	9	115	O 2C +1	P9	-140	80	10	14	108 W 3P -2	CA	200	85	15	2	111 N1SA+3	C2	180	80
5	1	114	O1SA+1	C6	-120	90	10	11	102 O3PX-1	CA	200	85	15	3	113 N3SA+1	PB	630	95
5	12	106	W 4P -3	CA	150	100	10	1	112 S 3SA =	PA	600	100	15	1	109 N3SA+1	PB	630	95

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 10.11.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
16	3	113	S 3C -3	P6	-150	0	21	9	107 O2SA+1	CA	-150	0	26	13	113 W 3SA =	C9	-600	5
16	4	115	O 3P =	TA	-140	15	21	11	111 O 2SA =	C8	-120	10	26	4	110 O 3SA =	C6	-600	5
16	1	109	O 3P =	K8	-140	15	21	10	109 O 3K =	CA	-110	20	26	12	111 O 2SA =	C4	-120	45
16	7	106	O 2P =	K5	-110	40	21	8	105 O2SA-1	C8	50	60	26	11	109 O1SA+1	P3	-120	45
16	6	104	O 2P =	K9	-110	40	21	7	103 O2SA-1	C6	50	60	26	9	105 O1SA+1	TA	-120	45
16	2	111	O 2P =	K9	-110	40	21	6	101 O3SA-1	C8	50	60	26	8	103 O 2SA =	P3	-120	45
16	15	107	S 3C -1	PK	-50	60	21	5	114 W 3P -1	C6	50	60	26	7	101 O1SA+1	TB	-120	45
16	8	108	O 3P -1	K9	100	75	21	4	112 O3SA-1	C8	50	60	26	3	108 O1SA+1	T2	-120	45
16	13	103	W 2T -1	KB	100	75	21	3	110 O3SA-1	C3	50	60	26	5	112 O 2K -1	C4	100	80
16	14	105	S 2C +1	P9	140	90	21	1	106 O2SA-1	C8	50	60	26	10	107 W 4P -2	CA	200	90
16	5	102	O 4P -2	K9	200	100	21	2	108 O3SA-2	C3	100	100	26	6	114 W 4P -3	T6	300	100
17	6	103	O 2C -2	PK	100	0	22	11	111 W 2P +3	C5	-200	10	27	6	113 N 4P -3	CA	-150	0
17	7	105	S 2P +2	C9	170	15	22	9	107 W 2P +3	CD	-200	10	27	7	115 W 2C =	K3	-110	10
17	15	106	S 3P +1	C10	170	15	22	7	103 W 2P +3	T3	-200	10	27	14	114 N 4P -2	CA	-100	30
17	5	101	S3SA+1	C10	430	35	22	4	112 W 2P +2	CD	-170	30	27	12	110 S 4P -2	TD	-100	30
17	1	108	S3SA+1	C10	430	35	22	6	101 N 3C -3	PB	-150	45	27	8	102 S 4P -2	CA	-100	30
17	9	109	S3SA+2	C9	460	55	22	3	110 N 3C -3	PB	-150	45	27	13	112 W 4C -1	PD	50	55
17	2	110	S3SA+2	K6	460	55	22	1	106 W 3P =	CD	-140	60	27	9	104 W 3C -1	K3	50	55
17	8	107	S3SA+3	C10	490	80	22	10	109 W 2P =	CD	-110	80	27	10	106 W 4C -2	K3	100	70
17	4	114	S3SA+3	C10	490	80	22	8	105 W 2P =	CD	-110	80	27	11	108 N 3P =	CA	140	85
17	3	112	S3SA+3	T2	490	80	22	2	108 W 2P =	CD	-110	80	27	4	109 N 3P =	CA	140	85
17	14	104	S3SA+4	C6	520	100	22	5	114 N 3C -2	PB	-100	100	27	5	111 N 4P =	C4	420	100
18	3	112	N 5K -4	PB	-400	0	23	4	111 W3PX=	K6	-730	0	28	11	108 O 4C +2	K6	-480	0
18	6	103	N3SA-2	P7	-200	10	23	9	106 W 4P +1	K9	-650	25	28	14	114 O 4C +1	P5	-450	20
18	8	107	N 3K -1	PB	-100	20	23	8	104 W 4P +1	K6	-650	25	28	13	112 O 4C +1	K6	-450	20
18	9	109	W 2P -1	KA	50	30	23	7	102 W 4P +1	K6	-650	25	28	12	110 O 4C +1	P3	-450	20
18	7	105	W 3T -2	C4	100	45	23	5	113 W 4P +1	K6	-650	25	28	10	106 O 4C =	K6	-420	55
18	5	101	W 4P -2	C2	100	45	23	11	110 W 4P =	PK	-620	60	28	7	115 O 4C =	T5	-420	55
18	4	114	S 3C +1	P8	170	65	23	6	115 W 4P =	K2	-620	60	28	6	113 O 4C =	T5	-420	55
18	15	106	N 2C +2	P3	170	65	23	3	109 W 4P =	CK	-620	60	28	4	109 O 4C =	T4	-420	55
18	1	108	S 3C +2	KK	200	85	23	12	112 W 3P +1	K6	-170	85	28	5	111 W 3SA =	T9	-400	80
18	14	104	S 3C +2	K2	200	85	23	2	107 W 3P +1	K2	-170	85	28	9	104 O 3C +1	T7	-170	95
18	2	110	N 4C =	C9	620	100	23	10	108 W 4P -1	KB	100	100	28	8	102 O 3C +1	K6	-170	95
19	9	108	N 4C -2	KA	-100	0	24	6	115 S3SA-2	P4	-100	0	29	15	115 W 4P =	C7	-620	5
19	7	104	S2SA-1	K4	-50	20	24	11	110 S3SA-1	P4	-50	20	29	9	103 W 4P =	C6	-620	5
19	5	115	N 3C -1	KA	-50	20	24	10	108 N 3T -1	P9	-50	20	29	12	109 W 3P =	TA	-140	30
19	15	105	N 4C -1	KA	-50	20	24	8	104 S3SA-1	P4	-50	20	29	7	114 W 3P =	CD	-140	30
19	10	110	N 3C =	KA	140	45	24	7	102 N 3T =	P2	110	45	29	5	110 W 3P =	C7	-140	30
19	6	102	N 3C =	KA	140	45	24	4	111 S 3K =	PA	110	45	29	14	113 W 3P -1	C6	100	70
19	8	106	N 3C +1	KA	170	65	24	12	112 N 3T +1	P9	130	65	29	13	111 W 4P -1	C6	100	70
19	3	111	N 2C +2	KA	170	65	24	2	107 N 3T +1	T2	130	65	29	11	107 W 3P -1	C6	100	70
19	4	113	S1SA+3	K4	180	85	24	3	109 N 3T +2	P6	150	80	29	8	101 W 3P -1	C6	100	70
19	2	109	S2SA+2	P5	180	85	24	9	106 N 3T +3	P2	170	95	29	6	112 W 3P -1	C2	100	70
19	1	107	S 3SA =	K4	400	100	24	5	113 N 3T +3	P6	170	95	29	10	105 W 3P -2	TA	200	100
20	3	111	W 2C +2	PK	-170	5	25	9	105 O 5T +1	CA	-620	0	30	5	110 S 3T -4	C3	-200	0
20	1	107	W 3C +1	PA	-170	5	25	10	107 O 5T =	CA	-600	10	30	8	101 S1SA-3	TB	-150	10
20	9	108	W 2C +1	PA	-140	45	25	3	108 S 4C -4	PK	-200	20	30	7	114 S 2P -2	P2	-100	20
20	8	106	O 2C +1	K2	-140	45	25	12	111 S 3C -3	K5	-150	30	30	14	113 S 2P -1	KD	-50	45
20	7	104	W 2C +1	K8	-140	45	25	13	113 S 2C -1	PA	-50	55	30	12	109 S 2P -1	KD	-50	45
20	6	102	W 3C =	PK	-140	45	25	11	109 S 3C -1	PA	-50	55	30	10	105 S 2P -1	TA	-50	45
20	4	113	W 3C =	PA	-140	45	25	8	103 S 3C -1	PA	-50	55	30	6	112 S 2P -1	TA	-50	45
20	15	105	W 3C =	PA	-140	45	25	5	112 S 3C -1	PA	-50	55	30	15	115 W 3T -1	K5	50	70
20	5	115	W 2C =	PA	-110	80	25	7	101 S 2C =	PA	110	90	30	13	111 S 1P =	KD	80	85
20	10	110	W 4C -1	PA	100	95	25	6	114 S 2C =	PA	110	90	30	9	103 S 1P =	TA	80	85
20	2	109	W 3C -1	PA	100	95	25	4	110 S 2C =	PA	110	90	30	11	107 S 1SA =	TB	90	100

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.