

NS-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 10.11.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
1	1	101	W 4P =	CA	-420	35	16	3	113 S 3C -3	P6	-150	0	1	6	111 W 4P =	CK	-420	35
2	1	101	O 2P =	TB	-110	10	17	3	112 S3SA+3	T2	490	80	2	6	111 N 2C =	KA	110	40
3	1	115	N3SA+2	T5	460	65	18	3	112 N 5K -4	PB	-400	0	11	6	106 S 2P -1	TA	-50	45
4	1	115	N 4P =	K5	620	85	19	3	111 N 2C +2	KA	170	65	12	6	106 S1SA+1	C9	120	90
5	1	114	O1SA+1	C6	-120	90	20	3	111 W 2C +2	PK	-170	5	13	6	105 O2SA-2	P2	200	100
6	1	114	S 4P -1	TK	-50	35	21	3	110 O3SA-1	C3	50	60	14	6	105 S 2P -1	KA	-50	100
7	1	113	N 3C =	KB	140	50	22	3	110 N 3C -3	PB	-150	45	15	6	104 N2SA+1	P7	150	60
8	1	113	W 3T -2	K2	100	70	23	3	109 W 4P =	CK	-620	60	16	6	104 O 2P =	K9	-110	40
9	1	112	N1SA-2	T5	-100	30	24	3	109 N 3T +2	P6	150	80	17	6	103 O 2C -2	PK	100	0
10	1	112	S 3SA =	PA	600	100	25	3	108 S 4C -4	PK	-200	20	18	6	103 N3SA-2	P7	-200	10
11	1	111	S3PX-1	TA	-100	20	26	3	108 O1SA+1	T2	-120	45	19	6	102 N 3C =	KA	140	45
12	1	111	S1SA+1	T9	120	90	7	4	104 S 2C +2	PD	170	70	20	6	102 W 3C =	PK	-140	45
13	1	110	N 1SA =	T7	90	80	8	4	104 S 3K =	P7	110	95	21	6	101 O3SA-1	C8	50	60
14	1	110	O 2K =	P5	-90	90	9	4	103 O2SA+1	P3	-150	5	22	6	101 N 3C -3	PB	-150	45
15	1	109	N3SA+1	PB	630	95	10	4	103 W 3P -1	CA	100	50	23	6	115 W 4P =	K2	-620	60
16	1	109	O 3P =	K8	-140	15	11	4	102 S3PX-2	TA	-300	0	24	6	115 S3SA-2	P4	-100	0
17	1	108	S3SA+1	C10	430	35	12	4	102 O 1SA =	K3	-90	35	25	6	114 S 2C =	PA	110	90
18	1	108	S 3C +2	KK	200	85	13	4	101 N3TX-1	CA	-200	15	26	6	114 W 4P -3	T6	300	100
19	1	107	S 3SA =	K4	400	100	14	4	101 O 3T =	CB	-110	80	27	6	113 N 4P -3	CA	-150	0
20	1	107	W 3C +1	PA	-170	5	15	4	115 W1SA-2	KA	100	20	28	6	113 O 4C =	T5	-420	55
21	1	106	O2SA-1	C8	50	60	16	4	115 O 3P =	TA	-140	15	29	6	112 W 3P -1	C2	100	70
22	1	106	W 3P =	CD	-140	60	17	4	114 S3SA+3	C10	490	80	30	6	112 S 2P -1	TA	-50	45
3	2	102	N3SA+2	T3	460	65	18	4	114 S 3C +1	P8	170	65	1	7	113 O 3P +1	T5	-170	70
4	2	102	N 3P +1	C4	170	55	19	4	113 S1SA+3	K4	180	85	2	7	113 N2SA-1	C6	-100	20
5	2	101	O2SA+1	T4	-150	55	20	4	113 W 3C =	PA	-140	45	3	7	112 N 2K +2	C2	130	5
6	2	101	S 4P -1	K10	-50	35	21	4	112 O3SA-1	C8	50	60	4	7	112 S1SA-2	C5	-200	5
7	2	115	N 3C =	K2	140	50	22	4	112 W 2P +2	CD	-170	30	13	7	107 N2SA-2	T5	-200	15
8	2	115	W 4T -2	K7	100	70	23	4	111 W3PX=	K6	-730	0	14	7	107 W2SA+3	C3	-210	60
9	2	114	N1SA-3	TB	-150	5	24	4	111 S 3K =	PA	110	45	15	7	106 N 2C -1	K6	-100	5
10	2	114	W 4P -1	KA	100	50	25	4	110 S 2C =	PA	110	90	16	7	106 O 2P =	K5	-110	40
11	2	113	S 2P -2	TA	-100	20	26	4	110 O 3SA =	C6	-600	5	17	7	105 S 2P +2	C9	170	15
12	2	113	W2CX-1	T2	100	70	27	4	109 N 3P =	CA	140	85	18	7	105 W 3T -2	C4	100	45
13	2	112	N2SA-2	P4	-200	15	28	4	109 O 4C =	T4	-420	55	19	7	104 S2SA-1	K4	-50	20
14	2	112	W3SA+1	P9	-430	25	9	5	105 W 2C -1	KA	100	95	20	7	104 W 2C +1	K8	-140	45
15	2	111	N1SA+3	C2	180	80	10	5	105 W 3P -1	KA	100	50	21	7	103 O2SA-1	C6	50	60
16	2	111	O 2P =	K9	-110	40	11	5	104 N 3K -1	CA	-50	45	22	7	103 W 2P +3	T3	-200	10
17	2	110	S3SA+2	K6	460	55	12	5	104 W 1C =	KK	-80	50	23	7	102 W 4P +1	K6	-650	25
18	2	110	N 4C =	C9	620	100	13	5	103 N 3T -2	K7	-200	15	24	7	102 N 3T =	P2	110	45
19	2	109	S2SA+2	P5	180	85	14	5	103 O3SA+1	CB	-430	25	25	7	101 S 2C =	PA	110	90
20	2	109	W 3C -1	PA	100	95	15	5	102 O 2P -3	TB	150	60	26	7	101 O1SA+1	TB	-120	45
21	2	108	O3SA-2	C3	100	100	16	5	102 O 4P -2	K9	200	100	27	7	115 W 2C =	K3	-110	10
22	2	108	W 2P =	CD	-110	80	17	5	101 S3SA+1	C10	430	35	28	7	115 O 4C =	T5	-420	55
23	2	107	W 3P +1	K2	-170	85	18	5	101 W 4P -2	C2	100	45	29	7	114 W 3P =	CD	-140	30
24	2	107	N 3T +1	T2	130	65	19	5	115 N 3C -1	KA	-50	20	30	7	114 S 2P -2	P2	-100	20
5	3	103	O3SA+1	T4	-430	0	20	5	115 W 2C =	PA	-110	80	1	8	115 W 4P +1	CA	-450	5
6	3	103	S 4P -1	PD	-50	35	21	5	114 W 3P -1	C6	50	60	2	8	115 N 1SA =	P5	90	30
7	3	102	O 4P -1	T3	100	25	22	5	114 N 3C -2	PB	-100	100	3	8	114 N3SA+2	T5	460	65
8	3	102	S 4K -2	P7	-100	20	23	5	113 W 4P +1	K6	-650	25	4	8	114 N 4P -2	K2	-200	5
9	3	101	N1SA-1	TB	-50	70	24	5	113 N 3T +3	P6	170	95	5	8	113 O 3SA =	C6	-400	10
10	3	101	W 3P =	CA	-140	10	25	5	112 S 3C -1	PA	-50	55	6	8	113 W 4T -1	P10	100	60
11	3	115	S 2P =	C8	110	85	26	5	112 O 2K -1	C4	100	80	15	8	108 S 2K +2	P9	130	40
12	3	115	W 2C =	TK	-110	5	27	5	111 N 4P =	C4	420	100	16	8	108 O 3P -1	K9	100	75
13	3	114	N2SA-1	P4	-100	50	28	5	111 W 3SA =	T9	-400	80	17	8	107 S3SA+3	C10	490	80
14	3	114	W 2SA =	P3	-120	70	29	5	110 W 3P =	C7	-140	30	18	8	107 N 3K -1	PB	-100	20
15	3	113	N3SA+1	PB	630	95	30	5	110 S 3T -4	C3	-200	0	19	8	106 N 3C +1	KA	170	65

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.

NS-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 10.11.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
20	8	106	O 2C +1	K2	-140	45	1	11	106 W 4P =	CA	-420	35	12	13	105 N1SA+1	K8	120	90
21	8	105	O2SA-1	C8	50	60	2	11	106 N2SA+2	C6	180	85	13	13	104 N 2T -1	K7	-100	50
22	8	105	W 2P =	CD	-110	80	3	11	105 N3SA+2	T6	460	65	14	13	104 O3SA+3	P5	-490	0
23	8	104	W 4P +1	K6	-650	25	4	11	105 N 4P =	K5	620	85	15	13	103 O 1P -3	TB	150	60
24	8	104	S3SA-1	P4	-50	20	5	11	104 O1SA+2	C6	-150	55	16	13	103 W 2T -1	KB	100	75
25	8	103	S 3C -1	PA	-50	55	6	11	104 W 4T -2	P10	200	85	25	13	113 S 2C -1	PA	-50	55
26	8	103	O 2SA =	P3	-120	45	7	11	103 N 4C -1	T6	-100	10	26	13	113 W 3SA =	C9	-600	5
27	8	102	S 4P -2	CA	-100	30	8	11	103 S 3K -1	P7	-50	35	27	13	112 W 4C -1	PD	50	55
28	8	102	O 3C +1	K6	-170	95	9	11	102 N1SA-1	T4	-50	70	28	13	112 O 4C +1	K6	-450	20
29	8	101	W 3P -1	C6	100	70	10	11	102 O3PX-1	CA	200	85	29	13	111 W 4P -1	C6	100	70
30	8	101	S1SA-3	TB	-150	10	11	11	101 O3SA-3	P4	150	100	30	13	111 S 1P =	KD	80	85
1	9	102	W 4P =	CA	-420	35	12	11	101 O 1SA =	PK	-90	35	1	14	112 W 3P +1	CA	-170	70
2	9	102	N1SA+2	T6	150	65	21	11	111 O 2SA =	C8	-120	10	2	14	112 N1SA+1	C6	120	50
3	9	101	N3SA+2	T5	460	65	22	11	111 W 2P +3	C5	-200	10	3	14	111 N3SA+1	T3	430	25
4	9	101	N 2P =	TB	110	40	23	11	110 W 4P =	PK	-620	60	4	14	111 N 3P +1	K3	170	55
5	9	115	O 2C +1	P9	-140	80	24	11	110 S3SA-1	P4	-50	20	5	14	110 O2SA+1	C3	-150	55
6	9	115	O 3T =	P10	-110	10	25	11	109 S 3C -1	PA	-50	55	6	14	110 S 3P +1	TK	170	70
7	9	114	N 3C =	T6	140	50	26	11	109 O1SA+1	P3	-120	45	7	14	109 O 4P -2	CK	200	85
8	9	114	W 3T =	K7	-110	10	27	11	108 N 3P =	CA	140	85	8	14	109 W 3C -2	K2	100	70
17	9	109	S3SA+2	C9	460	55	28	11	108 O 4C +2	K6	-480	0	9	14	108 W 1C -1	T9	100	95
18	9	109	W 2P -1	KA	50	30	29	11	107 W 3P -1	C6	100	70	10	14	108 W 3P -2	CA	200	85
19	9	108	N 4C -2	KA	-100	0	30	11	107 S 1SA =	TB	90	100	11	14	107 N 2K =	CA	90	60
20	9	108	W 2C +1	PA	-140	45	1	12	108 S4CX-1	PA	-100	90	12	14	107 W 1C -1	K9	50	60
21	9	107	O2SA+1	CA	-150	0	2	12	108 O 2P +1	TB	-140	0	13	14	106 N 1SA =	T6	90	80
22	9	107	W 2P +3	CD	-200	10	3	12	107 N3SA+3	T5	490	100	14	14	106 W 3SA =	P9	-400	50
23	9	106	W 4P +1	K9	-650	25	4	12	107 N 4P -1	TB	-100	25	15	14	105 N3SA-1	C4	-100	5
24	9	106	N 3T +3	P2	170	95	5	12	106 W 4P -3	CA	150	100	16	14	105 S 2C +1	P9	140	90
25	9	105	O 5T +1	CA	-620	0	6	12	106 S 4P =	TK	420	100	17	14	104 S3SA+4	C6	520	100
26	9	105	O1SA+1	TA	-120	45	7	12	105 N 4C +1	T6	650	100	18	14	104 S 3C +2	K2	200	85
27	9	104	W 3C -1	K3	50	55	8	12	105 S 3K =	P7	110	95	27	14	114 N 4P -2	CA	-100	30
28	9	104	O 3C +1	T7	-170	95	9	12	104 N1SA-1	K10	-50	70	28	14	114 O 4C +1	P5	-450	20
29	9	103	W 4P =	C6	-620	5	10	12	104 W 3P -1	CA	100	50	29	14	113 W 3P -1	C6	100	70
30	9	103	S 1P =	TA	80	85	11	12	103 S 3P -2	TA	-100	20	30	14	113 S 2P -1	KD	-50	45
1	10	104	W 4P +1	CA	-450	5	12	12	103 S1SA-1	C4	-100	20	1	15	114 N 4C -1	PA	-50	100
2	10	104	N2SA+2	P5	180	85	13	12	102 S 3C -1	T10	-100	50	2	15	114 N1SA+2	T5	150	65
3	10	103	N 3K +1	T3	130	5	14	12	102 O 4C =	TK	-420	40	3	15	113 N3SA+2	C2	460	65
4	10	103	N 4P =	C4	620	85	23	12	112 W 3P +1	K6	-170	85	4	15	113 N 4P =	K2	620	85
5	10	102	O2SA+1	K8	-150	55	24	12	112 N 3T +1	P9	130	65	5	15	112 O1SA+4	C9	-210	25
6	10	102	W 3T +2	C10	-150	0	25	12	111 S 3C -3	K5	-150	30	6	15	112 S 4P -1	TK	-50	35
7	10	101	O 4P =	CK	-620	0	26	12	111 O 2SA =	C4	-120	45	7	15	111 N 3C +2	T6	200	85
8	10	101	W 2T +2	CA	-130	0	27	12	110 S 4P -2	TD	-100	30	8	15	111 S 3K -1	P7	-50	35
9	10	115	S 1P -2	TD	-100	30	28	12	110 O 4C +1	P3	-450	20	9	15	110 O 2T =	P9	-90	50
10	10	115	W 2P +1	CA	-140	10	29	12	109 W 3P =	TA	-140	30	10	15	110 W 3P -1	CA	100	50
19	10	110	N 3C =	KA	140	45	30	12	109 S 2P -1	KD	-50	45	11	15	109 N 2P =	CA	110	85
20	10	110	W 4C -1	PA	100	95	1	13	110 W 3P +1	C10	-170	70	12	15	109 W 2C =	K9	-110	5
21	10	109	O 3K =	CA	-110	20	2	13	110 N 3SA =	C6	600	100	13	15	108 N 2T =	CA	90	80
22	10	109	W 2P =	CD	-110	80	3	13	109 N3SA+1	T6	430	25	14	15	108 O3SA+2	PD	-460	10
23	10	108	W 4P -1	KB	100	100	4	13	109 N 4P -1	K5	-100	25	15	15	107 N 2C =	T10	110	30
24	10	108	N 3T -1	P9	-50	20	5	13	108 O2SA+3	PB	-210	25	16	15	107 S 3C -1	PK	-50	60
25	10	107	O 5T =	CA	-600	10	6	13	108 W 4T -2	P10	200	85	17	15	106 S 3P +1	C10	170	15
26	10	107	W 4P -2	CA	200	90	7	13	107 O 3P -1	CK	100	25	18	15	106 N 2C +2	P3	170	65
27	10	106	W 4C -2	K3	100	70	8	13	107 W 3T -1	K6	50	50	19	15	105 N 4C -1	KA	-50	20
28	10	106	O 4C =	K6	-420	55	9	13	106 N1SA-2	T5	-100	30	20	15	105 W 3C =	PA	-140	45
29	10	105	W 3P -2	TA	200	100	10	13	106 W 3P =	KA	-140	10	29	15	115 W 4P =	C7	-620	5
30	10	105	S 2P -1	TA	-50	45	11	13	105 O1SA-2	KD	100	70	30	15	115 W 3T -1	K5	50	70

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.

OW-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 10.11.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz			
1	1	101	W 4P =	CA	420	65	14	5	103	O3SA+1	CB	430	75	1	11	106	W 4P =	CA	420	65
2	1	101	O 2P =	TB	110	90	15	13	103	O 1P -3	TB	-150	40	2	11	106	N2SA+2	C6	-180	15
3	9	101	N3SA+2	T5	-460	35	16	13	103	W 2T -1	KB	-100	25	5	12	106	W 4P -3	CA	-150	0
4	9	101	N 2P =	TB	-110	60	17	6	103	O 2C -2	PK	-100	100	6	12	106	S 4P =	TK	-420	0
5	2	101	O2SA+1	T4	150	45	18	6	103	N3SA-2	P7	200	90	9	13	106	N1SA-2	T5	100	70
6	2	101	S 4P -1	K10	50	65	21	7	103	O2SA-1	C6	-50	40	10	13	106	W 3P =	KA	140	90
7	10	101	O 4P =	CK	620	100	22	7	103	W 2P +3	T3	200	90	11	6	106	S 2P -1	TA	50	55
8	10	101	W 2T +2	CA	130	100	25	8	103	S 3C -1	PA	50	45	12	6	106	S1SA+1	C9	-120	10
9	3	101	N1SA-1	TB	50	30	26	8	103	O 2SA =	P3	120	55	13	14	106	N 1SA =	T6	-90	20
10	3	101	W 3P =	CA	140	90	29	9	103	W 4P =	C6	620	95	14	14	106	W 3SA =	P9	400	50
11	11	101	O3SA-3	P4	-150	0	30	9	103	S 1P =	TA	-80	15	15	7	106	N 2C -1	K6	100	95
12	11	101	O 1SA =	PK	90	65	1	10	104	W 4P +1	CA	450	95	16	7	106	O 2P =	K5	110	60
13	4	101	N3TX-1	CA	200	85	2	10	104	N2SA+2	P5	-180	15	17	15	106	S 3P +1	C10	-170	85
14	4	101	O 3T =	CB	110	20	5	11	104	O1SA+2	C6	150	45	18	15	106	N 2C +2	P3	-170	35
17	5	101	S3SA+1	C10	-430	65	6	11	104	W 4T -2	P10	-200	15	19	8	106	N 3C +1	KA	-170	35
18	5	101	W 4P -2	C2	-100	55	7	4	104	S 2C +2	PD	-170	30	20	8	106	O 2C +1	K2	140	55
21	6	101	O3SA-1	C8	-50	40	8	4	104	S 3K =	P7	-110	5	21	1	106	O2SA-1	C8	-50	40
22	6	101	N 3C -3	PB	150	55	9	12	104	N1SA-1	K10	50	30	22	1	106	W 3P =	CD	140	40
25	7	101	S 2C =	PA	-110	10	10	12	104	W 3P -1	CA	-100	50	23	9	106	W 4P +1	K9	650	75
26	7	101	O1SA+1	TB	120	55	11	5	104	N 3K -1	CA	50	55	24	9	106	N 3T +3	P2	-170	5
29	8	101	W 3P -1	C6	-100	30	12	5	104	W 1C =	KK	80	50	27	10	106	W 4C -2	K3	-100	30
30	8	101	S1SA-3	TB	150	90	13	13	104	N 2T -1	K7	100	50	28	10	106	O 4C =	K6	420	45
1	9	102	W 4P =	CA	420	65	14	13	104	O3SA+3	P5	490	100	3	12	107	N3SA+3	T5	-490	0
2	9	102	N1SA+2	T6	-150	35	15	6	104	N2SA+1	P7	-150	40	4	12	107	N 4P -1	TB	100	75
3	2	102	N3SA+2	T3	-460	35	16	6	104	O 2P =	K9	110	60	7	13	107	O 3P -1	CK	-100	75
4	2	102	N 3P +1	C4	-170	45	17	14	104	S3SA+4	C6	-520	0	8	13	107	W 3T -1	K6	-50	50
5	10	102	O2SA+1	K8	150	45	18	14	104	S 3C +2	K2	-200	15	11	14	107	N 2K =	CA	-90	40
6	10	102	W 3T +2	C10	150	100	19	7	104	S2SA-1	K4	50	80	12	14	107	W 1C -1	K9	-50	40
7	3	102	O 4P -1	T3	-100	75	20	7	104	W 2C +1	K8	140	55	13	7	107	N2SA-2	T5	200	85
8	3	102	S 4K -2	P7	100	80	23	8	104	W 4P +1	K6	650	75	14	7	107	W2SA+3	C3	210	40
9	11	102	N1SA-1	T4	50	30	24	8	104	S3SA-1	P4	50	80	15	15	107	N 2C =	T10	-110	70
10	11	102	O3PX-1	CA	-200	15	27	9	104	W 3C -1	K3	-50	45	16	15	107	S 3C -1	PK	50	40
11	4	102	S3PX-2	TA	300	100	28	9	104	O 3C +1	T7	170	5	17	8	107	S3SA+3	C10	-490	20
12	4	102	O 1SA =	K3	90	65	3	11	105	N3SA+2	T6	-460	35	18	8	107	N 3K -1	PB	100	80
13	12	102	S 3C -1	T10	100	50	4	11	105	N 4P =	K5	-620	15	19	1	107	S 3SA =	K4	-400	0
14	12	102	O 4C =	TK	420	60	7	12	105	N 4C +1	T6	-650	0	20	1	107	W 3C +1	PA	170	95
15	5	102	O 2P -3	TB	-150	40	8	12	105	S 3K =	P7	-110	5	21	9	107	O2SA+1	CA	150	100
16	5	102	O 4P -2	K9	-200	0	9	5	105	W 2C -1	KA	-100	5	22	9	107	W 2P +3	CD	200	90
19	6	102	N 3C =	KA	-140	55	10	5	105	W 3P -1	KA	-100	50	23	2	107	W 3P +1	K2	170	15
20	6	102	W 3C =	PK	140	55	11	13	105	O1SA-2	KD	-100	30	24	2	107	N 3T +1	T2	-130	35
23	7	102	W 4P +1	K6	650	75	12	13	105	N1SA+1	K8	-120	10	25	10	107	O 5T =	CA	600	90
24	7	102	N 3T =	P2	-110	55	13	6	105	O2SA-2	P2	-200	0	26	10	107	W 4P -2	CA	-200	10
27	8	102	S 4P -2	CA	100	70	14	6	105	S 2P -1	KA	50	0	29	11	107	W 3P -1	C6	-100	30
28	8	102	O 3C +1	K6	170	5	15	14	105	N3SA-1	C4	100	95	30	11	107	S 1SA =	TB	-90	0
3	10	103	N 3K +1	T3	-130	95	16	14	105	S 2C +1	P9	-140	10	1	12	108	S4CX-1	PA	100	10
4	10	103	N 4P =	C4	-620	15	17	7	105	S 2P +2	C9	-170	85	2	12	108	O 2P +1	TB	140	100
5	3	103	O3SA+1	T4	430	100	18	7	105	W 3T -2	C4	-100	55	5	13	108	O2SA+3	PB	210	75
6	3	103	S 4P -1	PD	50	65	19	15	105	N 4C -1	KA	50	80	6	13	108	W 4T -2	P10	-200	15
7	11	103	N 4C -1	T6	100	90	20	15	105	W 3C =	PA	140	55	9	14	108	W 1C -1	T9	-100	5
8	11	103	S 3K -1	P7	50	65	21	8	105	O2SA-1	C8	-50	40	10	14	108	W 3P -2	CA	-200	15
9	4	103	O2SA+1	P3	150	95	22	8	105	W 2P =	CD	110	20	13	15	108	N 2T =	CA	-90	20
10	4	103	W 3P -1	CA	-100	50	25	9	105	O 5T +1	CA	620	100	14	15	108	O3SA+2	PD	460	90
11	12	103	S 3P -2	TA	100	80	26	9	105	O1SA+1	TA	120	55	15	8	108	S 2K +2	P9	-130	60
12	12	103	S1SA-1	C4	100	80	29	10	105	W 3P -2	TA	-200	0	16	8	108	O 3P -1	K9	-100	25
13	5	103	N 3T -2	K7	200	85	30	10	105	S 2P -1	TA	50	55	17	1	108	S3SA+1	C10	-430	65

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.

OW-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 10.11.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
18	1	108	S 3C +2	KK	-200	15	1	6	111 W 4P =	CK	420	65	16	3	113 S 3C -3	P6	150	100
19	9	108	N 4C -2	KA	100	100	2	6	111 N 2C =	KA	-110	60	19	4	113 S1SA+3	K4	-180	15
20	9	108	W 2C +1	PA	140	55	3	14	111 N3SA+1	T3	-430	75	20	4	113 W 3C =	PA	140	55
21	2	108	O3SA-2	C3	-100	0	4	14	111 N 3P +1	K3	-170	45	23	5	113 W 4P +1	K6	650	75
22	2	108	W 2P =	CD	110	20	7	15	111 N 3C +2	T6	-200	15	24	5	113 N 3T +3	P6	-170	5
23	10	108	W 4P -1	KB	-100	0	8	15	111 S 3K -1	P7	50	65	25	13	113 S 2C -1	PA	50	45
24	10	108	N 3T -1	P9	50	80	11	1	111 S3PX-1	TA	100	80	26	13	113 W 3SA =	C9	600	95
25	3	108	S 4C -4	PK	200	80	12	1	111 S1SA+1	T9	-120	10	27	6	113 N 4P -3	CA	150	100
26	3	108	O1SA+1	T2	120	55	15	2	111 N1SA+3	C2	-180	20	28	6	113 O 4C =	T5	420	45
27	11	108	N 3P =	CA	-140	15	16	2	111 O 2P =	K9	110	60	29	14	113 W 3P -1	C6	-100	30
28	11	108	O 4C +2	K6	480	100	19	3	111 N 2C +2	KA	-170	35	30	14	113 S 2P -1	KD	50	55
3	13	109	N3SA+1	T6	-430	75	20	3	111 W 2C +2	PK	170	95	1	15	114 N 4C -1	PA	50	0
4	13	109	N 4P -1	K5	100	75	21	11	111 O 2SA =	C8	120	90	2	15	114 N1SA+2	T5	-150	35
7	14	109	O 4P -2	CK	-200	15	22	11	111 W 2P +3	C5	200	90	3	8	114 N3SA+2	T5	-460	35
8	14	109	W 3C -2	K2	-100	30	23	4	111 W3PX=	K6	730	100	4	8	114 N 4P -2	K2	200	95
11	15	109	N 2P =	CA	-110	15	24	4	111 S 3K =	PA	-110	55	5	1	114 O1SA+1	C6	120	10
12	15	109	W 2C =	K9	110	95	25	12	111 S 3C -3	K5	150	70	6	1	114 S 4P -1	TK	50	65
15	1	109	N3SA+1	PB	-630	5	26	12	111 O 2SA =	C4	120	55	7	9	114 N 3C =	T6	-140	50
16	1	109	O 3P =	K8	140	85	27	5	111 N 4P =	C4	-420	0	8	9	114 W 3T =	K7	110	90
17	9	109	S3SA+2	C9	-460	45	28	5	111 W 3SA =	T9	400	20	9	2	114 N1SA-3	TB	150	95
18	9	109	W 2P -1	KA	-50	70	29	13	111 W 4P -1	C6	-100	30	10	2	114 W 4P -1	KA	-100	50
19	2	109	S2SA+2	P5	-180	15	30	13	111 S 1P =	KD	-80	15	13	3	114 N2SA-1	P4	100	50
20	2	109	W 3C -1	PA	-100	5	1	14	112 W 3P +1	CA	170	30	14	3	114 W 2SA =	P3	120	30
21	10	109	O 3K =	CA	110	80	2	14	112 N1SA+1	C6	-120	50	17	4	114 S3SA+3	C10	-490	20
22	10	109	W 2P =	CD	110	20	3	7	112 N 2K +2	C2	-130	95	18	4	114 S 3C +1	P8	-170	35
23	3	109	W 4P =	CK	620	40	4	7	112 S1SA-2	C5	200	95	21	5	114 W 3P -1	C6	-50	40
24	3	109	N 3T +2	P6	-150	20	5	15	112 O1SA+4	C9	210	75	22	5	114 N 3C -2	PB	100	0
25	11	109	S 3C -1	PA	50	45	6	15	112 S 4P -1	TK	50	65	25	6	114 S 2C =	PA	-110	10
26	11	109	O1SA+1	P3	120	55	9	1	112 N1SA-2	T5	100	70	26	6	114 W 4P -3	T6	-300	0
27	4	109	N 3P =	CA	-140	15	10	1	112 S 3SA =	PA	-600	0	27	14	114 N 4P -2	CA	100	70
28	4	109	O 4C =	T4	420	45	13	2	112 N2SA-2	P4	200	85	28	14	114 O 4C +1	P5	450	80
29	12	109	W 3P =	TA	140	70	14	2	112 W3SA+1	P9	430	75	29	7	114 W 3P =	CD	140	70
30	12	109	S 2P -1	KD	50	55	17	3	112 S3SA+3	T2	-490	20	30	7	114 S 2P -2	P2	100	80
1	13	110	W 3P +1	C10	170	30	18	3	112 N 5K -4	PB	400	100	1	8	115 W 4P +1	CA	450	95
2	13	110	N 3SA =	C6	-600	0	21	4	112 O3SA-1	C8	-50	40	2	8	115 N 1SA =	P5	-90	70
5	14	110	O2SA+1	C3	150	45	22	4	112 W 2P +2	CD	170	70	3	1	115 N3SA+2	T5	-460	35
6	14	110	S 3P +1	TK	-170	30	23	12	112 W 3P +1	K6	170	15	4	1	115 N 4P =	K5	-620	15
9	15	110	O 2T =	P9	90	50	24	12	112 N 3T +1	P9	-130	35	5	9	115 O 2C +1	P9	140	20
10	15	110	W 3P -1	CA	-100	50	25	5	112 S 3C -1	PA	50	45	6	9	115 O 3T =	P10	110	90
13	1	110	N 1SA =	T7	-90	20	26	5	112 O 2K -1	C4	-100	20	7	2	115 N 3C =	K2	-140	50
14	1	110	O 2K =	P5	90	10	27	13	112 W 4C -1	PD	-50	45	8	2	115 W 4T -2	K7	-100	30
17	2	110	S3SA+2	K6	-460	45	28	13	112 O 4C +1	K6	450	80	9	10	115 S 1P -2	TD	100	70
18	2	110	N 4C =	C9	-620	0	29	6	112 W 3P -1	C2	-100	30	10	10	115 W 2P +1	CA	140	90
19	10	110	N 3C =	KA	-140	55	30	6	112 S 2P -1	TA	50	55	11	3	115 S 2P =	C8	-110	15
20	10	110	W 4C -1	PA	-100	5	1	7	113 O 3P +1	T5	170	30	12	3	115 W 2C =	TK	110	95
21	3	110	O3SA-1	C3	-50	40	2	7	113 N2SA-1	C6	100	80	15	4	115 W1SA-2	KA	-100	80
22	3	110	N 3C -3	PB	150	55	3	15	113 N3SA+2	C2	-460	35	16	4	115 O 3P =	TA	140	85
23	11	110	W 4P =	PK	620	40	4	15	113 N 4P =	K2	-620	15	19	5	115 N 3C -1	KA	50	80
24	11	110	S3SA-1	P4	50	80	5	8	113 O 3SA =	C6	400	90	20	5	115 W 2C =	PA	110	20
25	4	110	S 2C =	PA	-110	10	6	8	113 W 4T -1	P10	-100	40	23	6	115 W 4P =	K2	620	40
26	4	110	O 3SA =	C6	600	95	7	1	113 N 3C =	KB	-140	50	24	6	115 S3SA-2	P4	100	100
27	12	110	S 4P -2	TD	100	70	8	1	113 W 3T -2	K2	-100	30	27	7	115 W 2C =	K3	110	90
28	12	110	O 4C +1	P3	450	80	11	2	113 S 2P -2	TA	100	80	28	7	115 O 4C =	T5	420	45
29	5	110	W 3P =	C7	140	70	12	2	113 W2CX-1	T2	-100	30	29	15	115 W 4P =	C7	620	95
30	5	110	S 3T -4	C3	200	100	15	3	113 N3SA+1	PB	-630	5	30	15	115 W 3T -1	K5	-50	30

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.