

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa Pfäffikon - 08.12.2015

Bd	NS	OW	ASpKonErg	Aus	Sco	Prz	Bd	NS	OW	ASpKonErg	Aus	Sco	Prz	Bd	NS	OW	ASpKonErg	Aus	Sco	Prz
1	13	110	N3SA-2	PB	-100	0	6	2	101	N 4C -1	PB	-50	5	11	14	107	S3SA-4	T6	-200	0
1	12	108	N3SA-1	P10	-50	10	6	15	112	S3SA-1	P6	-50	5	11	6	106	S 2C -3	T4	-150	15
1	6	111	W 3P -2	K9	100	20	6	14	110	N 4T +1	TD	150	20	11	12	103	S 2C -3	TA	-150	15
1	9	102	S 2K +2	P8	130	30	6	3	103	N 3T +3	K2	170	30	11	2	113	O 2C =	TK	-110	30
1	14	112	N2SA+1	C5	150	40	6	10	102	N 1C +4	P9	200	40	11	5	104	S 2C -2	TA	-100	45
1	1	101	N2SA+2	C4	180	55	6	11	104	N 5T =	PA	400	50	11	13	105	S 2C -2	TA	-100	45
1	15	114	N2SA+2	C5	180	55	6	8	113	S3SA+2	P7	460	60	11	1	111	S 2C -1	KA	-50	60
1	11	106	N2SA+3	C4	210	85	6	1	114	S3SA+3	P6	490	85	11	11	101	N 2K =	T7	90	70
1	10	104	N1SA+4	C4	210	85	6	13	108	S3SA+3	P7	490	85	11	15	109	O 2C -2	KK	100	80
1	8	115	N2SA+3	C4	210	85	6	12	106	S3SA+3	P6	490	85	11	4	102	S 2C =	KA	110	95
1	7	113	N2SA+3	C4	210	85	6	9	115	S5SA+1	P2	490	85	11	3	115	S 2C =	TA	110	95
2	7	113	S 4P -2	TB	-200	0	7	11	103	O 4C +1	T6	-650	0	12	3	115	S 2T -3	PA	-300	0
2	10	104	S 4P -1	K4	-100	10	7	12	105	O 4C =	T4	-620	10	12	2	113	S 4C -1	PA	-100	20
2	11	106	S 2SA =	K6	120	20	7	9	114	O 3C +2	T5	-200	20	12	1	111	S 4C -1	PA	-100	20
2	14	112	S 2P +1	C9	140	30	7	14	109	O 3C =	T5	-140	30	12	13	105	S 4C -1	PA	-100	20
2	12	108	S 3SA =	T7	600	40	7	13	107	O 2C =	TB	-110	40	12	15	109	S 2C +2	PA	170	45
2	15	114	S 4P =	K4	620	70	7	3	102	O 4C -1	K5	100	55	12	14	107	S 2C +2	PA	170	45
2	13	110	S 4P =	K3	620	70	7	10	101	O 4C -1	T8	100	55	12	6	106	S 4C =	PA	620	65
2	9	102	S 4P =	TB	620	70	7	4	104	O 4C -2	K5	200	80	12	12	103	S 4C =	PK	620	65
2	8	115	S 4P =	K3	620	70	7	1	113	W 4P -2	CD	200	80	12	5	104	S 4C +1	PA	650	90
2	6	111	S 4P =	K9	620	70	7	15	111	W 4P -2	CD	200	80	12	4	102	N 4C +1	T10	650	90
2	1	101	S 4P +1	K4	650	100	7	2	115	W 4P -3	CD	300	100	12	11	101	S 4C +1	PA	650	90
3	8	114	N1SA-3	K2	-150	0	8	10	101	W 4P +2	CB	-480	0	13	6	105	O 4P +1	KA	-650	0
3	11	105	O 3T =	PA	-110	10	8	15	111	W 4P +1	CB	-450	20	13	7	107	O 4P =	C7	-620	15
3	15	113	S 2P -1	T6	-50	20	8	11	103	W 4P +1	K6	-450	20	13	14	106	W 4P =	CA	-620	15
3	2	102	S 2P =	TA	110	50	8	9	114	W 4P +1	K3	-450	20	13	13	104	O2SA+4	K4	-240	30
3	1	115	S 2P =	K4	110	50	8	2	115	W 4P =	K4	-420	45	13	5	103	O2SA+2	KA	-180	40
3	14	111	S 2P =	K6	110	50	8	12	105	W 4P =	K6	-420	45	13	4	101	O 3P +1	C7	-170	55
3	13	109	S 2P =	K4	110	50	8	4	104	W 3P +1	K6	-170	75	13	1	110	O 3P +1	C7	-170	55
3	12	107	S 2P =	K4	110	50	8	3	102	W 3P +1	K4	-170	75	13	12	102	O 2SA =	K9	-120	70
3	10	103	S 2P +1	TA	140	90	8	1	113	W 3P +1	TA	-170	75	13	3	114	O 6T -1	KA	100	90
3	9	101	S 2P +1	K4	140	90	8	14	109	W 2P +2	TA	-170	75	13	2	112	O 5P -1	KA	100	90
3	7	112	S 2P +1	K4	140	90	8	13	107	W 1C +2	K3	-140	100	13	15	108	O3SA-1	K5	100	90
4	1	115	O 4P =	C10	-620	20	9	5	105	W 4C +1	P4	-650	5	14	13	104	W4CX=	KB	-590	0
4	15	113	W 4P =	KB	-620	20	9	3	101	W 4C +1	P10	-650	5	14	7	107	W 4C =	KB	-420	25
4	11	105	O 4P =	C10	-620	20	9	4	103	W 4C =	P4	-620	35	14	6	105	O 4C =	K2	-420	25
4	10	103	O 4P =	C10	-620	20	9	1	112	W 4C =	T7	-620	35	14	5	103	W 4C =	KB	-420	25
4	9	101	O 4P =	C6	-620	20	9	14	108	W 4C =	P4	-620	35	14	4	101	O 4C =	P10	-420	25
4	12	107	W 3P =	C6	-140	50	9	12	104	W 4C =	P7	-620	35	14	15	108	W 1C +3	KB	-170	50
4	2	102	O 4P -1	K3	100	80	9	13	106	O 3T +2	C4	-150	60	14	12	102	W2SA+1	P2	-150	60
4	14	111	W 4P -1	TA	100	80	9	11	102	O 3T =	P8	-110	70	14	3	114	W 4C -1	KB	50	85
4	13	109	O 4P -1	C10	100	80	9	2	114	W 4C -1	P10	100	90	14	2	112	O 4C -1	T9	50	85
4	8	114	O 4P -1	C9	100	80	9	15	110	W 4C -1	T7	100	90	14	1	110	O 4C -1	P10	50	85
4	7	112	O 4P -1	C10	100	80	9	10	115	W 4C -1	P4	100	90	14	14	106	W3SA-1	C9	50	85
5	1	114	N 3K -2	K3	-200	0	10	4	103	O 4C =	PA	-620	10	15	14	105	W3SA+1	P9	-430	0
5	2	101	O 3P +1	KA	-170	15	10	1	112	O 4C =	PA	-620	10	15	5	102	W 2P +1	T8	-140	10
5	9	115	O 3P +1	KA	-170	15	10	13	106	O 4C =	PA	-620	10	15	3	113	O1SA+1	T4	-120	25
5	14	110	W 3T +2	K9	-150	30	10	5	105	S4PX-1	TA	-200	30	15	2	111	O1SA+1	TA	-120	25
5	10	102	O 3P =	KA	-140	40	10	3	101	O 2C +2	PA	-170	40	15	8	108	W 1P -1	T8	50	40
5	11	104	O 2P =	KA	-110	50	10	10	115	O 3C =	PA	-140	50	15	1	109	O 3C -2	TA	100	55
5	12	106	N 2K =	PA	90	60	10	2	114	O 4C -1	PA	100	75	15	13	103	W3SA-2	PB	100	55
5	3	103	N 2K +1	T2	110	70	10	15	110	O 4C -1	PA	100	75	15	6	104	O 3C -3	TA	150	75
5	15	112	O 3P -3	KA	150	90	10	14	108	O 4C -1	PA	100	75	15	15	107	O3SA-3	TB	150	75
5	13	108	W 4T -3	K2	150	90	10	11	102	O 4C -1	PA	100	75	15	7	106	O3SA-4	TB	200	95
5	8	113	O 4P -3	KA	150	90	10	12	104	S 4P =	TA	620	100	15	4	115	W3SA-4	PB	200	95

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.

Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa Pfäffikon - 08.12.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
16	8	108	W 4P +2	C10	-680	25	21	10	109 W 5K +1	TA	-420	0	26	11	109 N 3P -3	K4	-300	0
16	4	115	W 4P +2	C8	-680	25	21	2	108 W 5K =	TA	-400	10	26	12	111 S 3T =	KA	110	25
16	2	111	W 4P +2	KB	-680	25	21	7	103 S2PX-1	CK	-200	20	26	10	107 S 3T =	KA	110	25
16	15	107	W 4C +2	KB	-680	25	21	6	101 W 3K +2	P10	-150	45	26	6	114 S 3T =	KA	110	25
16	14	105	W 4P +2	TA	-680	25	21	5	114 W 4K +1	TA	-150	45	26	5	112 S 3T =	KA	110	25
16	13	103	W 4C +2	TA	-680	25	21	4	112 W 4K +1	TA	-150	45	26	8	103 S 2SA =	K7	120	50
16	6	104	W 4P +1	C6	-650	65	21	3	110 W 4K +1	P10	-150	45	26	9	105 S2SA+1	K2	150	65
16	3	113	W 4P +1	TA	-650	65	21	11	111 O 6K -1	T3	50	80	26	3	108 S 3T +2	KA	150	65
16	5	102	W 2P +4	C6	-230	80	21	9	107 W 6K -1	TA	50	80	26	4	110 S2SA+2	C3	180	80
16	7	106	S 4T -3	PK	-150	90	21	1	106 W 5K -1	P10	50	80	26	13	113 N 3SA =	K3	600	90
16	1	109	S 4T -2	CA	-100	100	21	8	105 O 4P -4	T3	200	100	26	7	101 S3SA+1	T3	630	100
17	8	107	O 4P =	TA	-420	25	22	1	106 S3SA-4	P7	-200	0	27	13	112 N2SA-2	T5	-100	15
17	7	105	W 4C =	KA	-420	25	22	5	114 S2SA-3	C2	-150	10	27	11	108 N 2K -2	P9	-100	15
17	6	103	O 4P =	K10	-420	25	22	10	109 S2SA-1	P4	-50	30	27	7	115 N 3K -2	CK	-100	15
17	5	101	O 4P =	TA	-420	25	22	9	107 S 2T -1	P4	-50	30	27	4	109 N3SA-2	T5	-100	15
17	2	110	O 4P =	K6	-420	25	22	8	105 N 2K -1	C10	-50	30	27	14	114 N3SA-1	T5	-50	50
17	1	108	O 4P =	K6	-420	25	22	6	101 W 2P -1	T4	100	60	27	10	106 N3SA-1	T5	-50	50
17	3	112	O 3P +1	TA	-170	70	22	3	110 O 3P -1	K6	100	60	27	6	113 N1SA-1	T5	-50	50
17	15	106	O 2P +2	K10	-170	70	22	2	108 O 3P -1	TK	100	60	27	8	102 N 3K =	C4	110	70
17	14	104	O 3P +1	K6	-170	70	22	11	111 S2SA+1	T5	150	80	27	12	110 N 2SA =	TD	120	90
17	4	114	O 3P =	K6	-140	90	22	7	103 W 2C -2	T4	200	90	27	9	104 N1SA+1	TD	120	90
17	9	109	O 4P -1	K10	50	100	22	4	112 W 4C -5	T4	500	100	27	5	111 N 2SA =	T5	120	90
18	6	103	O 2SA =	K8	-120	5	23	3	109 W1SA+1	K3	-120	0	28	14	114 W 3SA =	K2	-400	5
18	14	104	O1SA+1	K4	-120	5	23	10	108 S 3C -1	TA	-100	10	28	4	109 W 3SA =	C9	-400	5
18	3	112	O 2T +1	P8	-110	20	23	4	111 W 1SA =	K3	-90	25	28	11	108 O2SA+2	P6	-180	20
18	8	107	N1SA-1	T3	-100	30	23	2	107 W 1SA =	P2	-90	25	28	9	104 W 2T +1	K3	-110	35
18	7	105	O 2T =	KA	-90	40	23	9	106 N 1P =	T4	80	40	28	7	115 O 1P +1	C5	-110	35
18	4	114	O 3T -1	T9	50	60	23	11	110 W1SA-1	T7	100	50	28	12	110 O3SA-1	P6	50	65
18	2	110	W 2P -1	CA	50	60	23	12	112 N 1P +1	K4	110	70	28	10	106 O 3P -1	K5	50	65
18	15	106	W 2P -1	CA	50	60	23	8	104 N 1P +1	K9	110	70	28	8	102 O2SA-1	P6	50	65
18	1	108	N 2K =	P6	90	80	23	5	113 S 1P +1	TA	110	70	28	5	111 O2SA-1	P6	50	65
18	5	101	O1SA-2	CK	100	90	23	6	115 N 2P +1	C8	140	90	28	6	113 O3SA-2	K5	100	90
18	9	109	S 2K +1	C10	110	100	23	7	102 W1SA-3	C7	300	100	28	13	112 O3SA-4	K5	200	100
19	8	106	S 3C +2	K6	200	0	24	12	112 W 4C =	TD	-420	20	29	13	111 W3SA+1	P2	-630	15
19	10	110	S 4C =	K4	420	15	24	10	108 W 4C =	T6	-420	20	29	10	105 W3SA+1	P2	-630	15
19	5	115	S 4C =	T8	420	15	24	5	113 W 4C =	TD	-420	20	29	9	103 W3SA+1	T9	-630	15
19	9	108	S 4C +1	K6	450	65	24	3	109 W 4C =	K9	-420	20	29	7	114 W3SA+1	P2	-630	15
19	7	104	S 4C +1	K9	450	65	24	2	107 W 4C =	TD	-420	20	29	14	113 W 3SA =	P2	-600	55
19	6	102	S 4C +1	K6	450	65	24	11	110 W 3C +1	TD	-170	50	29	11	107 W 3SA =	P2	-600	55
19	4	113	S 4C +1	TK	450	65	24	8	104 S 5T -3	CA	-150	60	29	6	112 W 3SA =	T9	-600	55
19	3	111	N 4C +1	K6	450	65	24	9	106 W 3C =	TD	-140	75	29	5	110 W 3SA =	T9	-600	55
19	2	109	S 4C +1	K6	450	65	24	4	111 W 3C =	TD	-140	75	29	15	115 O 3K +1	PB	-130	85
19	1	107	S 4C +1	K6	450	65	24	7	102 S 5T -2	P3	-100	90	29	8	101 O 3K +1	T5	-130	85
19	15	105	S 4C +1	K4	450	65	24	6	115 W 5C -1	TD	50	100	29	12	109 O 3K =	T3	-110	100
20	3	111	W 1SA =	K3	-90	0	25	8	103 W 4C =	T9	-620	0	30	7	114 O 3T =	CK	-110	0
20	7	104	Pass		0	25	25	12	111 O 3SA =	TA	-600	10	30	10	105 W 1SA =	PA	-90	10
20	6	102	Pass		0	25	25	13	113 N 4P -3	CA	-150	30	30	15	115 N 3P -1	KA	-50	30
20	2	109	Pass		0	25	25	7	101 S 3T -3	K6	-150	30	30	12	109 N 3P -1	KA	-50	30
20	1	107	Pass		0	25	25	3	108 S 4T -3	C10	-150	30	30	9	103 N 3P -1	KA	-50	30
20	10	110	O2SA-1	K2	100	50	25	9	105 W 3C =	T9	-140	50	30	14	113 Pass		0	55
20	9	108	S 2K +1	T4	110	60	25	11	109 W 2C =	T9	-110	60	30	11	107 Pass		0	55
20	8	106	S 2K +2	TA	130	70	25	10	107 W 4C -1	T9	100	85	30	13	111 N 2P =	KA	110	80
20	5	115	N 3P =	TK	140	80	25	6	114 W 4C -1	T9	100	85	30	8	101 N 2P =	KA	110	80
20	15	105	O 3T -2	PK	200	90	25	5	112 W 4C -1	T9	100	85	30	5	110 N 2P =	KA	110	80
20	4	113	O 5T -4	PK	400	100	25	4	110 W 3C -1	T9	100	85	30	6	112 N 3P =	KA	140	100

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.