

# NS-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 22.12.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
1	1	101	N 4P =	CK	420	30	18	3	111 O 2P +1	T8	-140	30	1	6	110 O5CX-3	TA	500	100
2	1	101	S 3T -2	PK	-200	15	19	3	109 O 4T -1	K10	100	73	2	6	110 N 3K -1	PB	-100	50
3	1	114	W3SA+1	PB	-630	80	20	3	109 N 4P +1	T10	650	23	3	6	109 W3SA+4	C6	-720	10
4	1	114	N 3K +3	C9	170	80	21	3	108 O 3SA =	CA	-400	0	4	6	109 N 4K +1	C6	150	50
7	1	112	N 3P -2	KA	-200	45	22	3	108 N 2C -1	PB	-50	60	5	6	108 N 4P -1	TA	-100	15
8	1	112	N 2P -1	CA	-50	30	23	3	107 N2SA+1	TK	150	50	6	6	108 O 4C =	P9	-620	0
9	1	111	S 3T +1	CA	130	85	24	3	107 N 4P -1	P8	-50	27	11	6	106 W 2SA =	C3	-120	10
10	1	111	O 4C +1	PD	-650	30	25	3	106 S 3P =	T2	140	30	12	6	106 N 1P +1	CK	110	65
11	1	110	Pass		0	65	26	3	106 N 3T =	KA	110	50	13	6	105 N 6P =	T7	1430	50
12	1	110	O 2C -2	T10	100	45	27	3	105 W3SA+3	K7	-490	85	14	6	105 O 4P -2	K6	100	25
13	1	109	N 6P =	CB	1430	50	28	3	105 W 2P =	KA	-110	40	15	6	104 N 2K +1	C7	110	80
14	1	109	N 4C =	PA	420	80	1	4	106 O 3C -1	PK	50	10	16	6	104 N 3K =	TA	110	65
15	1	107	W5TX-2	KA	300	100	2	4	106 N3KX=	PB	670	100	17	6	103 W 4P =	CA	-420	25
16	1	107	N 3K +1	PB	130	80	7	4	104 N 2P =	KA	110	100	18	6	103 O 3C +1	KA	-170	20
17	1	106	W 5K +1	CA	-420	25	8	4	104 W1SA-1	T10	50	50	19	6	102 W 4P -1	CA	100	73
18	1	106	S 3T +1	P4	130	60	9	4	103 S 3T +1	CA	130	85	20	6	102 N 4P +2	KB	680	64
19	1	105	W 3P +1	CA	-170	55	10	4	103 O 4C +1	PD	-650	30	21	6	101 W 3T +1	KD	-130	30
20	1	105	N 4P +2	C9	680	64	11	4	102 Pass		0	65	22	6	101 N 2P -2	TB	-100	30
21	1	104	S 3K -1	TK	-100	75	12	4	102 N3SA-1	C8	-100	25	23	6	114 S 2SA =	PA	120	14
22	1	104	N 1SA =	TD	90	90	13	4	101 N 7P =	T7	2210	100	24	6	114 N 4P +1	T4	450	100
23	1	103	S2SA+2	PA	180	77	14	4	101 O 4P -2	TA	100	25	25	6	112 S 4P =	K5	420	55
24	1	103	N 4P -1	T4	-50	27	15	4	114 S 3P -4	KB	-400	0	26	6	112 N 3T =	KA	110	50
3	2	102	W 4K =	PB	-130	90	16	4	114 O 3C -2	KA	200	95	27	6	111 W 6SA =	K9	-990	10
4	2	102	N 2K +4	T4	170	80	19	4	112 W 4P =	CA	-620	27	28	6	111 W 3P =	C7	-140	15
5	2	101	N 2P +2	TA	170	65	20	4	112 N 4P +2	C6	680	64	1	7	112 N 4P +1	CK	450	70
6	2	101	O 2C +1	T9	-140	45	21	4	110 W 4T =	K5	-130	30	2	7	112 W3PX-2	CA	300	90
7	2	114	O 3K -1	PB	100	85	22	4	110 N 3K -1	CK	-50	60	3	7	111 W3SA+3	C6	-690	30
8	2	114	N 2P =	K4	110	90	23	4	109 S2SA+1	P6	150	50	4	7	111 N 4K =	C9	130	30
11	2	112	W2SA-1	C3	50	100	24	4	109 N 4P -1	T4	-50	27	5	7	110 N 4P -1	TA	-100	15
12	2	112	N 1P +1	CK	110	65	25	4	108 S3SA-1	K5	-50	15	6	7	110 W 2SA =	T6	-120	70
13	2	111	N 6P +1	CB	1460	80	26	4	108 N 3T =	KA	110	50	7	7	109 O 3T +3	P5	-170	60
14	2	111	S 3SA =	PD	400	60	27	4	107 O 6P =	T4	-980	50	8	7	109 W1SA+1	P6	-120	15
15	2	110	O 2C =	K8	-110	40	28	4	107 W 3P =	KA	-140	15	13	7	107 N 4P +2	T3	680	10
16	2	110	N 3K =	TA	110	65	1	5	108 S 4P =	C9	420	30	14	7	107 N 3T -1	K5	-50	10
17	2	108	W 5K +1	CA	-420	25	2	5	108 S 3T -1	PK	-100	50	15	7	106 O3SA-2	K4	100	65
18	2	108	S3SA+2	PA	660	100	3	5	107 W3SA+2	C6	-660	60	16	7	106 N 2K =	C4	90	45
19	2	107	W 4P -1	CA	100	73	4	5	107 N 4K +1	C9	150	50	17	7	105 N 4C -1	PK	-50	65
20	2	107	N 6P =	KB	1430	100	9	5	105 S 3T =	P9	110	50	18	7	105 O 4C -1	KA	50	45
21	2	106	W5TX-2	C8	300	95	10	5	105 O 3C +2	PD	-200	90	19	7	104 O3SA-2	C4	200	95
22	2	106	N 2C -3	TK	-150	10	11	5	104 O 1P =	TD	-80	30	20	7	104 N 4P +1	T7	650	23
23	2	105	N1SA+2	T10	150	50	12	5	104 N2SA+1	K9	150	100	21	7	103 W 3T =	C6	-110	60
24	2	105	N 4P -1	T9	-50	27	13	5	103 S4SA+2	C4	690	20	22	7	103 S 2P -1	TA	-50	60
25	2	104	S3SA+1	K5	430	80	14	5	103 O 2P +1	C9	-140	0	23	7	102 N 2C =	PB	110	0
26	2	104	N 3T =	KA	110	50	15	5	102 N 2K -2	C3	-200	10	24	7	102 N 1P +3	C3	170	64
5	3	103	N3SA+1	P4	630	90	16	5	102 S 2C -1	T3	-50	25	25	7	101 S 4P +1	K4	450	95
6	3	103	O 4C -1	T9	100	95	17	5	101 O 4P -1	CK	50	80	26	7	101 N 3T =	KA	110	50
7	3	102	N 2P -1	KA	-100	70	18	5	101 O5CX=	KA	-650	0	1	8	114 N 4P +1	CK	450	70
8	3	102	W1SA-1	P6	50	50	19	5	114 O 4T -2	C4	200	95	2	8	114 S3SA-2	T8	-200	15
9	3	101	S 3T -1	CA	-50	15	20	5	114 S 4P +2	TA	680	64	5	8	112 N 2P +2	TA	170	65
10	3	101	O 4C +1	T5	-650	30	23	5	111 N 2C +1	TK	140	27	6	8	112 O 3C =	T7	-140	45
11	3	114	O 1P +1	C4	-110	20	24	5	111 N 4P -1	T6	-50	27	7	8	111 W 4C +1	KD	-650	0
12	3	114	N 2SA =	CD	120	85	25	5	110 S 4P =	T2	420	55	8	8	111 N 2P =	TD	110	90
15	3	112	W 3T +2	KA	-150	20	26	5	110 S3SA-1	KD	-100	15	9	8	110 S 4T =	CA	130	85
16	3	112	N 4K -2	TA	-100	10	27	5	109 O 6P =	C6	-980	50	10	8	110 O 4C =	PD	-620	70
17	3	111	O 5K +1	CA	-420	25	28	5	109 O 3P -2	CA	100	70	15	8	108 O3SA-3	K8	150	90

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.

# NS-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 22.12.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
16	8	108	N 2K =	PB	90	45	27	10	106 W 6P =	K5	-980	50	8	13	108 W1SA-2	P4	100	70
17	8	107	W 6K =	CA	-920	0	28	10	106 W 4P -2	C7	100	70	9	13	107 S 4T -2	P10	-100	0
18	8	107	O 3C +3	KA	-230	10	1	11	107 N 4P +1	CK	450	70	10	13	107 O 4C +1	PD	-650	30
19	8	106	W 4P =	CA	-620	27	2	11	107 W 3P -1	CA	50	70	11	13	105 Pass		0	65
20	8	106	N 4P +2	CK	680	64	3	11	106 W3SA+2	C6	-660	60	12	13	105 O 1C -2	T10	100	45
21	8	105	W5TX-2	K2	300	95	4	11	106 N 4K +1	C9	150	50	13	13	104 N 6P +1	K5	1460	80
22	8	105	S 1P -1	C5	-50	60	5	11	105 N 4P +1	TA	650	100	14	13	104 O3PX-2	TA	300	50
23	8	104	S2SA+2	PA	180	77	6	11	105 O 3C =	T9	-140	45	15	13	103 O 2C -1	K7	50	50
24	8	104	N 4P =	KA	420	82	7	11	103 N 4P -3	C8	-300	30	16	13	103 O 2C =	K8	-110	0
25	8	103	S 4P -1	K5	-50	15	8	11	103 W1SA+1	P6	-120	15	17	13	102 N 3C =	TA	140	95
26	8	103	O 3K -2	T4	200	85	9	11	102 O 4P -1	TA	100	40	18	13	102 N 3C +2	TK	200	90
27	8	102	O 4P +2	KB	-480	100	10	11	102 O2SA+2	PD	-180	100	19	13	101 W 4P =	K3	-620	27
28	8	102	S 2C =	PA	110	90	11	11	101 Pass		0	65	20	13	101 S 5K +2	PB	640	9
1	9	103	N 4P =	CK	420	30	12	11	101 S1SA+1	K2	120	85	27	13	112 W 6SA =	K7	-990	10
2	9	103	W 3P =	CA	-140	30	13	11	114 N 6P =	C7	1430	50	28	13	112 W 3P =	T7	-140	15
3	9	101	W3SA+2	C6	-660	60	14	11	114 N 4C +1	T9	450	100	3	14	112 W3SA+3	C6	-690	30
4	9	101	W 5C -2	T6	200	100	21	11	111 S 4K -1	TK	-100	75	4	14	112 W 3C =	KA	-140	0
5	9	114	N 1P +2	TA	140	40	22	11	111 W3PX-3	TA	800	100	5	14	111 S 2P =	C6	110	30
6	9	114	W 3C -1	KB	100	95	23	11	110 S 2SA =	P6	120	14	6	14	111 W2SA+2	T3	-180	15
9	9	112	S 3T -1	CA	-50	15	24	11	110 N 4P =	T6	420	82	7	14	110 O 4K -1	TB	100	85
10	9	112	O 4C +2	P5	-680	0	25	11	109 S 4P =	K5	420	55	8	14	110 W1SA+3	K7	-180	0
11	9	111	W1SA+2	PB	-150	0	26	11	109 S 4C -2	KD	-200	0	9	14	109 S1SA+1	C2	120	60
12	9	111	S3SA-2	K2	-200	10	27	11	108 W 6P =	KD	-980	50	10	14	109 O 4C =	PD	-620	70
17	9	109	N 5C -2	TA	-100	50	28	11	108 W 3P -1	K2	50	50	11	14	108 Pass		0	65
18	9	109	S1SA+2	P4	150	70	1	12	109 N 4C -4	K8	-200	0	12	14	108 N 3T -1	CK	-100	25
19	9	108	W 4P =	CA	-620	27	2	12	109 W2PX=	CA	-470	0	13	14	106 N 5P +2	CB	710	30
20	9	108	S 4P +2	CD	680	64	3	12	108 O 6SA =	TA	-1440	0	14	14	106 N 4C =	PA	420	80
21	9	107	W 3T +1	KD	-130	30	4	12	108 S 4P -1	CK	-100	10	15	14	105 O3SA-2	P5	100	65
22	9	107	N 2C -3	TK	-150	10	5	12	107 N 2P +2	TA	170	65	16	14	105 W 2C -2	KA	200	95
23	9	106	S 3SA =	PA	600	95	6	12	107 W2SA+2	TB	-180	15	17	14	104 N 4C -1	TA	-50	65
24	9	106	N 4P =	T6	420	82	7	12	106 N 3P -2	C8	-200	45	18	14	104 O 3P -1	KA	50	45
25	9	105	S 4P -2	K10	-100	0	8	12	106 W1SA-1	P4	50	50	19	14	103 W 4P +1	TB	-650	0
26	9	105	O 3K -2	CA	200	85	9	12	104 S 2T =	CA	90	30	20	14	103 W 3C =	P7	-140	0
27	9	104	W4SA+2	K7	-490	85	10	12	104 O 4C =	PD	-620	70	21	14	102 W 3T +1	K5	-130	30
28	9	104	W 4P -2	KA	100	70	11	12	103 Pass		0	65	22	14	102 S2SA-1	T8	-50	60
1	10	105	N 4P +1	CK	450	70	12	12	103 S2SA-3	K9	-300	0	27	14	114 W 6C =	K4	-980	50
2	10	105	N 3K -1	PB	-100	50	13	12	102 N 6P +1	CB	1460	80	28	14	114 S 4C =	PA	620	100
3	10	104	S 2P -2	TD	-100	100	14	12	102 N 4C =	PA	420	80						
4	10	104	N 3K +3	C9	170	80	15	12	101 W 4T =	PA	-130	30						
5	10	102	S 4P -2	KD	-200	0	16	12	101 N 3K -1	TA	-50	25						
6	10	102	O 2C =	T7	-110	80	17	12	114 N 3C =	PK	140	95						
7	10	101	W 5T +1	KD	-620	15	18	12	114 S1SA+3	P4	180	80						
8	10	101	N 2P =	T2	110	90	23	12	112 S 3SA =	PA	600	95						
9	10	114	S 2T +2	CA	130	85	24	12	112 N 4P -1	KA	-50	27						
10	10	114	O 4C +1	PD	-650	30	25	12	111 S 4P =	T8	420	55						
13	10	112	N 6P -1	T5	-100	0	26	12	111 N 3T -1	KA	-100	15						
14	10	112	N 3T =	CA	110	40	27	12	110 W 6SA =	K7	-990	10						
19	10	110	W 4P =	CA	-620	27	28	12	110 W 3P =	K2	-140	15						
20	10	110	N 4P +2	C6	680	64	1	13	111 N 4P +1	CK	450	70						
21	10	109	W 3T +1	KD	-130	30	2	13	111 S 2SA =	PK	120	80						
22	10	109	N 2C -3	TK	-150	10	3	13	110 W3SA+3	C6	-690	30						
23	10	108	S2SA+1	PA	150	50	4	13	110 W 4C -1	KA	100	20						
24	10	108	N 4P -1	C3	-50	27	5	13	109 N 2P +2	TA	170	65						
25	10	107	S 4P +1	K5	450	95	6	13	109 O 2C +1	T7	-140	45						
26	10	107	W3SAX-3	TA	800	100	7	13	108 W 5T +1	KD	-620	15						

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.

# OW-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 22.12.2015

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz			
1	1	101	N 4P =	CK	-420	70	10	4	103	O 4C +1	PD	650	70	19	1	105	W 3P +1	CA	170	45
2	1	101	S 3T -2	PK	200	85	11	12	103	Pass		0	35	20	1	105	N 4P +2	C9	-680	36
3	9	101	W3SA+2	C6	660	40	12	12	103	S2SA-3	K9	300	100	21	8	105	W5TX-2	K2	-300	5
4	9	101	W 5C -2	T6	-200	0	13	5	103	S4SA+2	C4	-690	80	22	8	105	S 1P -1	C5	50	40
5	2	101	N 2P +2	TA	-170	35	14	5	103	O 2P +1	C9	140	100	23	2	105	N1SA+2	T10	-150	50
6	2	101	O 2C +1	T9	140	55	15	13	103	O 2C -1	K7	-50	50	24	2	105	N 4P -1	T9	50	73
7	10	101	W 5T +1	KD	620	85	16	13	103	O 2C =	K8	110	100	25	9	105	S 4P -2	K10	100	100
8	10	101	N 2P =	T2	-110	10	17	6	103	W 4P =	CA	420	75	26	9	105	O 3K -2	CA	-200	15
9	3	101	S 3T -1	CA	50	85	18	6	103	O 3C +1	KA	170	80	27	3	105	W3SA+3	K7	490	15
10	3	101	O 4C +1	T5	650	70	19	14	103	W 4P +1	TB	650	100	28	3	105	W 2P =	KA	110	60
11	11	101	Pass		0	35	20	14	103	W 3C =	P7	140	100	1	4	106	O 3C -1	PK	-50	90
12	11	101	S1SA+1	K2	-120	15	21	7	103	W 3T =	C6	110	40	2	4	106	N3KX=	PB	-670	0
13	4	101	N 7P =	T7	-2210	0	22	7	103	S 2P -1	TA	50	40	3	11	106	W3SA+2	C6	660	40
14	4	101	O 4P -2	TA	-100	75	23	1	103	S2SA+2	PA	-180	23	4	11	106	N 4K +1	C9	-150	50
15	12	101	W 4T =	PA	130	70	24	1	103	N 4P -1	T4	50	73	7	12	106	N 3P -2	C8	200	55
16	12	101	N 3K -1	TA	50	75	25	8	103	S 4P -1	K5	50	85	8	12	106	W1SA-1	P4	-50	50
17	5	101	O 4P -1	CK	-50	20	26	8	103	O 3K -2	T4	-200	15	11	6	106	W 2SA =	C3	120	90
18	5	101	O5CX=	KA	650	100	3	10	104	S 2P -2	TD	100	0	12	6	106	N 1P +1	CK	-110	35
19	13	101	W 4P =	K3	620	73	4	10	104	N 3K +3	C9	-170	20	13	14	106	N 5P +2	CB	-710	70
20	13	101	S 5K +2	PB	-640	91	7	4	104	N 2P =	KA	-110	0	14	14	106	N 4C =	PA	-420	20
21	6	101	W 3T +1	KD	130	70	8	4	104	W1SA-1	T10	-50	50	15	7	106	O3SA-2	K4	-100	35
22	6	101	N 2P -2	TB	100	70	9	12	104	S 2T =	CA	-90	70	16	7	106	N 2K =	C4	-90	55
25	7	101	S 4P +1	K4	-450	5	10	12	104	O 4C =	PD	620	30	17	1	106	W 5K +1	CA	420	75
26	7	101	N 3T =	KA	-110	50	11	5	104	O 1P =	TD	80	70	18	1	106	S 3T +1	P4	-130	40
3	2	102	W 4K =	PB	130	10	12	5	104	N2SA+1	K9	-150	0	19	8	106	W 4P =	CA	620	73
4	2	102	N 2K +4	T4	-170	20	13	13	104	N 6P +1	K5	-1460	20	20	8	106	N 4P +2	CK	-680	36
5	10	102	S 4P -2	KD	200	100	14	13	104	O3PX-2	TA	-300	50	21	2	106	W5TX-2	C8	-300	5
6	10	102	O 2C =	T7	110	20	15	6	104	N 2K +1	C7	-110	20	22	2	106	N 2C -3	TK	150	90
7	3	102	N 2P -1	KA	100	30	16	6	104	N 3K =	TA	-110	35	23	9	106	S 3SA =	PA	-600	5
8	3	102	W1SA-1	P6	-50	50	17	14	104	N 4C -1	TA	50	35	24	9	106	N 4P =	T6	-420	18
9	11	102	O 4P -1	TA	-100	60	18	14	104	O 3P -1	KA	-50	55	25	3	106	S 3P =	T2	-140	70
10	11	102	O2SA+2	PD	180	0	19	7	104	O3SA-2	C4	-200	5	26	3	106	N 3T =	KA	-110	50
11	4	102	Pass		0	35	20	7	104	N 4P +1	T7	-650	77	27	10	106	W 6P =	K5	980	50
12	4	102	N3SA-1	C8	100	75	21	1	104	S 3K -1	TK	100	25	28	10	106	W 4P -2	C7	-100	30
13	12	102	N 6P +1	CB	-1460	20	22	1	104	N 1SA =	TD	-90	10	1	11	107	N 4P +1	CK	-450	30
14	12	102	N 4C =	PA	-420	20	23	8	104	S2SA+2	PA	-180	23	2	11	107	W 3P -1	CA	-50	30
15	5	102	N 2K -2	C3	200	90	24	8	104	N 4P =	KA	-420	18	3	5	107	W3SA+2	C6	660	40
16	5	102	S 2C -1	T3	50	75	25	2	104	S3SA+1	K5	-430	20	4	5	107	N 4K +1	C9	-150	50
17	13	102	N 3C =	TA	-140	5	26	2	104	N 3T =	KA	-110	50	5	12	107	N 2P +2	TA	-170	35
18	13	102	N 3C +2	TK	-200	10	27	9	104	W4SA+2	K7	490	15	6	12	107	W2SA+2	TB	180	85
19	6	102	W 4P -1	CA	-100	27	28	9	104	W 4P -2	KA	-100	30	9	13	107	S 4T -2	P10	100	100
20	6	102	N 4P +2	KB	-680	36	1	10	105	N 4P +1	CK	-450	30	10	13	107	O 4C +1	PD	650	70
21	14	102	W 3T +1	K5	130	70	2	10	105	N 3K -1	PB	100	50	13	7	107	N 4P +2	T3	-680	90
22	14	102	S2SA-1	T8	50	40	5	11	105	N 4P +1	TA	-650	0	14	7	107	N 3T -1	K5	50	90
23	7	102	N 2C =	PB	-110	100	6	11	105	O 3C =	T9	140	55	15	1	107	W5TX-2	KA	-300	0
24	7	102	N 1P +3	C3	-170	36	9	5	105	S 3T =	P9	-110	50	16	1	107	N 3K +1	PB	-130	20
27	8	102	O 4P +2	KB	480	0	10	5	105	O 3C +2	PD	200	10	17	8	107	W 6K =	CA	920	100
28	8	102	S 2C =	PA	-110	10	11	13	105	Pass		0	35	18	8	107	O 3C +3	KA	230	90
1	9	103	N 4P =	CK	-420	70	12	13	105	O 1C -2	T10	-100	55	19	2	107	W 4P -1	CA	-100	27
2	9	103	W 3P =	CA	140	70	13	6	105	N 6P =	T7	-1430	50	20	2	107	N 6P =	KB	-1430	0
5	3	103	N3SA+1	P4	-630	10	14	6	105	O 4P -2	K6	-100	75	21	9	107	W 3T +1	KD	130	70
6	3	103	O 4C -1	T9	-100	5	15	14	105	O3SA-2	P5	-100	35	22	9	107	N 2C -3	TK	150	90
7	11	103	N 4P -3	C8	300	70	16	14	105	W 2C -2	KA	-200	5	23	3	107	N2SA+1	TK	-150	50
8	11	103	W1SA+1	P6	120	85	17	7	105	N 4C -1	PK	50	35	24	3	107	N 4P -1	P8	50	73
9	4	103	S 3T +1	CA	-130	15	18	7	105	O 4C -1	KA	-50	55	25	10	107	S 4P +1	K5	-450	5

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbitr-Entscheiden berechnet.

# **OW-Resultate Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 22.12.2015**

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz			
26	10	107	W3SAX-3	TA	-800	0	5	7	110	N 4P -1	TA	100	85	12	2	112	N 1P +1	CK	-110	35
27	4	107	O 6P =	T4	980	50	6	7	110	W 2SA =	T6	120	30	13	10	112	N 6P -1	T5	100	100
28	4	107	W 3P =	KA	140	85	7	14	110	O 4K -1	TB	-100	15	14	10	112	N 3T =	CA	-110	60
1	5	108	S 4P =	C9	-420	70	8	14	110	W1SA+3	K7	180	100	15	3	112	W 3T +2	KA	150	80
2	5	108	S 3T -1	PK	100	50	9	8	110	S 4T =	CA	-130	15	16	3	112	N 4K -2	TA	100	90
3	12	108	O 6SA =	TA	1440	100	10	8	110	O 4C =	PD	620	30	19	4	112	W 4P =	CA	620	73
4	12	108	S 4P -1	CK	100	90	11	1	110	Pass		0	35	20	4	112	N 4P +2	C6	-680	36
5	6	108	N 4P -1	TA	100	85	12	1	110	O 2C -2	T10	-100	55	23	12	112	S 3SA =	PA	-600	5
6	6	108	O 4C =	P9	620	100	15	2	110	O 2C =	K8	110	60	24	12	112	N 4P -1	KA	50	73
7	13	108	W 5T +1	KD	620	85	16	2	110	N 3K =	TA	-110	35	25	6	112	S 4P =	K5	-420	45
8	13	108	W1SA-2	P4	-100	30	19	10	110	W 4P =	CA	620	73	26	6	112	N 3T =	KA	-110	50
11	14	108	Pass		0	35	20	10	110	N 4P +2	C6	-680	36	27	13	112	W 6SA =	K7	990	90
12	14	108	N 3T -1	CK	100	75	21	4	110	W 4T =	K5	130	70	28	13	112	W 3P =	T7	140	85
15	8	108	O3SA-3	K8	-150	10	22	4	110	N 3K -1	CK	50	40	1	8	114	N 4P +1	CK	-450	30
16	8	108	N 2K =	PB	-90	55	23	11	110	S 2SA =	P6	-120	86	2	8	114	S3SA-2	T8	200	85
17	2	108	W 5K +1	CA	420	75	24	11	110	N 4P =	T6	-420	18	3	1	114	W3SA+1	PB	630	20
18	2	108	S3SA+2	PA	-660	0	25	5	110	S 4P =	T2	-420	45	4	1	114	N 3K +3	C9	-170	20
19	9	108	W 4P =	CA	620	73	26	5	110	S3SA-1	KD	100	85	5	9	114	N 1P +2	TA	-140	60
20	9	108	S 4P +2	CD	-680	36	27	12	110	W 6SA =	K7	990	90	6	9	114	W 3C -1	KB	-100	5
21	3	108	O 3SA =	CA	400	100	28	12	110	W 3P =	K2	140	85	7	2	114	O 3K -1	PB	-100	15
22	3	108	N 2C -1	PB	50	40	1	13	111	N 4P +1	CK	-450	30	8	2	114	N 2P =	K4	-110	10
23	10	108	S2SA+1	PA	-150	50	2	13	111	S 2SA =	PK	-120	20	9	10	114	S 2T +2	CA	-130	15
24	10	108	N 4P -1	C3	50	73	3	7	111	W3SA+3	C6	690	70	10	10	114	O 4C +1	PD	650	70
25	4	108	S3SA-1	K5	50	85	4	7	111	N 4K =	C9	-130	70	11	3	114	O 1P +1	C4	110	80
26	4	108	N 3T =	KA	-110	50	5	14	111	S 2P =	C6	-110	70	12	3	114	N 2SA =	CD	-120	15
27	11	108	W 6P =	KD	980	50	6	14	111	W2SA+2	T3	180	85	13	11	114	N 6P =	C7	-1430	50
28	11	108	W 3P -1	K2	-50	50	7	8	111	W 4C +1	KD	650	100	14	11	114	N 4C +1	T9	-450	0
1	12	109	N 4C -4	K8	200	100	8	8	111	N 2P =	TD	-110	10	15	4	114	S 3P -4	KB	400	100
2	12	109	W2PX=	CA	470	100	9	1	111	S 3T +1	CA	-130	15	16	4	114	O 3C -2	KA	-200	5
3	6	109	W3SA+4	C6	720	90	10	1	111	O 4C +1	PD	650	70	17	12	114	N 3C =	PK	-140	5
4	6	109	N 4K +1	C6	-150	50	11	9	111	W1SA+2	PB	150	100	18	12	114	S1SA+3	P4	-180	20
5	13	109	N 2P +2	TA	-170	35	12	9	111	S3SA-2	K2	200	90	19	5	114	O 4T -2	C4	-200	5
6	13	109	O 2C +1	T7	140	55	13	2	111	N 6P +1	CB	-1460	20	20	5	114	S 4P +2	TA	-680	36
7	7	109	O 3T +3	P5	170	40	14	2	111	S 3SA =	PD	-400	40	23	6	114	S 2SA =	PA	-120	86
8	7	109	W1SA+1	P6	120	85	17	3	111	O 5K +1	CA	420	75	24	6	114	N 4P +1	T4	-450	0
9	14	109	S1SA+1	C2	-120	40	18	3	111	O 2P +1	T8	140	70	27	14	114	W 6C =	K4	980	50
10	14	109	O 4C =	PD	620	30	21	11	111	S 4K -1	TK	100	25	28	14	114	S 4C =	PA	-620	0
13	1	109	N 6P =	CB	-1430	50	22	11	111	W3PX-3	TA	-800	0							
14	1	109	N 4C =	PA	-420	20	23	5	111	N 2C +1	TK	-140	73							
17	9	109	N 5C -2	TA	100	50	24	5	111	N 4P -1	T6	50	73							
18	9	109	S1SA+2	P4	-150	30	25	12	111	S 4P =	T8	-420	45							
19	3	109	O 4T -1	K10	-100	27	26	12	111	N 3T -1	KA	100	85							
20	3	109	N 4P +1	T10	-650	77	27	6	111	W 6SA =	K9	990	90							
21	10	109	W 3T +1	KD	130	70	28	6	111	W 3P =	C7	140	85							
22	10	109	N 2C -3	TK	150	90	1	7	112	N 4P +1	CK	-450	30							
23	4	109	S2SA+1	P6	-150	50	2	7	112	W3PX-2	CA	-300	10							
24	4	109	N 4P -1	T4	50	73	3	14	112	W3SA+3	C6	690	70							
25	11	109	S 4P =	K5	-420	45	4	14	112	W 3C =	KA	140	100							
26	11	109	S 4C -2	KD	200	100	5	8	112	N 2P +2	TA	-170	35							
27	5	109	O 6P =	C6	980	50	6	8	112	O 3C =	T7	140	55							
28	5	109	O 3P -2	CA	-100	30	7	1	112	N 3P -2	KA	200	55							
1	6	110	O5CX-3	TA	-500	0	8	1	112	N 2P -1	CA	50	70							
2	6	110	N 3K -1	PB	100	50	9	9	112	S 3T -1	CA	50	85							
3	13	110	W3SA+3	C6	690	70	10	9	112	O 4C +2	P5	680	100							
4	13	110	W 4C -1	KA	-100	80	11	2	112	W2SA-1	C3	-50	0							