

**Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 01.03.2016**

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
1	1	101	O3SA+1	TB	-430	0	6	3	103 W3SA+3	P6	-690	25	11	4	102 W5TX+1	PA	-650	0
1	12	110	O2SA+2	K2	-180	10	6	2	101 W5SA+1	PB	-690	25	11	12	105 W5TX=	PA	-550	10
1	5	109	O 3C +1	TA	-170	20	6	13	110 W3SA+3	PB	-690	25	11	5	104 W3SA+1	PA	-430	20
1	13	112	O 3C =	TA	-140	35	6	10	104 W3SA+3	P6	-690	25	11	11	103 O 5T +1	PA	-420	35
1	10	106	W 2P +1	CA	-140	35	6	8	113 W3SA+3	P6	-690	25	11	9	112 W 5T +1	PA	-420	35
1	7	113	O 2K +1	TA	-110	50	6	7	111 W3SA+3	P6	-690	25	11	3	113 W 3T +3	PA	-170	55
1	9	104	O3SA-1	TA	50	70	6	12	108 O3SA+2	P2	-660	65	11	10	101 O 3T +3	PA	-170	55
1	8	102	O 4C -1	TA	50	70	6	9	102 W3SA+2	P6	-660	65	11	2	111 W 4T +1	PA	-150	70
1	4	107	W 3P -1	CA	50	70	6	1	112 W 2K +3	P6	-150	80	11	6	106 N 3P -1	T7	-50	80
1	11	108	O 4C -2	TA	100	95	6	11	106 W 2SA =	P6	-120	90	11	13	107 W2SA-2	P7	100	90
1	6	111	O3SA-2	TA	100	95	6	6	109 W3SA-1	P6	100	100	11	1	109 N 3P =	T2	140	100
2	9	104	O3SA+3	C3	-490	0	7	12	107 W 3P +2	K7	-200	0	12	13	107 O3SA+1	P2	-430	0
2	1	101	O3SA+1	C2	-430	30	7	1	111 O 4K -1	C8	100	15	12	6	106 W 3SA =	C2	-400	25
2	11	108	O3SA+1	C2	-430	30	7	9	101 O 3K -1	P7	100	15	12	4	102 O 3SA =	PA	-400	25
2	10	106	W3SA+1	C5	-430	30	7	7	110 S 1P +3	CD	170	30	12	1	109 O 3SA =	C5	-400	25
2	8	102	O3SA+1	C2	-430	30	7	3	102 O 3K -2	C8	200	50	12	10	101 W 3SA =	C2	-400	25
2	6	111	W3SA+1	T5	-430	30	7	11	105 S 3P +2	K7	200	50	12	5	104 O 1K +4	P6	-150	55
2	13	112	O 3SA =	P4	-400	65	7	8	112 O1SA-2	P5	200	50	12	3	113 O2SA+1	P2	-150	55
2	4	107	O 5K =	C2	-400	65	7	2	113 O 5K -3	P5	300	75	12	2	111 O 3K +1	PA	-130	85
2	7	113	O 3K +2	K2	-150	80	7	10	103 W3SA-3	C7	300	75	12	12	105 O 1K +3	PK	-130	85
2	5	109	O 3K +1	T4	-130	90	7	13	109 O4KX-2	C8	500	90	12	11	103 O 2K +2	PA	-130	85
2	12	110	W 3T -1	P8	50	100	7	4	104 S 4P +1	K7	650	100	12	9	112 O 3K +1	PA	-130	85
3	9	103	O 2C +2	KA	-170	0	8	10	103 N 3T -3	KB	-150	0	13	5	103 O 4C +2	T5	-680	0
3	13	111	S 3K -3	P7	-150	10	8	12	107 W1SA+1	T5	-120	10	13	1	108 O 4C +1	K9	-650	10
3	5	108	O 2SA =	KA	-120	20	8	3	102 W 1SA =	T5	-90	30	13	12	104 O3SA+1	K7	-630	20
3	8	101	S2SA-2	C9	-100	30	8	9	101 W 1SA =	C3	-90	30	13	7	107 O 4C =	PA	-620	60
3	2	102	S2SA-1	C9	-50	55	8	7	110 W 1SA =	T3	-90	30	13	4	101 O 4C =	T3	-620	60
3	1	113	S2SA-1	K3	-50	55	8	2	113 W1SA-1	T3	50	60	13	3	112 O 4C =	P3	-620	60
3	12	109	N 2P -1	CA	-50	55	8	1	111 O 2P -1	TA	50	60	13	2	110 O 4C =	K5	-620	60
3	6	110	S2SA-1	C2	-50	55	8	11	105 W3SA-1	T5	50	60	13	13	106 O 4C =	P3	-620	60
3	7	112	S 1SA =	T5	90	80	8	4	104 O 3P -2	TA	100	85	13	11	102 O 4C =	K9	-620	60
3	10	105	S1SA+1	T5	120	90	8	13	109 O 2P -2	CB	100	85	13	10	113 O 4C =	T5	-620	60
3	11	107	O 3P -3	KA	300	100	8	8	112 S 2SA =	PK	120	100	13	6	105 W 3C +1	T2	-170	100
4	2	102	W 4C +1	KD	-650	30	9	9	113 N 4P -5	CB	-250	0	14	4	101 N 5T -1	P3	-50	5
4	1	113	W 4C +1	K5	-650	30	9	12	106 N 4P -3	K6	-150	10	14	10	113 N3SA-1	P3	-50	5
4	10	105	W 4C +1	K5	-650	30	9	3	101 N 4P -2	T7	-100	20	14	7	107 N 5T =	K8	400	35
4	9	103	O 4P +1	KA	-650	30	9	4	103 N 3P -1	K6	-50	45	14	2	110 S 5T =	PA	400	35
4	8	101	W 4C +1	K4	-650	30	9	2	112 N 3P -1	KD	-50	45	14	12	104 S 3SA =	P5	400	35
4	7	112	W 4C +1	T2	-650	30	9	1	110 N 4P -1	CB	-50	45	14	11	102 S 5T =	K10	400	35
4	5	108	W 4C +1	K9	-650	30	9	13	108 N 4P -1	KD	-50	45	14	6	105 S3SA+3	P5	490	80
4	12	109	O3SA+1	K7	-630	70	9	5	105 S 2T +2	PD	130	70	14	5	103 S3SA+3	P5	490	80
4	13	111	O 5T =	CA	-600	85	9	10	102 N 3P =	KB	140	80	14	3	112 S3SA+3	P5	490	80
4	11	107	O 5T =	CA	-600	85	9	8	111 N 3P +1	K5	170	90	14	1	108 S3SA+3	P5	490	80
4	6	110	W 3C +2	K4	-200	100	9	11	104 N 4P =	K6	420	100	14	13	106 S3SA+3	P4	490	80
5	2	101	O 4P =	C3	-420	0	10	10	102 O3SA+1	C5	-630	0	15	6	104 O 4P +1	TA	-450	15
5	3	103	O 4P -1	K3	50	25	10	11	104 O 3SA =	T3	-600	10	15	5	102 O 4P +1	TA	-450	15
5	12	108	O 4P -1	C6	50	25	10	12	106 S1SA-3	KK	-300	20	15	1	107 O 4P +1	TA	-450	15
5	11	106	O 4P -1	TA	50	25	10	9	113 W1SA+3	T5	-180	30	15	12	103 O 4P +1	CB	-450	15
5	6	109	O 3C -1	K3	50	25	10	5	105 O2SA+1	C9	-150	40	15	2	109 O 4P =	TA	-420	45
5	1	112	O 4P -2	TA	100	75	10	4	103 W 3K =	K6	-110	55	15	11	101 O 4P =	TA	-420	45
5	13	110	O 4P -2	TA	100	75	10	1	110 W 3K =	C2	-110	55	15	4	113 O 3P +3	C2	-230	60
5	10	104	O 4P -2	C6	100	75	10	13	108 N 2P -1	K9	-100	75	15	8	108 O 3P +2	TA	-200	70
5	9	102	O 4P -2	TA	100	75	10	8	111 N 3C -1	K9	-100	75	15	3	111 O 3P +1	TA	-170	80
5	8	113	O 4P -2	C6	100	75	10	2	112 Pass		0	90	15	13	105 O 3P =	TA	-140	90
5	7	111	O 4P -2	TA	100	75	10	3	101 W3SA-1	C2	100	100	15	7	106 N 3C -1	PA	-100	100

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.

**Board-Anschriften (aus Sicht NS), Mitchell-Turnier Dienstag - Mensa, Pfäffikon - 01.03.2016**

Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	Bd	NS	OW	ASpKonErgAus	Sco	Prz	
16	8	108	O 4C +1	KK	-650	25	21	7	103 W 3T =	PA	-110	0	26	8	103 W 3SA =	P10	-600	0
16	7	106	O 4C +1	KK	-650	25	21	10	109 N 4P -1	C8	-100	15	26	9	105 S 2P -3	K8	-300	10
16	5	102	O 4C +1	P8	-650	25	21	5	112 N 3P -1	CK	-100	15	26	6	112 O 2T +3	P6	-150	20
16	3	111	O 4C +1	K7	-650	25	21	9	107 O 3C -1	P6	50	35	26	12	111 O 2K +2	K3	-130	40
16	1	107	O 4C +1	KK	-650	25	21	1	104 W 3T -1	PA	50	35	26	7	101 O 2T +2	CA	-130	40
16	12	103	O 4C +1	KK	-650	25	21	4	110 N 2P =	T2	110	50	26	4	108 O 3K +1	P4	-130	40
16	6	104	S5TX-3	CA	-500	60	21	11	111 N 2P +1	CK	140	75	26	5	110 O 3T =	CA	-110	60
16	11	101	O 3C +2	KK	-200	70	21	8	105 N 2P +1	T2	140	75	26	13	113 S 2P -1	K8	-100	75
16	13	105	S 5T -3	CA	-150	80	21	3	108 N 3P =	T9	140	75	26	11	109 S 2P -1	K8	-100	75
16	2	109	S 5T -2	CA	-100	90	21	2	106 N 3P =	T2	140	75	26	10	107 W 4C -3	P10	300	95
16	4	113	O 6C -1	KK	100	100	21	6	101 O3SA-3	P6	150	100	26	3	106 W3SA-3	C3	300	95
17	3	110	W 4C +1	TB	-450	0	22	1	104 O5CX+2	TK	-1250	0						
17	6	103	O 3SA =	T8	-400	10	22	9	107 O 4C +3	TK	-710	20						
17	9	109	O 3C +1	PA	-170	20	22	8	105 O 4C +3	TK	-710	20						
17	8	107	O2SA+1	T9	-150	35	22	5	112 O 4C +3	K6	-710	20						
17	2	108	O1SA+2	T6	-150	35	22	3	108 O 4C +2	K6	-680	40						
17	12	102	O 2C +1	K9	-140	50	22	7	103 W 4C +1	TK	-650	50						
17	5	101	W 4C -1	TB	50	70	22	6	101 O 2C +5	T6	-260	60						
17	4	112	O 4C -1	K9	50	70	22	4	110 S 4T -2	CA	-100	70						
17	13	104	W 4C -1	P2	50	70	22	10	109 Pass		0	80						
17	7	105	W 4C -2	TB	100	95	22	11	111 O 4C -1	TK	100	90						
17	1	106	O 4C -2	K9	100	95	22	2	106 W3SA-2	T7	200	100						
18	6	103	O3SA+1	P3	-430	5	23	5	111 S 2C -2	K2	-200	0						
18	13	104	W3SA+1	K3	-430	5	23	7	102 W 3K =	CA	-110	10						
18	7	105	N1SA-3	C4	-300	20	23	6	113 W 2K =	CA	-90	20						
18	1	106	N 3K -2	T5	-200	30	23	3	107 W 2K -1	CA	100	30						
18	4	112	W2SA+2	K3	-180	40	23	12	112 N 2C =	KA	110	55						
18	3	110	W1SA+2	K3	-150	55	23	11	110 S 2C =	K2	110	55						
18	12	102	W2SA+1	C3	-150	55	23	10	108 S 2C =	K2	110	55						
18	9	109	O 2C +1	KA	-140	70	23	4	109 N 2C =	K7	110	55						
18	8	107	W 2SA =	K3	-120	80	23	9	106 S 2SA =	K5	120	80						
18	5	101	W3SA-1	K3	50	95	23	8	104 S 2C +1	KK	140	90						
18	2	108	W2SA-1	C3	50	95	23	2	105 S 2C +2	K2	170	100						
19	8	106	O 4C +1	K10	-650	5	24	8	104 W 3C +2	KK	-200	0						
19	13	103	W 4C +1	PB	-650	5	24	11	110 O 2C +2	P5	-170	10						
19	6	102	W 4C =	T8	-620	25	24	9	106 W 2C +1	TA	-140	25						
19	5	113	W 4C =	PB	-620	25	24	5	111 W 3C =	KK	-140	25						
19	3	109	O 3C +1	T5	-170	45	24	2	105 N 5K -2	C7	-100	40						
19	2	107	W 2C +2	PB	-170	45	24	12	112 W 2C -1	P4	50	65						
19	7	104	W 1SA =	T4	-90	60	24	10	108 W 4C -1	KK	50	65						
19	10	110	O 4C -1	P5	100	80	24	7	102 W 3C -1	P4	50	65						
19	9	108	W 4C -1	P8	100	80	24	6	113 W 4C -1	K7	50	65						
19	1	105	W2SA-1	T4	100	80	24	4	109 W 4C -2	TA	100	90						
19	4	111	W3SA-2	T4	200	100	24	3	107 N 5K =	PA	400	100						
20	6	102	O 4T -1	KA	100	0	25	6	112 W3SA+2	K5	-660	0						
20	7	104	S 3K +1	T9	130	10	25	11	109 O 3SA =	P10	-600	15						
20	4	111	N 2K +3	TD	150	20	25	7	101 O 3SA =	P5	-600	15						
20	13	103	N 3P +1	TD	170	30	25	5	110 N1KX-3	PA	-500	30						
20	5	113	O 6T -3	CA	300	40	25	3	106 N2KX-2	PA	-300	40						
20	9	108	S 5K =	C6	600	55	25	4	108 W 2C +3	PD	-200	50						
20	2	107	S 5K =	T9	600	55	25	13	113 W2SA+2	K5	-180	70						
20	3	109	S3SA+2	C6	660	75	25	9	105 W2SA+2	K7	-180	70						
20	1	105	N3SA+2	C6	660	75	25	8	103 W1SA+3	T2	-180	70						
20	10	110	S3SA+3	C4	690	95	25	12	111 O2SA+1	KB	-150	90						
20	8	106	S3SA+3	C7	690	95	25	10	107 W 4C -2	PD	200	100						

Die Prozentwerte sind ohne Anwendung der Neuberg-Formel und ohne Einfluss von Arbiter-Entscheiden berechnet.